

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 29 Mar 2016

Yarding Change ⁹¹⁸/₂₄

comparison date 22/03/2016

Numbers remained close to the previous week's level and a fair panel of buyers covering all classes was present and most were operating. Restockers were very active in the market, along with feeder operators and local trade buyers. Most of the bullocks penned were full mouth classes and there was a wide variation in the standard in the fair line up of cows. Prices for the better end of the cows averaged 6c/kg dearer while the remainder of the cows were without much change in price.

Calves returning to the paddock made to 350.2c to average 331c/kg. Most of the vealer heifers to feed averaged 310c, with some to local butchers reaching 325.2c/kg. Light weight yearling steers sold to restockers at an average of 330c, with some to 351.2c/kg. Medium weight yearling steers to feed made to 330c, with a fair sample around 315c/kg. Heavy weights to feed averaged 306c, with occasional sales to 318c/kg. Medium weight yearling heifers to feed averaged 291c while a fair sample sold to local butchers at 302c, with a few sales to 324.2c/kg.

Heavy grown steers averaged 278c and a couple of bullocks sold to the wholesale meat trade at 293.2c/kg. Full mouth bullocks mostly sold around 266c, with some to 275.2c/kg. Medium weight 2 score cows averaged close to 209c and made to 213.2c/kg. Good heavy cows made to 242.2c to average 238c/kg. Heavy bulls made to 248.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	22	313.2	- 350.2	330.9	-16	-	-	-	438	- 609	554
				22	313.2	350.2			0	0		438	609	
Vealer Steer														
200-280	FD	C	2	5	328.2	- 328.2	328.2	N/Q	-	-	-	870	- 870	870
280-330	FD	C	2	4	328.2	- 328.2	328.2	8	-	-	-	968	- 968	968
		C	3	7	315.0	- 339.2	327.9	N/Q	573	- 617	596	935	- 1102	974
330+		C	3	1	316.2	- 316.2	316.2	N/Q	575	- 575	575	1107	- 1107	1107
				17	315.0	339.2			573	617		870	1107	
Vealer Heifer														
200-280		C	2	15	300.0	- 311.2	305.8	-3	556	- 576	566	717	- 795	753
	FD	C	2	10	311.2	- 314.2	313.0	2	-	-	-	676	- 731	698
		C	3	7	312.2	- 323.2	313.8	N/Q	578	- 599	581	760	- 765	764
280-330	FD	C	2	18	300.0	- 317.2	310.4	N/C	-	-	-	855	- 904	885
		C	3	1	320.2	- 320.2	320.2	N/Q	593	- 593	593	945	- 945	945
330+		C	3	1	325.2	- 325.2	325.2	N/Q	602	- 602	602	1220	- 1220	1220
				52	300.0	325.2			556	602		676	1220	
Yearling Steer														
200-280	RS	C	2	36	310.2	- 351.2	330.2	4	-	-	-	720	- 927	809
	RS	D	2	5	277.2	- 277.2	277.2	N/Q	-	-	-	651	- 651	651
280-330	FD	C	2	4	325.2	- 325.2	325.2	-4	-	-	-	976	- 976	976
	RS	C	2	11	320.0	- 330.0	326.4	-12	-	-	-	944	- 974	963
330-400	FD	C	2	99	304.2	- 330.0	315.3	-1	-	-	-	1056	- 1217	1150
		C	3	7	321.2	- 328.2	322.2	N/Q	584	- 597	586	1172	- 1198	1176
	FD	C	3	1	328.2	- 328.2	328.2	N/Q	-	-	-	1099	- 1099	1099
	FD	D	2	19	273.2	- 290.0	282.5	42	-	-	-	1001	- 1088	1050
400+	FD	C	2	97	295.0	- 312.2	306.5	-14	-	-	-	1215	- 1396	1310

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	29	300.0	- 318.0	306.6	14	-			1215	- 1479	1363
		C	3	5	293.2	- 319.2	303.1	23	533	- 580	551	1373	- 1569	1454
	FD	D	2	1	290.2	- 290.2	290.2	N/Q	-			1204	- 1204	1204
				314	273.2	351.2			533	597		651	1569	
Yearling Heifer														
200-280	FD	C	2	12	280.0	- 305.0	293.9	-8	-			742	- 808	779
		C	2	2	280.2	- 280.2	280.2	N/Q	519	- 519	519	743	- 743	743
	FD	D	2	5	278.2	- 278.2	278.2	N/Q	-			654	- 654	654
280-330		C	2	1	290.2	- 290.2	290.2	N/Q	537	- 537	537	871	- 871	871
330-400	FD	C	2	32	280.0	- 300.0	291.3	1	-			1012	- 1155	1069
	FD	C	3	3	280.0	- 280.0	280.0	N/Q	-			1078	- 1078	1078
		C	3	22	287.2	- 324.2	302.1	N/Q	532	- 600	559	1001	- 1135	1056
		D	2	12	245.2	- 275.0	264.1	24	454	- 509	489	939	- 963	952
	FD	D	2	7	260.2	- 269.2	267.9	2	-			911	- 929	926
400+	FD	C	2	9	270.0	- 290.2	283.5	N/Q	-			1148	- 1233	1205
	FD	C	3	6	280.0	- 290.0	286.7	N/Q	-			1233	- 1358	1274
		C	3	17	280.0	- 313.2	292.8	24	519	- 580	542	1190	- 1519	1297
	FD	D	2	2	251.2	- 251.2	251.2	N/Q	-			1093	- 1093	1093
				130	245.2	324.2			454	600		654	1519	
Grown Steer														
400-500	FD	C	2	6	290.2	- 290.2	290.2	N/Q	-			1262	- 1262	1262
	FD	C	3	5	275.2	- 275.2	275.2	N/Q	-			1362	- 1362	1362
		C	3	2	298.2	- 298.2	298.2	N/Q	542	- 542	542	1446	- 1446	1446
	FD	D	2	3	260.0	- 260.0	260.0	10	-			1053	- 1053	1053
500-600	FD	C	3	4	269.2	- 269.2	269.2	N/Q	-			1575	- 1575	1575
		C	4	10	273.2	- 287.2	278.6	-4	488	- 513	498	1544	- 1667	1622
		D	3	4	244.2	- 244.2	244.2	N/Q	444	- 444	444	1306	- 1306	1306
600-750		C	4	4	275.2	- 293.2	284.2	10	491	- 524	508	1748	- 1789	1768
				38	244.2	298.2			444	542		1053	1789	
Grown Heifer														
0-540		C	3	9	250.0	- 259.2	255.5	1	472	- 493	484	1063	- 1338	1159
		C	4	2	260.0	- 261.2	260.6	N/Q	491	- 502	496	1306	- 1391	1349
		D	2	7	200.0	- 219.2	207.0	N/Q	417	- 457	431	844	- 872	855
		D	3	6	230.0	- 240.2	234.9	N/Q	442	- 460	449	1035	- 1285	1145
540+		C	4	5	267.2	- 274.2	271.4	7	504	- 517	512	1577	- 1603	1587
				29	200.0	274.2			417	517		844	1603	
Manufacturing Steer														
540+		C	3	18	247.2	- 259.2	255.2	-8	450	- 471	464	1545	- 1620	1595
		C	4	18	261.2	- 275.2	265.9	N/Q	475	- 500	484	1633	- 2006	1796
				36	247.2	275.2			450	500		1545	2006	
Cows														
0-400		D	1	7	165.2	- 173.2	169.8	N/Q	376	- 394	386	661	- 677	672
	RS	D	1	1	148.2	- 148.2	148.2	N/Q	-			593	- 593	593
		D	2	3	195.2	- 197.2	196.5	19	424	- 429	427	781	- 789	786
	RS	D	2	4	206.2	- 206.2	206.2	N/Q	-			825	- 825	825

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	RS	D	4	1	177.2	- 177.2	177.2	N/Q	-			709	- 709	709
	RS	E	1	1	127.2	- 127.2	127.2	N/Q	-			509	- 509	509
	DA	D	1	1	187.2	- 187.2	187.2	N/Q	426	- 426	426	927	- 927	927
	RS	D	1	27	176.2	- 219.2	200.9	4	-			766	- 1019	886
		D	1	4	185.2	- 185.2	185.2	8	421	- 421	421	806	- 806	806
		D	2	19	205.0	- 213.2	208.9	-2	446	- 464	454	847	- 1024	953
	DA	D	2	3	197.0	- 197.2	197.1	N/Q	428	- 429	429	975	- 976	976
		D	3	10	215.2	- 222.2	219.2	N/C	439	- 454	447	1044	- 1078	1052
520+		D	4	5	185.2	- 235.8	218.7	-9	421	- 462	440	806	- 1087	1021
	RS	D	1	1	197.2	- 197.2	197.2	N/Q	-			1055	- 1055	1055
	DA	D	1	8	195.0	- 204.2	196.2	6	443	- 464	446	1043	- 1225	1066
		D	2	4	210.2	- 217.2	213.7	-5	457	- 472	465	1146	- 1227	1186
	DA	D	2	1	220.2	- 220.2	220.2	N/Q	479	- 479	479	1321	- 1321	1321
		D	3	20	218.2	- 232.2	223.5	-3	445	- 474	456	1233	- 1393	1268
		D	4	24	234.2	- 242.2	238.2	6	459	- 475	467	1251	- 2052	1425
				144	127.2	242.2		376	479		509	2052		
Bulls														
0-450		C	2	2	256.2	- 265.2	260.7	N/Q	466	- 482	474	897	- 1021	959
	FD	C	2	7	255.2	- 287.2	274.3	10	-			1004	- 1110	1051
	FD	D	2	3	213.2	- 249.2	232.5	N/Q	-			863	- 1022	919
		D	2	1	235.2	- 235.2	235.2	N/Q	428	- 428	428	1023	- 1023	1023
450-600	FD	C	3	2	260.2	- 260.2	260.2	N/Q	-			1262	- 1262	1262
600+		C	3	3	248.2	- 248.2	248.2	4	443	- 443	443	1700	- 2358	2056
		D	2	1	233.2	- 233.2	233.2	N/Q	424	- 424	424	1458	- 1458	1458
				19	213.2	287.2		424	482		863	2358		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.