

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Toowoomba

report date 11 Jul 2016

Yarding Change 868  
-319

comparison date 04/07/2016

Numbers reduced by 27% and young cattle were in the largest numbers, along with a fair sample of supplementary fed heavy grown steers and bullocks, and a relatively small very mixed quality line up of cows. Buyer attendance was generally good with representatives covering all classes. Young cattle continued to meet strong competition from feeder operators, restockers and the trade with most classes receiving only quality related price changes. Export slaughter lines of heavy grown steers, bullocks and cows also experienced very little change in price for the quality penned.

Light weight yearling steers returning to the paddock made to 380c with a fair sample averaging 356c/kg. Medium weight yearling steers to feed made to 360c, to average 346c/kg. Heavy weight yearling steers to feed made to a top of 349.2c, with most around 344c/kg. Light weight yearling heifers to feed made to 329.2c to average 314c, and medium weights to feed made to 340c to average 331c/kg.

A good number of supplementary fed heavy grown steers averaged 329c, with some to the wholesale meat trade reaching 330.2c/kg. Bullocks made to 329.2c, to average 325c/kg. Medium weight 2 score cows averaged 229c, and good heavy cows made to 274.2c to average 272c/kg. Heavy bulls made to 279.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+	RS	C	2	5	300.2	340.2	332.2	17	-	-	-	525	595	581
				<b>5</b>	<b>300.2</b>	<b>340.2</b>			<b>0</b>	<b>0</b>		<b>525</b>	<b>595</b>	
<b>Yearling Steer</b>														
200-280	FD	C	2	46	324.2	369.2	350.6	-7	-	-	-	761	931	878
	RS	C	2	60	338.5	380.0	356.1	7	-	-	-	795	950	878
	RS	D	2	6	278.2	318.2	297.5	-4	-	-	-	654	780	705
	FD	D	2	9	306.2	318.2	311.3	31	-	-	-	735	822	763
	RS	E	2	4	273.2	273.2	273.2	N/Q	-	-	-	615	615	615
280-330	RS	C	2	4	346.2	346.2	346.2	N/Q	-	-	-	1039	1039	1039
	FD	C	2	32	319.2	354.2	345.7	-28	-	-	-	958	1063	1032
	RS	D	2	2	311.2	311.2	311.2	N/Q	-	-	-	887	887	887
	FD	D	2	7	310.2	312.2	310.8	N/Q	-	-	-	915	921	917
330-400	FD	C	2	69	334.2	360.0	346.6	-6	-	-	-	1133	1317	1210
	FD	C	3	16	336.2	349.2	343.6	2	-	-	-	1143	1379	1292
	FD	D	2	8	322.2	322.2	322.2	N/Q	-	-	-	1240	1240	1240
	RS	D	2	3	322.2	322.2	322.2	N/Q	-	-	-	1079	1079	1079
400+	FD	C	2	13	344.2	344.2	344.2	2	-	-	-	1497	1497	1497
	FD	C	3	48	327.2	349.2	344.5	2	-	-	-	1471	1848	1613
				<b>327</b>	<b>273.2</b>	<b>380.0</b>			<b>0</b>	<b>0</b>		<b>615</b>	<b>1848</b>	
<b>Yearling Heifer</b>														
200-280		C	2	8	293.2	301.2	299.2	N/C	543	558	554	689	708	703
	FD	C	2	55	299.2	329.2	314.1	-8	-	-	-	705	872	798
	RS	D	2	5	282.2	282.2	282.2	24	-	-	-	663	663	663
	FD	D	2	2	270.2	270.2	270.2	N/Q	-	-	-	635	635	635
		D	2	2	271.2	290.2	280.7	N/Q	502	537	520	637	696	667

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330		C	2	3	314.2	- 314.2	314.2	23	582	- 582	582	895	- 895	895	
	FD	C	2	24	308.2	- 330.2	316.7	-14	-	-	-	925	- 991	950	
	FD	D	2	4	287.2	- 287.2	287.2	N/Q	-	-	-	862	- 862	862	
330-400	FD	C	2	54	312.2	- 340.0	331.1	9	-	-	-	1061	- 1264	1127	
	FD	C	3	9	299.2	- 332.2	319.3	-9	-	-	-	1092	- 1246	1191	
		C	3	12	301.2	- 316.2	312.1	-9	558	- 586	578	1130	- 1213	1168	
	FD	D	2	16	280.2	- 300.0	290.7	15	-	-	-	981	- 1095	1059	
	RS	D	2	1	232.2	- 232.2	232.2	N/Q	-	-	-	848	- 848	848	
	FD	D	3	6	281.2	- 281.2	281.2	1	-	-	-	1055	- 1055	1055	
		D	3	5	279.2	- 300.2	283.4	N/Q	517	- 556	525	1019	- 1036	1022	
400+		B	3	5	328.2	- 331.2	329.4	N/Q	597	- 602	599	1606	- 1904	1785	
		C	3	9	294.2	- 315.0	312.0	-10	545	- 583	578	1276	- 1608	1329	
	FD	C	3	8	314.2	- 314.2	314.2	5	-	-	-	1524	- 1524	1524	
	FD	D	2	3	273.2	- 285.2	277.2	N/Q	-	-	-	1188	- 1212	1196	
				<b>231</b>	<b>232.2</b>	<b>340.0</b>		<b>502</b>	<b>602</b>		<b>635</b>	<b>1904</b>			
<b>Grown Steer</b>															
400-500	FD	C	2	3	307.2	- 313.2	309.2	N/Q	-	-	-	1306	- 1331	1314	
500-600		C	4	68	327.2	- 330.2	329.0	7	584	- 590	588	1800	- 1959	1898	
		D	3	1	278.2	- 278.2	278.2	N/Q	506	- 506	506	1488	- 1488	1488	
600-750		C	4	11	322.2	- 329.2	325.5	-1	575	- 588	581	2074	- 2384	2247	
				<b>83</b>	<b>278.2</b>	<b>330.2</b>		<b>506</b>	<b>590</b>		<b>1306</b>	<b>2384</b>			
<b>Grown Heifer</b>															
0-540	FD	C	3	10	271.2	- 281.2	276.6	N/Q	-	-	-	1078	- 1336	1144	
		C	3	2	262.2	- 262.2	262.2	N/Q	495	- 495	495	1141	- 1141	1141	
		C	4	4	281.2	- 310.0	288.4	-3	531	- 585	544	1504	- 1659	1543	
		RS	D	1	2	197.2	- 197.2	197.2	N/Q	-	-	-	720	- 720	720
		FD	D	2	9	230.0	- 270.2	261.3	N/Q	-	-	-	920	- 946	940
			D	3	1	251.2	- 251.2	251.2	N/Q	474	- 474	474	1068	- 1068	1068
540+		C	3	1	323.2	- 323.2	323.2	N/Q	610	- 610	610	2133	- 2133	2133	
		C	4	4	302.2	- 307.2	303.5	29	570	- 580	573	1707	- 1736	1714	
				<b>33</b>	<b>197.2</b>	<b>323.2</b>		<b>474</b>	<b>610</b>		<b>720</b>	<b>2133</b>			
<b>Manufacturing Steer</b>															
540+		C	3	2	290.2	- 290.2	290.2	N/Q	528	- 528	528	1886	- 1886	1886	
				<b>2</b>	<b>290.2</b>	<b>290.2</b>		<b>528</b>	<b>528</b>		<b>1886</b>	<b>1886</b>			
<b>Cows</b>															
0-400	RS	D	1	9	181.2	- 185.2	183.0	-10	-	-	-	713	- 728	721	
		D	1	17	150.0	- 204.2	173.9	-25	341	- 464	395	525	- 817	648	
		D	2	3	200.0	- 200.0	200.0	-6	435	- 435	435	700	- 700	700	
		RS	E	1	1	156.2	- 156.2	156.2	N/Q	-	-	-	617	- 617	617
400-520	DA	D	1	2	196.2	- 218.2	207.2	N/Q	446	- 496	471	952	- 1058	1005	
	RS	D	1	9	167.2	- 208.2	179.9	-29	-	-	-	727	- 968	796	
		D	1	5	204.2	- 204.2	204.2	1	464	- 464	464	868	- 888	876	
		D	2	30	208.2	- 240.0	229.4	N/C	453	- 522	499	949	- 1116	1031	
		D	3	8	239.2	- 245.0	243.1	5	488	- 500	496	1049	- 1139	1112	
		D	4	1	259.2	- 259.2	259.2	N/Q	508	- 508	508	1257	- 1257	1257	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	D		2	4	233.2	- 235.2	233.7	-9	507	- 511	508	1248	- 1258	1250
	D		3	22	245.0	- 258.2	250.5	2	500	- 527	511	1311	- 1459	1361
	D		4	7	270.2	- 274.2	272.2	3	530	- 538	534	1621	- 1714	1653
			<b>118</b>		<b>150.0</b>	<b>274.2</b>			<b>341</b>	<b>538</b>		<b>525</b>	<b>1714</b>	
<b>Bulls</b>														
0-450	FD	C	2	8	300.0	- 300.0	300.0	-17				705	- 705	705
	RS	C	2	3	300.0	- 300.0	300.0	-41				855	- 855	855
450-600		C	2	2	236.2	- 236.2	236.2	N/Q	430	- 430	430	1228	- 1228	1228
	FD	C	3	1	270.0	- 270.0	270.0	N/Q				1404	- 1404	1404
600+		C	3	5	250.0	- 279.2	268.7	6	446	- 508	482	1838	- 3132	2336
		D	2	1	225.2	- 225.2	225.2	N/Q	410	- 410	410	1576	- 1576	1576
			<b>20</b>		<b>225.2</b>	<b>300.0</b>			<b>410</b>	<b>508</b>		<b>705</b>	<b>3132</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.