

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Toowoomba

report date 25 Jul 2016

Yarding Change <sup>765</sup>  
150

comparison date 18/07/2016

Numbers increased slightly following the rain affected yarding the previous week. A mixed quality line-up of young cattle dominated the yarding along with a few pens of heavy grown steers and bullocks and a relatively small sample of cows. A larger selection of steer calves allowed restockers to be more active. Yearling steers and heifers to feeder operators, restockers and the trade sold to strong demand to experience only quality related price changes. Most of the heavy grown steers sold to feeder operators and cows sold to a firm market with stronger support from restockers on the plain condition lines.

Steer calves returning to the paddock made to 398.2c in pen lots with mixed sex calves averaging 363c/kg. Light weight yearling steers to restockers made to 384.2c to average 364c/kg. Medium weight yearling steers to feed mostly sold around 349c, with some to 365.2c/kg. A fair sample of light weight yearling heifers averaged from 326c to 336c, with some returning to the paddock at 340.2c/kg. Medium weights to feed made to 320c to average 317c, and a handful to the trade made to 345.2c/kg.

Medium weight grown steers to feed averaged 344c and heavy grown steers to feed made to 332.2c, to average 326c/kg. A handful of bullocks made to 324.2c, to average 319c/kg. Medium weight 2 score cows averaged 233c and made to 238.2c/kg. Heavy 3 scores made to 260c to average 254c, while a couple of good heavy cows made to 271.2c/kg. Heavy bulls made to 285.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+	RS	C	2	83	327.2	- 398.2	363.4	24	-	-	-	425	- 737	646
				<b>83</b>	<b>327.2</b>	<b>398.2</b>			<b>0</b>	<b>0</b>		<b>425</b>	<b>737</b>	
<b>Vealer Heifer</b>														
200-280		C	2	6	324.2	- 324.2	324.2	10	600	- 600	600	811	- 811	811
	FD	C	2	10	330.2	- 339.2	335.9	-1	-	-	-	677	- 933	877
				<b>16</b>	<b>324.2</b>	<b>339.2</b>			<b>600</b>	<b>600</b>		<b>677</b>	<b>933</b>	
<b>Yearling Steer</b>														
200-280	FD	C	2	40	330.0	- 372.2	346.3	-14	-	-	-	774	- 949	839
		C	2	1	336.2	- 336.2	336.2	N/Q	611	- 611	611	841	- 841	841
	RS	C	2	51	328.2	- 384.2	364.5	8	-	-	-	814	- 980	896
	RS	D	2	1	316.2	- 316.2	316.2	N/Q	-	-	-	743	- 743	743
		D	2	7	278.2	- 278.2	278.2	-2	506	- 506	506	626	- 626	626
280-330	FD	C	2	9	336.2	- 352.2	344.2	10	-	-	-	987	- 1057	1021
	RS	C	2	6	334.2	- 370.2	358.2	22	-	-	-	952	- 1055	1021
330-400	FD	C	2	23	314.2	- 365.2	348.9	1	-	-	-	1100	- 1260	1203
	FD	C	3	8	333.2	- 360.0	350.9	-9	-	-	-	1250	- 1295	1271
		C	3	1	331.2	- 331.2	331.2	N/Q	602	- 602	602	1275	- 1275	1275
400+	FD	C	2	3	351.2	- 351.2	351.2	N/Q	-	-	-	1493	- 1493	1493
	FD	C	3	12	340.2	- 346.2	345.7	-5	-	-	-	1471	- 1616	1518
				<b>162</b>	<b>278.2</b>	<b>384.2</b>			<b>506</b>	<b>611</b>		<b>626</b>	<b>1616</b>	
<b>Yearling Heifer</b>														
200-280	RS	C	2	48	326.2	- 340.2	336.7	-1	-	-	-	673	- 864	752
	FD	C	2	63	306.2	- 343.2	326.3	3	-	-	-	720	- 875	788
	FD	D	2	9	266.2	- 294.2	269.3	N/Q	-	-	-	719	- 736	721
	RS	D	2	2	280.2	- 280.2	280.2	N/Q	-	-	-	701	- 701	701

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	2	5	314.2	- 329.2	320.2	-10	-			927	- 971	945
330-400	FD	C	2	25	313.2	- 320.0	317.6	-5	-			1117	- 1229	1183
		C	3	5	312.2	- 345.2	319.2	-21	578	- 639	591	1156	- 1178	1169
	FD	C	3	3	325.2	- 325.2	325.2	N/Q	-			1220	- 1220	1220
	FD	D	2	27	231.2	- 310.0	277.2	N/Q	-			775	- 1110	964
		D	3	1	294.2	- 294.2	294.2	N/Q	545	- 545	545	1103	- 1103	1103
400+	FD	C	2	18	302.2	- 315.2	313.8	1	-			1340	- 1360	1342
		C	3	14	319.2	- 326.2	324.7	-9	591	- 604	601	1389	- 1468	1451
	FD	C	3	5	308.2	- 308.2	308.2	11	-			1495	- 1495	1495
		C	4	1	298.2	- 298.2	298.2	N/Q	552	- 552	552	1297	- 1297	1297
				<b>226</b>	<b>231.2</b>	<b>345.2</b>			<b>545</b>	<b>639</b>		<b>673</b>	<b>1495</b>	
<b>Grown Steer</b>														
400-500	FD	C	2	1	324.2	- 324.2	324.2	N/Q	-			1459	- 1459	1459
	FD	C	3	18	343.2	- 345.2	344.6	N/Q	-			1553	- 1665	1584
	RS	D	1	4	220.2	- 220.2	220.2	N/Q	-			936	- 936	936
	FD	D	2	5	301.2	- 301.2	301.2	-4	-			1280	- 1280	1280
500-600	FD	C	3	24	298.2	- 332.2	325.9	4	-			1595	- 1874	1792
		C	4	3	304.2	- 315.2	311.5	-19	543	- 563	556	1719	- 1781	1760
600-750		C	4	14	317.2	- 324.2	319.7	-11	566	- 579	571	2049	- 2072	2057
		D	3	6	279.2	- 279.2	279.2	N/Q	508	- 508	508	1913	- 1913	1913
				<b>75</b>	<b>220.2</b>	<b>345.2</b>			<b>508</b>	<b>579</b>		<b>936</b>	<b>2072</b>	
<b>Grown Heifer</b>														
0-540		C	3	5	274.2	- 281.2	276.4	N/Q	517	- 531	522	1210	- 1467	1395
		C	4	7	289.2	- 293.2	291.2	-13	546	- 553	549	1547	- 1569	1558
		D	2	9	187.2	- 187.2	187.2	N/Q	390	- 390	390	562	- 562	562
540+		C	4	1	290.2	- 290.2	290.2	N/Q	548	- 548	548	1596	- 1596	1596
				<b>22</b>	<b>187.2</b>	<b>293.2</b>			<b>390</b>	<b>553</b>		<b>562</b>	<b>1596</b>	
<b>Cows</b>														
0-400	RS	D	1	4	191.2	- 192.2	191.5	N/Q	-			740	- 765	759
		D	1	7	174.2	- 179.2	177.1	4	396	- 407	402	636	- 690	667
		D	2	4	220.0	- 220.0	220.0	19	478	- 478	478	880	- 880	880
400-520	RS	D	1	6	209.2	- 223.2	215.1	N/Q	-			910	- 971	936
		D	1	21	197.2	- 213.2	206.1	-4	448	- 485	468	858	- 927	892
	RS	D	2	4	222.2	- 222.2	222.2	-35	-			967	- 967	967
		D	2	30	217.2	- 238.2	233.4	4	472	- 518	508	977	- 1072	1040
		D	3	14	238.2	- 248.2	244.3	-2	486	- 507	499	1036	- 1204	1140
		D	4	5	253.2	- 255.2	254.4	6	497	- 500	499	1139	- 1238	1198
		E	1	1	166.2	- 166.2	166.2	N/Q	378	- 378	378	723	- 723	723
520+		D	2	1	243.2	- 243.2	243.2	N/Q	529	- 529	529	1301	- 1301	1301
		D	3	26	246.2	- 260.2	254.7	2	502	- 531	520	1317	- 1525	1392
		D	4	3	269.2	- 271.2	270.5	-7	528	- 532	531	1440	- 2107	1885
		D	5	1	248.2	- 248.2	248.2	N/Q	507	- 507	507	1353	- 1353	1353
				<b>127</b>	<b>166.2</b>	<b>271.2</b>			<b>378</b>	<b>532</b>		<b>636</b>	<b>2107</b>	
<b>Bulls</b>														
0-450	FD	C	2	4	308.2	- 308.2	308.2	N/Q	-			878	- 878	878

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+	RS	C	2	1	326.2	- 326.2	326.2	N/Q	-			767	- 767	767
		D	2	19	238.2	- 270.2	255.0	N/Q	433	- 491	464	536	- 770	659
		C	2	1	239.2	- 239.2	239.2	N/Q	435	- 435	435	1555	- 1555	1555
		C	3	12	244.2	- 285.2	267.2	-13	436	- 509	477	1711	- 2732	2180
				<b>37</b>	<b>238.2</b>	<b>326.2</b>			<b>433</b>	<b>509</b>		<b>536</b>	<b>2732</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.