

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 26 Jul 2016

Yarding Change <sup>998</sup>  
-89

comparison date 19/07/2016

Numbers remained similar week-on-week and a fair supply of mixed quality young cattle were penned along with a few bullocks and a relatively small selection of cows. A good panel of buyers were present and operated on young cattle particularly, while there was some supermarket support in the cow section. Steer calves experienced stronger competition from restockers, along with lightweight yearling heifers to feed, with those to restockers noticeably dearer overall. Medium and heavy weight yearling steers to feed continued to receive strong demand, while medium weight yearling heifers also improved in price. A small sample of bullocks averaged 4c dearer and plain condition cows gained 3c/kg, while the better end of the cows could not maintain the levels of the previous sale.

Steer calves to restockers made to 390c, with mixed sex calves averaging 367c/kg. Vealer heifers to local butchers made to 355c to average 346c/kg. Lightweight yearling steers returning to the paddock averaged 362c, with some to 374c/kg. Medium weight yearling steers to feed made to 380c, and a good sample averaging 363c/kg. Heavy weight yearling steers to feed sold close to 350c, with the occasional sale to 379c/kg. Lightweight yearling heifers to feeder and restocker buyers sold close to 330c, with some to 346c/kg. Medium weight yearling heifers to feed averaged 346c, with sales to 356c and some to the trade making close to 340c and averaging 316c/kg.

A few bullocks made to 327c and averaged 324c/kg. Medium weight 2 score cows averaged 227c and the better end of the medium weights averaged 256c/kg. Good heavy cows made to 277c, with most close to 270c/kg. Heavy bulls made to 291c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	1	305.2	- 305.2	305.2	N/Q	576	- 576	576	565	- 565	565
	RS	C	2	50	314.2	- 390.2	367.5	18		-		457	- 741	651
				<b>51</b>	<b>305.2</b>	<b>390.2</b>			<b>576</b>	<b>576</b>		<b>457</b>	<b>741</b>	
<b>Vealer Heifer</b>														
200-280	FD	C	2	10	339.2	- 339.2	339.2	N/C		-		831	- 831	831
280-330	FD	C	2	12	320.0	- 337.2	328.0	-8		-		912	- 961	935
		C	3	15	337.2	- 355.2	346.3	-1	624	- 658	641	975	- 1036	1004
				<b>37</b>	<b>320.0</b>	<b>355.2</b>			<b>624</b>	<b>658</b>		<b>831</b>	<b>1036</b>	
<b>Yearling Steer</b>														
200-280	FD	C	2	12	340.0	- 360.2	352.6	-14		-		875	- 928	903
	RS	C	2	56	340.0	- 374.2	362.3	-7		-		708	- 926	850
	RS	D	2	2	305.2	- 305.2	305.2	N/Q		-		717	- 717	717
280-330	FD	C	2	21	339.2	- 367.2	354.1	N/C		-		992	- 1102	1050
		C	3	1	333.2	- 333.2	333.2	N/Q	606	- 606	606	1000	- 1000	1000
330-400	FD	C	2	132	333.2	- 380.2	363.3	-1		-		1157	- 1425	1313
		C	3	2	333.2	- 365.0	349.1	N/Q	606	- 664	635	1166	- 1223	1194
	FD	C	3	30	340.0	- 364.2	352.6	-1		-		1205	- 1439	1335
	RS	D	2	6	324.2	- 324.2	324.2	N/Q		-		1102	- 1102	1102
400+	FD	C	2	10	330.0	- 357.2	344.4	-8		-		1403	- 1554	1492
	FD	C	3	30	322.2	- 379.2	352.9	N/C		-		1402	- 1879	1564
		C	3	14	354.2	- 355.2	354.8	20	644	- 646	645	1541	- 1598	1582
				<b>316</b>	<b>305.2</b>	<b>380.2</b>			<b>606</b>	<b>664</b>		<b>708</b>	<b>1879</b>	
<b>Yearling Heifer</b>														
200-280		C	2	3	313.2	- 313.2	313.2	10	580	- 580	580	799	- 799	799

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	2	12	336.2	- 346.2	339.4	13	-			795	- 952	853
	RS	C	2	48	322.2	- 339.2	330.5	24	-			667	- 797	716
280-330	FD	C	2	16	313.2	- 344.0	331.3	-1	-			940	- 1032	994
330-400	FD	C	2	37	312.2	- 350.0	337.4	-4	-			1099	- 1215	1175
	FD	C	3	59	310.2	- 356.2	346.6	4	-			1078	- 1329	1216
		C	3	24	300.2	- 340.0	315.9	-17	556	- 630	585	1072	- 1309	1120
	FD	D	2	2	284.2	- 284.2	284.2	N/Q	-			980	- 980	980
		D	2	2	240.0	- 240.0	240.0	N/Q	444	- 444	444	828	- 828	828
400+	FD	C	2	1	310.2	- 310.2	310.2	N/Q	-			1318	- 1318	1318
	FD	C	3	1	308.2	- 308.2	308.2	N/Q	-			1310	- 1310	1310
		C	3	22	294.2	- 315.2	307.2	-5	545	- 584	569	1250	- 1371	1321
		D	3	1	278.2	- 278.2	278.2	N/Q	515	- 515	515	1135	- 1135	1135
				<b>228</b>	<b>240.0</b>	<b>356.2</b>			<b>444</b>	<b>630</b>		<b>667</b>	<b>1371</b>	
<b>Grown Steer</b>														
0-400	FD	D	2	3	310.0	- 310.0	310.0	N/Q	-			1225	- 1225	1225
400-500	FD	C	2	5	300.0	- 325.2	310.1	-19	-			1350	- 1463	1395
	FD	C	3	5	329.2	- 333.2	332.4	5	-			1481	- 1616	1589
		D	2	5	280.2	- 280.2	280.2	N/Q	510	- 510	510	1191	- 1191	1191
500-600	FD	C	2	1	312.2	- 312.2	312.2	N/Q	-			1670	- 1670	1670
	FD	C	3	11	325.2	- 330.2	326.6	-2	-			1833	- 1902	1883
		C	3	3	298.2	- 298.2	298.2	-12	542	- 542	542	1595	- 1595	1595
		C	4	15	317.2	- 326.2	322.0	N/Q	566	- 583	575	1830	- 1908	1872
600-750		C	4	15	323.2	- 327.2	324.3	4	577	- 584	579	2020	- 2055	2028
				<b>63</b>	<b>280.2</b>	<b>333.2</b>			<b>510</b>	<b>584</b>		<b>1191</b>	<b>2055</b>	
<b>Grown Heifer</b>														
0-540	RS	D	2	2	273.2	- 273.2	273.2	N/Q	-			1161	- 1161	1161
540+		C	4	2	287.2	- 290.0	288.6	N/Q	542	- 547	545	1623	- 1639	1631
				<b>4</b>	<b>273.2</b>	<b>290.0</b>			<b>542</b>	<b>547</b>		<b>1161</b>	<b>1639</b>	
<b>Cows</b>														
0-400		D	1	6	201.2	- 201.2	201.2	20	457	- 457	457	775	- 775	775
	DA	D	1	1	180.0	- 180.0	180.0	N/Q	409	- 409	409	720	- 720	720
400-520	DA	D	1	3	209.0	- 209.0	209.0	N/Q	475	- 475	475	1035	- 1035	1035
	RS	D	1	4	223.2	- 226.2	225.5	12	-			971	- 1052	1032
	RS	D	2	1	238.2	- 238.2	238.2	N/Q	-			1155	- 1155	1155
		D	2	16	210.0	- 248.2	227.7	3	457	- 540	495	971	- 1154	1032
	DA	D	2	2	223.2	- 223.2	223.2	N/Q	485	- 485	485	1083	- 1083	1083
		D	3	9	240.2	- 247.2	243.5	-3	490	- 505	497	1045	- 1174	1135
		D	4	13	255.2	- 265.0	256.0	-5	500	- 520	502	1148	- 1212	1193
520+	DA	D	1	1	228.2	- 228.2	228.2	N/Q	519	- 519	519	1221	- 1221	1221
	RS	D	2	2	242.2	- 242.2	242.2	N/Q	-			1296	- 1296	1296
	DA	D	3	2	252.2	- 252.2	252.2	N/Q	515	- 515	515	1374	- 1374	1374
		D	3	13	249.2	- 263.2	257.3	N/Q	509	- 537	525	1371	- 1508	1436
		D	4	54	264.2	- 277.2	269.6	-11	518	- 544	529	1413	- 1940	1559
				<b>127</b>	<b>180.0</b>	<b>277.2</b>			<b>409</b>	<b>544</b>		<b>720</b>	<b>1940</b>	
<b>Bulls</b>														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-450	FD	C	3	1	291.2	- 291.2	291.2	N/Q	-			1310	- 1310	1310
600+		C	2	1	247.2	- 247.2	247.2	N/Q	450	- 450	450	1978	- 1978	1978
		C	3	8	257.2	- 291.2	278.1	8	459	- 520	497	1750	- 3371	2296
				<b>10</b>	<b>247.2</b>	<b>291.2</b>			<b>450</b>	<b>520</b>		<b>1310</b>	<b>3371</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.