

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 06 Sep 2016

Yarding Change ¹⁰⁷¹/₂₉₉

comparison date 30/08/2016

There was a reduced yarding down 22% to 1,071 head of cattle mostly drawn from the local area. Quality was good and featured a number of lines of bullocks and good types of yearling and vealer cattle. The two processors present maintained finished cattle at or a little above last week and feeders and restockers started a little slowly and improved as the sale progressed to finish at close to previous rates.

Vealer steers made to a top of 442c to average 416c/kg returning to the paddock. Vealer heifers made to 376c to average 361c/kg for the best. Medium weight yearling steers reached a top of 386c to average 370c/kg. Yearling heifers made an occasional 400c to average 359c/kg for the best. 4 Score bullocks improved to make a 326c top and average 319c/kg.

Heavy 4 score cows made to 269c and returned an average of 262c/kg. Processors paid an average of 264c and a top of 300c/kg for heavy bulls.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	380.0	- 380.0	380.0	N/Q	-	-	-	228	- 228	228
80+	RS	C	2	10	374.0	- 377.0	374.3	N/Q	-	-	-	655	- 697	659
		C	2	2	358.0	- 358.0	358.0	N/Q	689	- 689	689	680	- 680	680
	FD	D	2	2	380.0	- 380.0	380.0	N/Q	-	-	-	684	- 684	684
	RS	D	2	4	380.0	- 428.0	414.0	32	-	-	-	551	- 665	602
				19	358.0	428.0			689	689		228	697	
Vealer Steer														
0-200	RS	D	2	12	410.0	- 410.0	410.0	N/Q	-	-	-	759	- 759	759
200-280		C	2	3	354.0	- 370.0	364.7	-4	681	- 712	701	726	- 851	809
	FD	C	2	15	360.0	- 400.0	382.4	N/Q	-	-	-	738	- 998	954
	RS	C	2	75	380.0	- 442.0	416.1	14	-	-	-	874	- 1141	988
	RS	D	2	10	357.0	- 402.0	392.2	-14	-	-	-	856	- 965	882
280-330	FD	C	2	8	390.0	- 390.0	390.0	N/Q	-	-	-	1151	- 1151	1151
				123	354.0	442.0			681	712		726	1151	
Vealer Heifer														
0-200	RS	C	2	7	374.0	- 374.0	374.0	N/Q	-	-	-	748	- 748	748
200-280	RS	C	2	9	352.0	- 369.0	359.6	-16	-	-	-	792	- 904	842
		C	2	4	349.0	- 360.0	354.5	-15	671	- 692	682	907	- 954	931
	FD	C	2	7	348.0	- 352.0	349.7	N/Q	-	-	-	915	- 940	929
	FD	C	3	5	345.0	- 345.0	345.0	N/Q	-	-	-	932	- 932	932
	FD	D	2	3	356.0	- 356.0	356.0	N/Q	-	-	-	872	- 872	872
280-330	FD	C	2	29	340.0	- 376.0	360.8	N/Q	-	-	-	969	- 1162	1090
330+		C	3	8	329.0	- 347.0	338.8	N/Q	633	- 667	651	1102	- 1215	1167
				72	329.0	376.0			633	692		748	1215	
Yearling Steer														
200-280	RS	C	2	2	349.0	- 365.0	357.0	N/Q	-	-	-	907	- 986	946
	RS	D	2	15	356.0	- 396.0	389.0	N/Q	-	-	-	915	- 1109	1073
	FD	D	2	1	307.0	- 307.0	307.0	N/Q	-	-	-	844	- 844	844

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	2	15	360.0	- 394.0	377.7	N/Q	-			1047	- 1267	1174
	RS	C	2	25	350.0	- 392.0	376.6	-13	-			998	- 1203	1146
	RS	D	2	3	319.0	- 349.0	339.0	14	-			989	- 1099	1063
	FD	D	2	2	320.0	- 340.0	330.0	N/Q	-			1056	- 1088	1072
330-400	FD	C	2	89	350.0	- 386.0	369.8	9	-			1242	- 1486	1380
	RS	C	2	40	370.0	- 394.0	382.9	43	-			1295	- 1508	1398
	FD	C	3	4	350.0	- 360.0	352.5	19	-			1208	- 1348	1286
		C	3	2	360.0	- 360.0	360.0	N/Q	692	- 692	692	1278	- 1278	1278
	FD	D	2	12	335.0	- 375.0	365.4	N/Q	-			1156	- 1369	1287
400+	RS	C	2	11	349.0	- 349.0	349.0	N/Q	-			1413	- 1413	1413
	FD	C	2	30	339.0	- 376.0	358.8	-9	-			1390	- 1523	1478
	RS	C	3	2	353.0	- 353.0	353.0	N/Q	-			1553	- 1553	1553
	FD	C	3	16	340.0	- 360.0	347.9	-13	-			1496	- 1727	1606
	FD	C	4	1	328.0	- 328.0	328.0	N/Q	-			1525	- 1525	1525
		C	4	2	333.0	- 333.0	333.0	N/Q	617	- 617	617	1465	- 1465	1465
		D	4	1	317.0	- 317.0	317.0	N/Q	598	- 598	598	1341	- 1341	1341
				273	307.0	396.0			598	692		844	1727	
Yearling Heifer														
200-280	FD	C	2	6	336.0	- 355.0	342.3	N/Q	-			941	- 941	941
		D	2	2	289.0	- 289.0	289.0	N/Q	556	- 556	556	809	- 809	809
280-330		C	2	1	344.0	- 344.0	344.0	N/Q	662	- 662	662	980	- 980	980
	FD	C	2	21	342.0	- 355.0	351.8	5	-			1094	- 1168	1127
	FD	C	3	8	340.0	- 340.0	340.0	N/Q	-			1122	- 1122	1122
330-400	RS	C	3	1	334.0	- 334.0	334.0	N/Q	-			1102	- 1102	1102
	RS	D	2	1	335.0	- 335.0	335.0	N/Q	-			1039	- 1039	1039
	FD	C	2	38	336.0	- 400.0	359.0	-5	-			1139	- 1360	1258
		C	2	6	348.0	- 348.0	348.0	N/Q	669	- 669	669	1305	- 1305	1305
	C	3	18	332.0	- 357.0	347.8	N/C	639	- 687	669	1212	- 1264	1234	
	FD	C	3	5	330.0	- 330.0	330.0	-35	-			1172	- 1172	1172
	FD	D	2	9	280.0	- 339.0	312.0	N/Q	-			952	- 1187	1079
				116	280.0	400.0			556	687		809	1360	
Grown Steer														
0-400	FD	D	2	4	320.0	- 320.0	320.0	N/Q	-			1088	- 1232	1160
	FD	E	2	5	243.0	- 243.0	243.0	N/Q	-			911	- 911	911
400-500		C	4	5	324.0	- 324.0	324.0	N/Q	600	- 600	600	1507	- 1507	1507
	FD	D	2	11	269.0	- 284.0	275.8	N/Q	-			1116	- 1179	1145
		D	3	1	277.0	- 277.0	277.0	N/Q	523	- 523	523	1219	- 1219	1219
	E	2	4	274.0	- 274.0	274.0	N/Q	548	- 548	548	1206	- 1206	1206	
500-600		C	2	4	290.0	- 290.0	290.0	N/Q	547	- 547	547	1537	- 1537	1537
		C	4	9	313.0	- 326.0	318.8	10	580	- 604	590	1800	- 1891	1840
600-750		C	4	28	310.0	- 325.0	318.7	9	574	- 602	587	1938	- 2226	2056
				71	243.0	326.0			523	604		911	2226	
Grown Heifer														
0-540		D	3	1	294.0	- 294.0	294.0	N/Q	565	- 565	565	1323	- 1323	1323

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
540+	FD	D	3	1	321.0	- 321.0	321.0	N/Q	-			1428	- 1428	1428	
		D	4	1	277.0	- 277.0	277.0	N/Q	533	- 533	533	1496	- 1496	1496	
	D	4	1	287.0	- 287.0	287.0	N/Q	552	- 552	552	1650	- 1650	1650		
		4	277.0	321.0		533	565		1323	1650					
Manufacturing Steer															
540+	E	3	6	6	259.0	- 292.0	275.5	N/Q	498	- 551	525	1502	- 1825	1664	
				6	259.0	292.0		498	551		1502	1825			
Cows															
0-400	RS	D	1	6	207.0	- 228.0	219.0	N/Q	-			691	- 832	766	
		D	1	6	170.0	- 182.0	176.0	N/Q	405	- 414	409	595	- 610	602	
		D	2	5	189.0	- 231.0	210.0	-17	430	- 525	477	624	- 855	730	
400-520	RS	D	2	1	213.0	- 213.0	213.0	N/Q	-			756	- 756	756	
		D	2	12	219.0	- 242.0	235.1	23	476	- 526	513	975	- 1170	1090	
	D	3	28	220.0	- 261.0	246.9	3	478	- 544	513	946	- 1318	1181		
		4	8	246.0	- 260.0	254.8	1	513	- 520	517	1181	- 1352	1288		
		E	1	1	170.0	- 170.0	170.0	N/Q	370	- 370	370	740	- 740	740	
520+	E	2	5	210.0	- 215.0	213.2	N/Q	459	- 477	468	918	- 1043	1005		
		RS	E	2	3	218.0	- 218.0	218.0	N/Q	-			970	- 970	970
	FD	D	3	1	256.0	- 256.0	256.0	N/Q	-			1344	- 1344	1344	
		D	3	13	223.0	- 258.0	247.5	N/Q	465	- 516	504	1171	- 1367	1306	
		D	4	61	245.0	- 269.0	262.2	3	471	- 538	520	1365	- 1629	1447	
	150	170.0	269.0		370	544		595	1629						
Bulls															
0-450	C	2	2	290.0	- 330.0	310.0	N/Q	527	- 635	581	693	- 1117	905		
		FD	C	2	1	302.0	- 302.0	302.0	N/Q	-			1102	- 1102	1102
		RS	C	2	3	310.0	- 350.0	336.7	N/Q	-			805	- 853	821
		FD	D	2	3	240.0	- 298.0	278.7	N/Q	-			720	- 775	757
		RS	D	2	7	312.0	- 312.0	312.0	N/Q	-			858	- 858	858
450-600	C	3	1	300.0	- 300.0	300.0	N/Q	546	- 546	546	1635	- 1635	1635		
		E	1	1	240.0	- 240.0	240.0	N/Q	436	- 436	436	1404	- 1404	1404	
600+	C	3	10	255.0	- 279.0	263.9	N/Q	464	- 507	480	1887	- 2093	1984		
		E	3	1	248.0	- 248.0	248.0	N/Q	451	- 451	451	1860	- 1860	1860	
	29	240.0	350.0		436	635		693	2093						

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.