

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 22 Nov 2016

Yarding Change 1155
-158

comparison date 15/11/2016

There was a small reduction in supply and the usual panel of export processors and feeder buyers were present and operating. Despite the deterioration in seasonal conditions restocker activity remained very strong across all classes of young light weight cattle. Medium weight yearling steers to feed averaged 5c/kg better while heavy weights to feed could not maintain the improved prices of the previous week. Medium weight yearling heifers to feed sold to very solid demand. Heavy grown steers and bullocks averaged 1c to 9c dearer and cows sold to a stronger trend to gain 1c to 3c/kg.

Light weight yearling steers returning to the paddock made to 420c to average 391c/kg. Medium weight yearling steers to feed averaged 357c with some to 382.2c/kg. A good supply of heavy weights to feed averaged 336c and made to 341.2c/kg. Light weight yearling heifers averaged close to 340c and made to 348.2c/kg. Medium weight yearling heifers to feed made to 349.2c to average 336c/kg. Heavy weights to the trade made to 307.2c to average 299c/kg.

Heavy grown steers and bullocks to export slaughter averaged 299c with the bullock portion reaching 307.2c/kg. An increased number of medium weight 2 score cows averaged 223c and made to 233.2c/kg. Good heavy cows mostly sold around 248c with some to 257.2c/kg. Heavy bulls made to 252.2c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | |
| 80+ | RS | C | 2 | 9 | 340.2 | - 380.0 | 358.0 | -54 | - | - | - | 589 | - 674 | 650 |
| | | | | 9 | 340.2 | 380.0 | | | 0 | 0 | | 589 | 674 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 200-280 | | C | 2 | 4 | 345.2 | - 345.2 | 345.2 | -18 | 639 | - 639 | 639 | 915 | - 915 | 915 |
| 280-330 | | C | 2 | 5 | 340.2 | - 340.2 | 340.2 | N/Q | 630 | - 630 | 630 | 970 | - 970 | 970 |
| | | | | 9 | 340.2 | 345.2 | | | 630 | 639 | | 915 | 970 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 200-280 | RS | C | 2 | 53 | 360.2 | - 420.0 | 391.4 | 1 | - | - | - | 894 | - 1041 | 975 |
| 280-330 | RS | C | 2 | 10 | 350.0 | - 390.2 | 372.1 | N/Q | - | - | - | 998 | - 1112 | 1060 |
| | FD | C | 2 | 34 | 377.2 | - 393.2 | 386.1 | 30 | - | - | - | 1132 | - 1180 | 1158 |
| | | D | 2 | 1 | 330.0 | - 330.0 | 330.0 | N/Q | 600 | - 600 | 600 | 941 | - 941 | 941 |
| 330-400 | FD | C | 2 | 84 | 328.2 | - 382.2 | 357.2 | 5 | - | - | - | 1159 | - 1348 | 1261 |
| | | C | 3 | 2 | 315.2 | - 340.0 | 327.6 | N/Q | 573 | - 618 | 596 | 1214 | - 1275 | 1244 |
| | FD | C | 3 | 11 | 330.2 | - 345.2 | 340.8 | -11 | - | - | - | 1205 | - 1329 | 1275 |
| | FD | D | 2 | 32 | 280.0 | - 330.0 | 308.8 | -8 | - | - | - | 1005 | - 1155 | 1074 |
| | FD | D | 3 | 1 | 311.2 | - 311.2 | 311.2 | N/Q | - | - | - | 1136 | - 1136 | 1136 |
| 400+ | FD | C | 2 | 39 | 314.2 | - 330.0 | 325.7 | -19 | - | - | - | 1335 | - 1450 | 1403 |
| | | C | 3 | 7 | 298.2 | - 346.2 | 322.3 | -17 | 542 | - 630 | 586 | 1445 | - 1592 | 1483 |
| | FD | C | 3 | 98 | 322.2 | - 341.2 | 336.8 | -9 | - | - | - | 1337 | - 1661 | 1490 |
| | FD | D | 2 | 3 | 310.0 | - 310.0 | 310.0 | N/Q | - | - | - | 1318 | - 1318 | 1318 |
| | FD | D | 3 | 5 | 298.2 | - 298.2 | 298.2 | N/Q | - | - | - | 1252 | - 1252 | 1252 |
| | | | | 380 | 280.0 | 420.0 | | | 542 | 630 | | 894 | 1661 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 200-280 | | C | 2 | 51 | 333.2 | - 348.2 | 339.8 | -4 | 617 | - 645 | 629 | 809 | - 887 | 842 |
| | RS | C | 2 | 8 | 339.2 | - 339.2 | 339.2 | -22 | - | - | - | 763 | - 763 | 763 |
| | RS | D | 2 | 2 | 300.0 | - 300.0 | 300.0 | N/Q | - | - | - | 735 | - 735 | 735 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | | |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|---------|------------|-------------------------------|-------|-------------|-------------------|--------|--------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg | |
| 280-330 | FD | C | 2 | 21 | 336.2 | - 339.2 | 338.3 | -5 | - | - | - | 958 | - 1018 | 1001 | |
| | | C | 3 | 4 | 340.2 | - 340.2 | 340.2 | N/C | 630 | - 630 | 630 | 1021 | - 1021 | 1021 | |
| | | D | 2 | 2 | 320.0 | - 320.0 | 320.0 | N/Q | 593 | - 593 | 593 | 912 | - 912 | 912 | |
| | RS | D | 2 | 2 | 292.2 | - 292.2 | 292.2 | N/Q | - | - | - | 833 | - 833 | 833 | |
| 330-400 | FD | C | 2 | 46 | 320.2 | - 349.2 | 336.2 | N/C | - | - | - | 1106 | - 1233 | 1175 | |
| | | C | 2 | 2 | 335.0 | - 335.0 | 335.0 | N/Q | 620 | - 620 | 620 | 1122 | - 1122 | 1122 | |
| | | C | 3 | 17 | 328.2 | - 349.2 | 341.6 | N/C | 608 | - 647 | 633 | 1122 | - 1280 | 1191 | |
| | FD | C | 3 | 2 | 335.0 | - 335.0 | 335.0 | N/Q | - | - | - | 1256 | - 1256 | 1256 | |
| | FD | D | 2 | 23 | 257.2 | - 303.0 | 271.1 | -29 | - | - | - | 900 | - 1061 | 949 | |
| | RS | D | 3 | 40 | 314.2 | - 314.2 | 314.2 | N/Q | - | - | - | 1100 | - 1100 | 1100 | |
| | | D | 3 | 1 | 270.2 | - 270.2 | 270.2 | N/Q | 500 | - 500 | 500 | 1013 | - 1013 | 1013 | |
| 400+ | C | 3 | 21 | 275.2 | - 308.2 | 294.0 | 5 | 510 | - 571 | 544 | 1156 | - 1371 | 1258 | | |
| | | | | 242 | 257.2 | 349.2 | | 500 | 647 | | 735 | 1371 | | | |
| Grown Steer | | | | | | | | | | | | | | | |
| 0-400 | | D | 2 | 3 | 251.2 | - 268.2 | 256.9 | N/Q | 457 | - 488 | 467 | 879 | - 1033 | 930 | |
| 400-500 | FD | C | 2 | 10 | 300.0 | - 301.0 | 300.8 | 11 | - | - | - | 1279 | - 1305 | 1284 | |
| | | C | 3 | 3 | 284.2 | - 284.2 | 284.2 | -36 | - | - | - | 1279 | - 1279 | 1279 | |
| 500-600 | C | 3 | 1 | 285.2 | - 285.2 | 285.2 | N/Q | 519 | - 519 | 519 | 1526 | - 1526 | 1526 | | |
| | | 4 | 32 | 293.2 | - 306.2 | 299.6 | 9 | 524 | - 547 | 535 | 1569 | - 1774 | 1700 | | |
| 600-750 | C | 3 | 1 | 283.2 | - 283.2 | 283.2 | N/Q | 515 | - 515 | 515 | 1742 | - 1742 | 1742 | | |
| | | 4 | 15 | 296.2 | - 307.2 | 299.1 | 1 | 529 | - 549 | 534 | 1836 | - 1969 | 1888 | | |
| | | | | 65 | 251.2 | 307.2 | | 457 | 549 | | 879 | 1969 | | | |
| Grown Heifer | | | | | | | | | | | | | | | |
| 0-540 | C | 3 | 1 | 265.2 | - 265.2 | 265.2 | N/Q | 500 | - 500 | 500 | 1286 | - 1286 | 1286 | | |
| | | 4 | 1 | 283.2 | - 283.2 | 283.2 | N/Q | 534 | - 534 | 534 | 1473 | - 1473 | 1473 | | |
| | | FD | D | 2 | 4 | 270.0 | - 270.0 | 270.0 | N/Q | - | - | - | 1148 | - 1148 | 1148 |
| | | RS | D | 2 | 6 | 232.2 | - 232.2 | 232.2 | N/Q | - | - | - | 1010 | - 1010 | 1010 |
| | | D | 3 | 4 | 240.2 | - 240.2 | 240.2 | N/Q | 462 | - 462 | 462 | 1045 | - 1045 | 1045 | |
| 540+ | C | 4 | 3 | 270.0 | - 275.0 | 272.7 | -12 | 509 | - 519 | 515 | 1526 | - 1554 | 1541 | | |
| | | | | 19 | 232.2 | 283.2 | | 462 | 534 | | 1010 | 1554 | | | |
| Manufacturing Steer | | | | | | | | | | | | | | | |
| 540+ | C | 3 | 7 | 275.2 | - 275.2 | 275.2 | 7 | 500 | - 500 | 500 | 1720 | - 1720 | 1720 | | |
| | | | | 7 | 275.2 | 275.2 | | 500 | 500 | | 1720 | 1720 | | | |
| Cows | | | | | | | | | | | | | | | |
| 0-400 | DA | D | 1 | 6 | 170.0 | - 172.2 | 171.1 | N/Q | 386 | - 391 | 389 | 680 | - 689 | 684 | |
| | RS | D | 1 | 7 | 207.2 | - 207.2 | 207.2 | 1 | - | - | - | 818 | - 818 | 818 | |
| | | D | 1 | 18 | 160.0 | - 193.2 | 184.4 | 11 | 364 | - 439 | 419 | 616 | - 773 | 724 | |
| | | D | 2 | 9 | 215.2 | - 224.2 | 217.2 | 38 | 468 | - 487 | 472 | 861 | - 897 | 869 | |
| 400-520 | RS | D | 1 | 1 | 208.2 | - 208.2 | 208.2 | N/Q | - | - | - | 906 | - 906 | 906 | |
| | DA | D | 1 | 4 | 199.2 | - 199.2 | 199.2 | N/Q | 453 | - 453 | 453 | 867 | - 867 | 867 | |
| | | D | 1 | 2 | 177.2 | - 177.2 | 177.2 | N/Q | 403 | - 403 | 403 | 758 | - 758 | 758 | |
| | DA | D | 2 | 2 | 205.2 | - 205.2 | 205.2 | N/Q | 446 | - 446 | 446 | 1016 | - 1016 | 1016 | |
| | | D | 2 | 90 | 205.0 | - 233.2 | 222.9 | 2 | 446 | - 507 | 485 | 919 | - 1102 | 1025 | |
| | | D | 3 | 7 | 232.0 | - 245.2 | 235.1 | 5 | 474 | - 500 | 480 | 1079 | - 1189 | 1107 | |
| | | D | 4 | 8 | 241.2 | - 242.2 | 241.6 | 2 | 473 | - 475 | 474 | 1170 | - 1175 | 1172 | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | | | |
|-----------------|-------------|--------------|-----------|------------|------------------|--------------|--------------|------------|-------------------------------|------------|------------|-------------------|------------|-------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg | | |
| 520+ | DA | D | 1 | 2 | 203.2 | - 203.2 | 203.2 | N/Q | 462 | - | 462 | 462 | 1087 | - | 1087 | 1087 |
| | | D | 2 | 12 | 229.2 | - 229.2 | 229.2 | -4 | 498 | - | 498 | 498 | 1341 | - | 1341 | 1341 |
| | DA | D | 3 | 7 | 232.2 | - 244.2 | 235.9 | N/Q | 474 | - | 498 | 482 | 1306 | - | 1519 | 1483 |
| | | D | 3 | 33 | 228.0 | - 242.2 | 237.9 | 3 | 465 | - | 494 | 486 | 1285 | - | 1467 | 1380 |
| | | D | 4 | 47 | 232.2 | - 257.2 | 248.0 | 1 | 455 | - | 504 | 486 | 1301 | - | 1627 | 1436 |
| | | | | 255 | 160.0 | 257.2 | | 364 | | 507 | | 616 | | 1627 | | |
| Bulls | | | | | | | | | | | | | | | | |
| 0-450 | FD | C | 2 | 2 | 250.0 | - 270.0 | 260.0 | N/Q | | | | 963 | - | 1040 | 1001 | |
| | RS | C | 2 | 12 | 314.2 | - 363.2 | 339.4 | -21 | | | | 738 | - | 854 | 814 | |
| | RS | C | 3 | 2 | 270.0 | - 295.0 | 282.5 | N/Q | | | | 1215 | - | 1283 | 1249 | |
| | FD | C | 3 | 5 | 287.2 | - 287.2 | 287.2 | 11 | | | | 991 | - | 1249 | 1094 | |
| | | C | 3 | 1 | 256.2 | - 256.2 | 256.2 | N/Q | 466 | - | 466 | 466 | 1153 | - | 1153 | 1153 |
| | RS | D | 1 | 2 | 192.2 | - 199.2 | 195.7 | N/Q | | | | 767 | - | 817 | 792 | |
| | RS | D | 2 | 1 | 227.2 | - 227.2 | 227.2 | N/Q | | | | 875 | - | 875 | 875 | |
| 450-600 | RS | C | 3 | 1 | 262.2 | - 262.2 | 262.2 | N/Q | | | | 1481 | - | 1481 | 1481 | |
| 600+ | | C | 3 | 9 | 239.2 | - 252.2 | 247.4 | -3 | 427 | - | 450 | 442 | 1555 | - | 1954 | 1690 |
| | | | | | 35 | 192.2 | 363.2 | | 427 | | 466 | | 738 | | 1954 | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.