

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 29 Nov 2016

Yarding Change ¹⁷⁶⁰/₆₀₅

comparison date 22/11/2016

Numbers increased by over 600 head and there was a decline in the overall quality compared to the previous week. Export buyer attendance was good and included some additional export buyers on the younger end of the heavy grown steers. However feeder buyer attendance was not as good as the previous sale. Restockers continued to provide very strong support on the light weight young cattle, however most were selective in their purchases. Medium weight yearling steers and heifers to feed, averaged 13c to 20c/kg cheaper, while heavy weight yearling steers to feed, experienced very little change in price. The young classes of heavy grown steers averaged 5c better and the bullock portion improved by 2c/kg. Cow prices experienced a mixed trend, with good heavy cows 2c dearer, while the plain condition lines averaged 3c/kg cheaper.

Steer calves returning to the paddock made to 417.2c with mixed sex calves averaging 390c/kg. Vealer heifers to the butcher trade made to 356.2c with most of the vealer heifers in the 340c/kg range. Light weight yearling steers returning to the paddock made to 402.2c with a large selection averaging 372c/kg. Medium weight yearling steers to feed averaged 337c and made to 350.2c and the better lines making to 360c to average 342c/kg. Heavy weight yearling steers to feed made to 339.2c most in the mid-320c/kg range. Light weight yearling heifers averaged in the early 330c range with some to 346.2c/kg. Medium weight yearling heifers to feed averaged 323c and made to 340.2c/kg. A small selection to the trade averaged 321c and also made to 340c/kg.

Heavy grown steers to export slaughter made to a top of 314.2c to average 304c and bullocks made to 302.2c to average 300c/kg. Medium weight 2 score cows averaged 220c and made to 227.2c and good heavy cows mostly sold around 249c with some to 254.2c/kg. Heavy bulls made to 266.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	3	320.0	- 320.0	320.0	N/Q	604	- 604	604	592	- 592	592
	RS	C	2	27	342.2	- 417.2	390.0	32	-	-	-	633	- 772	721
	RS	D	2	14	291.2	- 336.0	312.9	N/Q	-	-	-	509	- 557	538
		D	2	2	322.2	- 322.2	322.2	N/Q	608	- 608	608	532	- 532	532
				46	291.2	417.2			604	608		509	772	
Vealer Heifer														
200-280		C	2	21	338.2	- 348.2	344.8	N/C	626	- 645	639	761	- 938	842
	FD	C	2	16	341.2	- 343.2	343.0	N/Q	-	-	-	768	- 858	847
		C	3	6	337.2	- 337.2	337.2	N/Q	624	- 624	624	927	- 927	927
280-330		C	3	10	345.2	- 356.2	349.9	N/Q	639	- 660	648	1036	- 1069	1050
				53	337.2	356.2			624	660		761	1069	
Yearling Steer														
200-280	FD	C	2	26	330.0	- 347.2	337.6	N/Q	-	-	-	875	- 935	902
	RS	C	2	196	334.2	- 402.2	372.2	-19	-	-	-	761	- 1092	913
	RS	D	2	6	326.2	- 329.2	328.2	N/Q	-	-	-	741	- 799	760
280-330	FD	C	2	17	340.0	- 353.2	344.8	-41	-	-	-	969	- 1060	992
	RS	C	2	23	339.2	- 360.2	350.9	-21	-	-	-	967	- 1027	1000
330-400	RS	C	2	7	399.2	- 399.2	399.2	N/Q	-	-	-	1337	- 1337	1337
	FD	C	2	115	325.0	- 350.2	337.2	-20	-	-	-	1121	- 1310	1184
	FD	C	3	50	330.0	- 360.0	342.4	2	-	-	-	1139	- 1249	1207
		C	3	34	310.0	- 343.2	330.9	3	564	- 624	602	1070	- 1187	1149
	RS	D	2	3	295.2	- 295.2	295.2	N/Q	-	-	-	989	- 989	989

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	D	2	70	287.2	- 322.2	309.6	1	-			1018	- 1200	1108
	FD	C	2	63	310.0	- 338.2	326.3	1	-			1256	- 1471	1348
	FD	C	3	16	317.0	- 339.2	325.1	-12	-			1360	- 1442	1414
		C	3	7	303.2	- 328.2	317.5	-5	551	- 597	577	1319	- 1395	1362
	FD	D	3	1	280.0	- 280.0	280.0	N/Q	-			1260	- 1260	1260
	FD	E	2	1	235.0	- 235.0	235.0	N/Q	-			999	- 999	999
				635	235.0	402.2			551	624		741	1471	
Yearling Heifer														
200-280	FD	C	2	34	325.2	- 345.2	332.8	N/Q	-			748	- 914	809
	RS	C	2	6	329.2	- 329.2	329.2	-10	-			757	- 757	757
		C	2	29	315.2	- 346.2	331.8	-8	584	- 641	615	720	- 866	818
		D	2	9	317.2	- 319.2	318.1	N/Q	587	- 591	589	714	- 793	765
	FD	D	2	2	295.2	- 295.2	295.2	N/Q	-			694	- 694	694
	RS	D	2	27	290.0	- 320.2	304.5	4	-			615	- 736	680
280-330	FD	C	2	16	322.2	- 338.2	330.2	-8	-			918	- 964	941
330-400	FD	C	2	84	309.2	- 336.2	323.1	-13	-			1067	- 1227	1148
	FD	C	3	10	327.2	- 340.2	335.0	N/C	-			1096	- 1140	1122
		C	3	22	304.2	- 340.0	321.3	-20	563	- 630	595	1034	- 1153	1095
		D	2	9	244.2	- 267.2	264.6	N/Q	452	- 495	490	855	- 1029	1009
	FD	D	2	35	265.0	- 290.0	276.9	6	-			905	- 1117	997
	FD	D	3	2	280.0	- 280.0	280.0	N/Q	-			1078	- 1078	1078
		D	3	16	262.2	- 300.0	288.9	19	486	- 556	535	918	- 1155	1086
	400+	C	3	17	293.2	- 313.2	308.5	15	543	- 580	571	1275	- 1378	1346
	FD	C	3	1	289.2	- 289.2	289.2	N/Q	-			1403	- 1403	1403
		C	4	2	270.2	- 270.2	270.2	N/Q	500	- 500	500	1148	- 1148	1148
	D	2	4	293.2	- 293.2	293.2	N/Q	543	- 543	543	1246	- 1246	1246	
	FD	D	2	4	265.0	- 265.0	265.0	N/Q	-			1073	- 1073	1073
	FD	D	3	12	280.0	- 291.2	284.7	N/Q	-			1190	- 1238	1210
	D	3	11	275.0	- 276.2	275.4	N/Q	509	- 512	510	1243	- 1334	1284	
	E	2	2	229.2	- 229.2	229.2	N/Q	424	- 424	424	928	- 928	928	
				354	229.2	346.2			424	641		615	1403	
Grown Steer														
0-400		D	2	5	250.0	- 250.0	250.0	-7	455	- 455	455	838	- 838	838
400-500	FD	C	2	12	273.2	- 273.2	273.2	-28	-			1325	- 1325	1325
	FD	C	3	1	290.2	- 290.2	290.2	N/Q	-			1407	- 1407	1407
500-600		C	3	2	285.2	- 287.2	286.2	N/Q	519	- 522	520	1623	- 1668	1646
		C	4	27	280.0	- 314.2	304.4	5	509	- 561	544	1596	- 1753	1666
600-750		C	3	1	277.0	- 277.0	277.0	N/Q	504	- 504	504	1731	- 1731	1731
		C	4	17	295.2	- 302.2	300.8	2	527	- 540	537	1864	- 2029	1905
		D	3	3	276.2	- 283.2	280.9	N/Q	502	- 515	511	1795	- 1841	1826
750+		C	4	1	288.2	- 288.2	288.2	N/Q	515	- 515	515	2363	- 2363	2363
				69	250.0	314.2			455	561		838	2363	
Grown Heifer														
0-540		C	3	1	264.2	- 264.2	264.2	N/Q	508	- 508	508	1229	- 1229	1229
		D	2	2	219.2	- 224.2	221.7	N/Q	457	- 467	462	975	- 1063	1019

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	5	242.2	- 242.2	242.2	-28	-			981	- 981	981
	RS	D	2	1	220.2	- 220.2	220.2	N/Q	-			936	- 936	936
		D	3	3	256.2	- 259.2	257.2	17	489	- 493	492	1243	- 1257	1247
540+		C	3	2	275.0	- 275.0	275.0	N/Q	519	- 519	519	1499	- 1499	1499
		C	4	4	275.0	- 275.0	275.0	2	519	- 519	519	1499	- 1499	1499
				18	219.2	275.0			457	519		936	1499	
Manufacturing Steer														
540+		C	3	6	274.2	- 274.2	274.2	-1	499	- 499	499	1714	- 1714	1714
		C	4	5	284.2	- 295.2	289.0	N/Q	508	- 527	516	1930	- 2066	1974
		D	2	5	245.2	- 245.2	245.2	N/Q	446	- 446	446	1594	- 1594	1594
				16	245.2	295.2			446	527		1594	2066	
Cows														
0-400		D	1	11	161.2	- 200.2	180.9	-3	366	- 455	411	621	- 801	693
	RS	D	1	3	183.2	- 183.2	183.2	-24	-			687	- 687	687
		D	2	10	180.0	- 206.2	194.9	-22	403	- 448	427	657	- 825	754
		D	3	2	220.0	- 221.2	220.6	N/Q	449	- 481	465	880	- 885	882
	RS	E	1	1	111.2	- 111.2	111.2	N/Q	-			389	- 389	389
400-520		C	3	7	273.2	- 276.2	274.7	N/Q	516	- 531	520	1270	- 1375	1332
	RS	D	1	4	217.2	- 217.2	217.2	9	-			945	- 945	945
		D	1	14	180.0	- 211.2	204.5	27	409	- 480	465	783	- 919	890
	RS	D	2	2	221.2	- 225.2	223.2	N/Q	-			973	- 1092	1033
		D	2	66	212.2	- 227.2	220.0	-3	461	- 494	478	919	- 1102	1013
		D	3	20	207.2	- 265.0	232.1	-3	423	- 500	472	901	- 1232	1096
		D	4	12	239.2	- 250.2	247.2	6	469	- 491	485	1041	- 1213	1187
520+		D	3	11	235.2	- 240.2	236.7	-1	480	- 490	483	1258	- 1376	1303
		D	4	40	246.2	- 254.2	249.6	2	483	- 498	489	1317	- 1576	1423
		D	6	1	215.2	- 215.2	215.2	N/Q	439	- 439	439	1280	- 1280	1280
				204	111.2	276.2			366	531		389	1576	
Bulls														
0-450		C	2	9	296.2	- 320.0	314.6	N/Q	539	- 582	572	772	- 1037	814
	RS	C	2	7	276.2	- 306.2	293.8	-46	-			864	- 1187	1008
	FD	C	2	8	270.0	- 279.2	274.6	15	-			1013	- 1019	1016
	RS	C	3	6	285.0	- 307.2	303.1	21	-			1069	- 1296	1183
		C	3	1	303.2	- 303.2	303.2	N/Q	551	- 551	551	1061	- 1061	1061
		D	2	8	257.2	- 325.0	284.7	N/Q	468	- 591	518	654	- 900	767
	RS	D	2	5	255.2	- 255.2	255.2	28	-			676	- 676	676
	FD	D	2	12	230.0	- 230.0	230.0	N/Q	-			759	- 1035	897
		E	2	6	275.2	- 275.2	275.2	N/Q	500	- 500	500	578	- 578	578
450-600		C	3	1	230.0	- 230.0	230.0	N/Q	411	- 411	411	1346	- 1346	1346
		D	2	1	219.2	- 219.2	219.2	N/Q	399	- 399	399	1140	- 1140	1140
	FD	D	2	2	247.2	- 247.2	247.2	N/Q	-			1149	- 1149	1149
600+		C	3	11	227.2	- 266.2	242.7	-5	406	- 475	433	1482	- 2367	1932
		D	2	2	210.0	- 214.2	212.1	N/Q	382	- 390	386	1313	- 1339	1326
				79	210.0	325.0			382	591		578	2367	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
 FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.