

Over the hooks indicator - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report generated on Monday for the week ending 26 May 2017

MLA's Queensland over-the-hook (OTH) indicators are weighted averages, derived from grids supplied by approximately 70% of the processing capacity in Queensland on a weekly basis.

What is an indicator?

An indicator is used to assess market trends. Consistent contributors and methodology mean they can accurately be used for this purpose. For cattle, given there is variation across regions and classes, MLA has a range of indicators to best match individual needs. Other non-agricultural examples of indicators include the All Ords or the Brent Crude Oil Index.

How are they calculated?

MLA's Queensland OTH indicators are weighted averages, based on each contributing processing plants annual cattle slaughter. The greater the plant's slaughter, the greater the weighting that plant's prices have upon the indicator - e.g. the prices offered from a plant processing 1,000 head/week will be twice that of a plant processing 500 head/week.

How to apply it?

The indicators should be used as a means of following rises and falls in the market and should not be assumed as the actual price received.


In addition, premiums and discounts to the OTH indicators may include, but are not limited to:

- HGP status
- Breed
- Certified programs (e.g. MSA, PCAS or EU)
- Bruises
- Dentition
- Fat and meat colour
- Weight
- Fat depth
- Butt shape

Some of these discounts and premiums are reflected in the MLA OTH indicators, but many are excluded. Further penalties can apply for incorrect or incomplete documentation, no NLIS tag, and any residue found in the meat deeming the carcass unfit for human consumption. Please consult your local processor for specific grids.


For the full indicator report, please refer to the following pages. To subscribe to the email report, please send a request to marketinfo@mla.com.au.

Grown steers*




* all quoted indicators have 5-22mm fat, A-C butt shape and 0-4 tooth (YP)

Yearling steers**




** all quoted indicators have 5-22mm fat, A-C butt shape and 0-2 tooth (YG)

Cows***



*** all quoted indicators have 3-12mm fat, A-D butt shape and 0-8 tooth (C)

100-day grainfed steers****



**** all quoted indicators have 5-22mm fat, A-C butt shape and 0-2 tooth (YG)

Over the hooks indicator - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date

26 May 2017

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
-						
Yearlings						
Steers	220-240	0-2 (YG)	A-C	5-22	489	NC
		0-2 (YG)	A-C	5-22	480	NC
	240-260	0-2 (YG)	A-C	5-22	485	NC
		0-2 (YG)	A-C	5-22	494	NC
	260-280	0-2 (YG)	A-C	5-22	499	NC
		0-2 (YG)	A-C	5-22	490	NC
	280-300	0-2 (YG)	A-C	5-22	495	NC
		0-2 (YG)	A-C	5-22	504	NC
	300-320	0-2 (YG)	A-C	5-22	508	NC
		0-2 (YG)	A-C	5-22	499	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	473	NC
		0-2 (YG)	A-C	5-22	484	NC
	240-260	0-2 (YG)	A-C	5-22	489	NC
		0-2 (YG)	A-C	5-22	478	NC
	260-280	0-2 (YG)	A-C	5-22	483	NC
		0-2 (YG)	A-C	5-22	494	NC
	280-300	0-2 (YG)	A-C	5-22	499	NC
		0-2 (YG)	A-C	5-22	488	NC
	300-320	0-2 (YG)	A-C	5-22	493	NC
		0-2 (YG)	A-C	5-22	503	NC
MSA Yearlings						
Steers	220-240	0-2 (YG)	A-C	5-22	516	NC
		0-2 (YG)	A-C	5-22	505	NC
	240-260	0-2 (YG)	A-C	5-22	510	NC
		0-2 (YG)	A-C	5-22	521	NC
	260-280	0-2 (YG)	A-C	5-22	526	NC
		0-2 (YG)	A-C	5-22	515	NC
	280-300	0-2 (YG)	A-C	5-22	520	NC
		0-2 (YG)	A-C	5-22	528	NC
	300-320	0-2 (YG)	A-C	5-22	533	NC
		0-2 (YG)	A-C	5-22	525	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	500	NC
		0-2 (YG)	A-C	5-22	511	NC
	240-260	0-2 (YG)	A-C	5-22	516	NC
		0-2 (YG)	A-C	5-22	505	NC
	260-280	0-2 (YG)	A-C	5-22	510	NC

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
	280-300	0-2 (YG)	A-C	5-22	521	NC
		0-2 (YG)	A-C	5-22	523	NC
	300-320	0-2 (YG)	A-C	5-22	515	NC
		0-2 (YG)	A-C	5-22	520	NC
		0-2 (YG)	A-C	5-22	528	NC
Grown Steers						
EU Steer	300 - 340	0 - 4	A-C	5-22	531	-8
	240-260	0-4 (YP)	A-C	5-22	488	NC
		0-4 (YP)	A-C	5-22	480	NC
		0-6 (PR)	A-C	5-22	475	NC
		0-6 (PR)	A-C	5-22	483	NC
		0-8 (S)	A-C	5-22	476	NC
		0-8 (S)	A-C	5-22	468	NC
	260-280	0-4 (YP)	A-C	5-22	485	NC
		0-4 (YP)	A-C	5-22	493	NC
		0-6 (PR)	A-C	5-22	488	NC
		0-6 (PR)	A-C	5-22	480	NC
		0-8 (S)	A-C	5-22	473	NC
		0-8 (S)	A-C	5-22	481	NC
	280-300	0-4 (YP)	A-C	5-22	490	NC
		0-4 (YP)	A-C	5-22	498	NC
		0-6 (PR)	A-C	5-22	485	NC
		0-6 (PR)	A-C	5-22	493	NC
		0-8 (S)	A-C	5-22	486	NC
		0-8 (S)	A-C	5-22	478	NC
	300-400	0-4 (YP)	A-C	5-22	504	NC
		0-4 (YP)	A-C	5-22	495	NC
		0-6 (PR)	A-C	5-22	499	NC
		0-6 (PR)	A-C	5-22	490	NC
		0-8 (S)	A-C	5-22	483	NC
		0-8 (S)	A-C	5-22	492	NC
Cows						
	180-200	0-8 (C)	A-D	13-22	411	NC
		0-8 (C)	A-D	13-22	405	NC
		0-8 (C)	A-D	3-12	410	NC
		0-8 (C)	A-D	3-12	416	NC
		0-8 (C)	A-E	0-32	392	NC
		0-8 (C)	A-E	0-32	396	NC
	200-220	0-8 (C)	A-D	13-22	420	NC
		0-8 (C)	A-D	13-22	413	NC
		0-8 (C)	A-D	3-12	426	NC
		0-8 (C)	A-D	3-12	417	NC
		0-8 (C)	A-E	0-32	408	NC
		0-8 (C)	A-E	0-32	401	NC
	220-240	0-8 (C)	A-D	13-22	417	NC
		0-8 (C)	A-D	13-22	425	NC
		0-8 (C)	A-D	3-12	421	NC
		0-8 (C)	A-D	3-12	430	NC

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend	
	240-260	0-8 (C)	A-E	0-32	415	NC	
		0-8 (C)	A-E	0-32	408	NC	
		0-8 (C)	A-D	13-22	423	NC	
		0-8 (C)	A-D	13-22	431	NC	
		0-8 (C)	A-D	3-12	436	NC	
		0-8 (C)	A-D	3-12	428	NC	
	260-280	0-8 (C)	A-E	0-32	420	NC	
		0-8 (C)	A-E	0-32	413	NC	
		0-8 (C)	A-D	13-22	428	NC	
		0-8 (C)	A-D	13-22	435	NC	
		0-8 (C)	A-D	3-12	432	NC	
		0-8 (C)	A-D	3-12	441	NC	
	280-300	0-8 (C)	A-E	0-32	425	NC	
		0-8 (C)	A-E	0-32	418	NC	
		0-8 (C)	A-D	13-22	433	NC	
		0-8 (C)	A-D	13-22	440	NC	
		0-8 (C)	A-D	3-12	446	NC	
		0-8 (C)	A-D	3-12	437	NC	
	300-400	0-8 (C)	A-E	0-32	430	NC	
		0-8 (C)	A-E	0-32	423	NC	
		0-8 (C)	A-D	13-22	438	NC	
		0-8 (C)	A-D	13-22	445	NC	
		0-8 (C)	A-D	3-12	451	NC	
		0-8 (C)	A-D	3-12	442	NC	
Bulls	260-280	0-8 (C)	A-E	0-32	435	NC	
		0-8 (C)	A-E	0-32	426	NC	
	280-300	0-8 (B)	A-E	0-32	405	NC	
		0-8 (B)	A-E	0-32	393	NC	
	300-320	0-8 (B)	A-E	0-32	413	NC	
		0-8 (B)	A-E	0-32	398	NC	
	320-440	0-8 (B)	A-E	0-32	401	NC	
		0-8 (B)	A-E	0-32	416	NC	
	Grainfed 70 Days	Steers	0-2 (YG)	A-C	5-22	509	NC
			0-2 (YG)	A-C	5-22	514	NC
			0-2 (YG)	A-C	5-22	519	NC
			0-2 (YG)	A-C	5-22	524	NC
			0-2 (YG)	A-C	5-22	526	NC
		Heifers	0-2 (YG)	A-C	5-22	504	NC
			0-2 (YG)	A-C	5-22	509	NC
			0-2 (YG)	A-C	5-22	514	NC
			0-2 (YG)	A-C	5-22	519	NC
			0-2 (YG)	A-C	5-22	521	NC

MSA Grainfed 70 Days

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
Steers	220-240	0-2 (YG)	A-C	5-22	533	4
	240-260	0-2 (YG)	A-C	5-22	538	4
	260-280	0-2 (YG)	A-C	5-22	543	4
	280-300	0-2 (YG)	A-C	5-22	544	4
	300-320	0-2 (YG)	A-C	5-22	546	4
Heifers	220-240	0-2 (YG)	A-C	5-22	528	4
	240-260	0-2 (YG)	A-C	5-22	533	4
	260-280	0-2 (YG)	A-C	5-22	538	4
	280-300	0-2 (YG)	A-C	5-22	539	4
	300-320	0-2 (YG)	A-C	5-22	541	4

Grainfed 100 Days

Steers	220-240	0-2 (YG)	A-C	5-22	521	7
	240-260	0-2 (YG)	A-C	5-22	526	7
	260-280	0-2 (YG)	A-C	5-22	531	7
	280-300	0-2 (YG)	A-C	5-22	538	7
	300-320	0-2 (YG)	A-C	5-22	543	7
Heifers	220-240	0-2 (YG)	A-C	5-22	513	7
	240-260	0-2 (YG)	A-C	5-22	518	7
	260-280	0-2 (YG)	A-C	5-22	523	7
	280-300	0-2 (YG)	A-C	5-22	533	7
	300-320	0-2 (YG)	A-C	5-22	538	7

MSA Grainfed 100 Days

Steers	220-240	0-2 (YG)	A-C	5-22	537	8
	240-260	0-2 (YG)	A-C	5-22	542	8
	260-280	0-2 (YG)	A-C	5-22	547	8
	280-300	0-2 (YG)	A-C	5-22	549	8
	300-320	0-2 (YG)	A-C	5-22	551	8
Heifers	220-240	0-2 (YG)	A-C	5-22	532	8
	240-260	0-2 (YG)	A-C	5-22	537	8
	260-280	0-2 (YG)	A-C	5-22	542	8
	280-300	0-2 (YG)	A-C	5-22	544	8
	300-320	0-2 (YG)	A-C	5-22	546	8

Disclaimer:

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.