

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 24 May 2011

Yarding Change ¹⁹⁰⁰/₃₉₇

comparison date 17/05/2011

Even with the supply area receiving fair rain, numbers lifted and quality overall was fair to good. The younger steers and heifers were well supplied with greater percentages of the yearling steers yarded compared to the heifer portion. Grown steers lifted in number and quality also improved considerably with greater numbers of younger milk teeth yarded compared to the last market. Cows were well supplied and overall the market trend was dearer.

Medium weight vealer steers returning to the paddock gained 4c as the heavy weight steers and heifers to the trade ranged from 207c to 243c/kg. Yearling steers to lot feeders lifted 10c to 14c as heavy weights to processors improved 12c/kg. The heavy weight yearling heifers to the trade lifted 15c to range from 180c to 223c/kg.

Heavy grown steers and bullocks gained 11c to 15c as the best younger pens reached 215c/kg. The heifer portion lifted 9c to reach 195c/kg.

Cows continued the dearer trend to gain 7c to 10c/kg. The plainer D2 pens averaged 132c as the D3 and D4 cows ranged from 139c to 152c/kg. Heavy bulls sold to a dearer trend lifting 7c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	3	300.0	- 309.2	303.1	N/Q	595	- 600	598	210	- 232	217
80+		C	2	2	239.2	- 300.0	269.6	N/Q	460	- 577	519	300	- 383	341
	RS	C	2	13	247.2	- 265.6	257.7	N/Q	-	-	-	222	- 327	262
				18	239.2	309.2	266.6		460	600	566	210	383	263
Vealer Steer														
0-200	RS	C	2	32	236.0	- 240.0	239.1	10	-	-	-	360	- 437	415
200-280	RS	C	2	57	224.0	- 231.8	229.6	4	-	-	-	487	- 593	535
	FD	C	2	2	210.0	- 210.0	210.0	N/Q	-	-	-	546	- 546	546
		C	2	2	226.0	- 226.0	226.0	N/Q	435	- 435	435	454	- 454	454
280-330	FD	C	2	30	210.0	- 226.2	220.0	15	-	-	-	630	- 724	683
	RS	C	2	22	216.0	- 223.0	218.7	-8	-	-	-	616	- 658	638
	FD	C	3	4	215.2	- 215.2	215.2	N/Q	-	-	-	689	- 689	689
		C	3	10	227.2	- 227.2	227.2	-20	421	- 421	421	716	- 716	716
330+		B	3	15	238.0	- 238.0	238.0	-2	425	- 425	425	976	- 976	976
		C	3	50	228.6	- 243.4	232.6	-6	411	- 443	424	782	- 984	858
	RS	C	3	4	243.4	- 243.4	243.4	16	-	-	-	828	- 828	828
				228	210.0	243.4	229.5		411	443	424	360	984	662
Vealer Heifer														
0-200		C	2	10	209.6	- 209.6	209.6	N/Q	419	- 419	419	377	- 377	377
	RS	C	2	29	226.6	- 231.0	228.6	-1	-	-	-	347	- 408	380
200-280	RS	C	2	19	220.2	- 221.6	220.8	19	-	-	-	488	- 495	492
		C	2	26	198.2	- 217.2	210.7	31	385	- 420	409	436	- 598	532
	FD	C	2	23	204.2	- 213.6	210.6	12	-	-	-	530	- 577	548
	RS	D	2	5	187.2	- 187.2	187.2	N/Q	-	-	-	412	- 412	412
280-330	FD	C	2	4	213.6	- 213.6	213.6	4	-	-	-	641	- 641	641

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+		C	2	26	207.6	- 217.2	211.7	4	405	- 418	409	592	- 684	652
	FD	C	3	4	203.2	- 214.2	208.7	-2		-		579	- 643	611
		C	3	31	210.0	- 236.0	218.3	-9	404	- 437	414	617	- 779	685
		B	3	10	230.0	- 230.0	230.0	N/Q	426	- 426	426	932	- 932	932
		C	3	70	208.6	- 225.6	214.5	-11	397	- 422	405	709	- 812	740
				257	187.2	236.0	215.8		385	437	410	347	932	611
Yearling Steer														
0-330	RS	C	1	5	226.0	- 226.0	226.0	N/Q		-		497	- 497	497
	RS	C	2	18	233.6	- 233.6	233.6	16		-		748	- 748	748
330-400		B	3	5	249.2	- 249.2	249.2	N/Q	445	- 445	445	897	- 897	897
		C	2	1	226.0	- 226.0	226.0	N/Q	419	- 419	419	859	- 859	859
	FD	C	2	83	200.0	- 224.6	217.2	10		-		680	- 800	758
	RS	C	3	8	239.0	- 239.0	239.0	N/Q		-		837	- 837	837
	FD	C	3	3	220.0	- 228.0	222.7	N/C		-		798	- 814	809
		C	3	5	226.0	- 235.2	233.4	19	419	- 428	426	823	- 859	830
400+	RS	D	2	3	144.0	- 144.0	144.0	-11		-		482	- 482	482
		B	3	1	237.0	- 237.0	237.0	N/Q	423	- 423	423	995	- 995	995
	FD	C	2	88	197.6	- 220.2	211.7	17		-		810	- 938	890
		C	3	38	205.2	- 236.6	226.5	21	375	- 423	408	841	- 1017	970
	FD	C	3	15	209.2	- 219.0	209.9	7		-		898	- 941	939
				273	144.0	249.2	218.4		375	445	414	482	1017	839
Yearling Heifer														
0-330	FD	C	2	3	202.6	- 210.2	205.1	2		-		648	- 673	656
		C	3	1	216.0	- 216.0	216.0	N/Q	432	- 432	432	691	- 691	691
		D	2	1	149.6	- 149.6	149.6	N/Q	318	- 318	318	464	- 464	464
	FD	D	2	3	185.0	- 185.0	185.0	16		-		527	- 527	527
	RS	D	2	2	160.0	- 160.0	160.0	N/Q		-		528	- 528	528
330-400	RS	C	2	6	188.6	- 188.6	188.6	N/Q		-		660	- 660	660
	FD	C	2	20	195.0	- 195.0	195.0	-7		-		653	- 741	700
		C	2	4	195.0	- 195.0	195.0	N/Q	390	- 390	390	653	- 653	653
		C	3	11	208.2	- 234.2	215.4	6	400	- 434	410	713	- 843	758
	FD	D	2	3	170.0	- 170.0	170.0	N/Q		-		595	- 595	595
		D	3	4	185.0	- 185.0	185.0	N/Q	378	- 378	378	629	- 629	629
400+		C	3	51	180.0	- 223.6	208.8	23	346	- 414	399	722	- 917	874
				109	149.6	234.2	201.2		318	434	398	464	917	767
Grown Steer														
0-400	FD	C	2	25	181.6	- 205.0	190.5	18		-		617	- 697	636
400-500	FD	C	2	36	176.2	- 207.6	196.3	7		-		740	- 872	852
		C	2	17	162.2	- 169.6	168.7	10	324	- 326	326	714	- 814	802
	FD	C	3	1	181.6	- 181.6	181.6	N/Q		-		835	- 835	835
		C	3	54	181.6	- 207.2	198.3	N/Q	336	- 378	363	817	- 974	905
		D	2	1	160.2	- 160.2	160.2	N/Q	320	- 320	320	665	- 665	665
500-600		C	3	115	188.2	- 215.2	209.6	31	349	- 384	375	1015	- 1181	1113
600-750		C	3	4	187.0	- 193.6	188.7	11	346	- 346	346	1141	- 1181	1151
750+		C	4	4	171.2	- 171.2	171.2	N/Q	306	- 306	306	1438	- 1438	1438

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					257	160.2	215.2	199.6		306	384	365	617	1438	969
Grown Heifer															
0-540		C	2	1	164.0	- 164.0	164.0	N/Q	342	- 342	342	681	- 681	681	
		C	3	80	175.0	- 195.0	188.6	9	350	- 390	377	788	- 1014	900	
		D	2	5	154.2	- 154.2	154.2	34	343	- 343	343	694	- 694	694	
		D	3	1	155.0	- 155.0	155.0	N/Q	323	- 323	323	682	- 682	682	
540+		C	3	1	190.0	- 190.0	190.0	N/Q	380	- 380	380	1064	- 1064	1064	
					88	154.2	195.0	186.0		323	390	374	681	1064	885
Manufacturing Steer															
0-540	DA	D	2	8	145.2	- 145.2	145.2	N/Q	309	- 309	309	755	- 755	755	
					8	145.2	145.2	145.3		309	309	309	755	755	755
Cows															
0-400		D	1	3	116.0	- 116.0	116.0	10	305	- 305	305	394	- 394	394	
		RS	D	1	16	120.0	- 131.6	128.7	N/Q	-	-	456	- 461	460	
		RS	D	2	17	134.2	- 134.2	134.2	N/Q	-	-	470	- 470	470	
		D	2	1	125.0	- 125.0	125.0	N/Q	298	- 298	298	488	- 488	488	
		E	1	7	70.0	- 85.0	78.6	18	200	- 243	225	224	- 323	281	
400-520		D	1	1	120.0	- 120.0	120.0	N/Q	316	- 316	316	504	- 504	504	
		D	2	104	122.0	- 142.2	132.3	9	291	- 339	315	517	- 665	570	
		RS	D	2	32	133.0	- 134.0	133.4	N/Q	-	-	559	- 576	566	
		D	3	21	139.0	- 150.0	147.6	13	296	- 313	308	626	- 750	721	
520+		D	3	31	143.6	- 148.0	146.2	7	299	- 308	305	775	- 841	802	
		D	4	103	144.0	- 152.6	149.7	10	300	- 318	309	804	- 988	900	
					336	70.0	152.6	138.6		200	339	308	224	988	683
Bulls															
0-450		C	2	5	197.0	- 197.0	197.0	48	365	- 365	365	670	- 670	670	
		FD	C	2	18	187.6	- 198.6	192.5	-6	-	-	563	- 566	564	
450-600		C	2	3	135.0	- 156.0	148.7	9	241	- 279	266	783	- 905	842	
		D	2	1	125.0	- 125.0	125.0	N/Q	240	- 240	240	688	- 688	688	
600+		B	2	10	152.0	- 166.0	159.2	7	267	- 286	279	964	- 1422	1129	
		C	2	6	142.0	- 155.0	149.2	7	254	- 277	266	893	- 1240	1096	
					43	125.0	198.6	174.6		240	365	290	563	1422	804

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.