

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 14 Jun 2011

Yarding Change 1300
-911

comparison date 07/06/2011

Supply came back in comparison to last weeks large yarding and quality overall was not quite as good, though most were still of a high standard. The top prices paid last week were not reached; however, values were mostly unchanged for export cattle categories and a little easier for young cattle grades. The yarding comprised 790 young and grown cattle, 486 cows and 24 bulls.

All up the young cattle sold equal to 5c/kg easier to the usual following of buyers, with the best quality vealers meeting the strongest demand. Pen lots of cattle suited to the feedlots also sold at firm rates. The C2 and C3 vealers to processors made 185c to 235c, whilst the yearling portion sold from 160c to 212c, with those to feedlots and best quality to 230c/kg. Restockers paid 170c to 229c/kg.

The grown heifers were not up to the top quality of last week and made 155c to 168c for the C3 and C4 grades, with the best sale at 173c/kg. A few D2 grades sold against the trend to make the improved rates of 142c to 153c/kg. The heavy steer C3 grade were all between 170c and 192c, with the few C4 bullocks a few cents less at 174c to 176c/kg.

Most cows were of good to very good quality 3 to 5 score condition and of medium to mainly heavy weights. These sold 5c to 10c dearer at 142c to 162c, while the rest made firm rates at 132c to 148c, with the odd few plain quality D2 grades from 120c to 136c/kg. A run of processors cows sold largely between 275c and 305c/kg cwt. The C2 and B2 heavy weight bulls made 1c to 5c less at 138c to 158c/kg.

Category	Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer															
200-280		FD	C	2	1	192.0	- 192.0	192.0	N/Q	-			480	- 480	480
		RS	C	2	7	210.0	- 223.0	219.3	-4	-			525	- 591	572
280-330		FD	C	2	16	205.0	- 205.0	205.0	N/Q	-			666	- 666	666
		RS	C	3	1	210.0	- 210.0	210.0	N/Q	-			683	- 683	683
			C	3	17	200.0	- 235.0	221.4	-9	370	- 443	407	650	- 748	691
330+			B	3	2	222.0	- 222.0	222.0	N/Q	404	- 404	404	799	- 799	799
			C	2	1	195.0	- 195.0	195.0	N/Q	368	- 368	368	653	- 653	653
			C	3	24	184.0	- 231.0	212.8	-14	347	- 413	391	644	- 797	740
					69	184.0	235.0	213.4		347	443	397	480	799	689
Vealer Heifer															
200-280			C	2	5	180.0	- 188.0	186.4	-16	353	- 362	360	459	- 517	505
		RS	C	2	7	169.0	- 183.0	173.0	-17	-			448	- 448	448
		FD	C	2	14	180.0	- 210.0	190.4	-17	-			459	- 578	504
			C	3	4	185.0	- 232.0	215.3	-8	343	- 430	401	518	- 615	567
280-330			C	2	9	188.0	- 206.0	204.0	N/Q	362	- 389	386	555	- 618	611
		FD	C	2	10	210.0	- 210.0	210.0	40	-			662	- 662	662
			C	3	20	185.0	- 230.0	203.7	-15	349	- 426	377	555	- 666	621
330+			B	3	4	232.0	- 232.0	232.0	N/Q	414	- 414	414	800	- 800	800
		FD	C	2	2	200.0	- 200.0	200.0	N/Q	-			690	- 690	690
			C	3	7	190.0	- 230.0	215.0	13	359	- 418	396	646	- 771	724
					82	169.0	232.0	201.4		343	430	385	448	800	600
Yearling Steer															
0-330			C	2	2	192.0	- 192.0	192.0	N/Q	369	- 369	369	624	- 624	624
		FD	C	2	1	179.0	- 179.0	179.0	N/Q	-			492	- 492	492

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	17	228.0	- 229.0	228.4	11	-			559	- 618	583
	RS	C	3	13	200.0	- 230.0	227.7	N/Q	-			650	- 690	687
	RS	D	2	1	150.0	- 150.0	150.0	N/Q	-			450	- 450	450
330-400	FD	C	2	2	198.0	- 198.0	198.0	N/Q	-			703	- 703	703
		C	3	22	170.0	- 215.0	196.0	-33	327	- 391	369	612	- 840	752
400+		C	3	65	180.0	- 230.0	203.0	11	337	- 426	378	814	- 1035	934
	FD	C	3	10	200.0	- 200.0	200.0	N/Q	-			890	- 890	890
	RS	D	2	9	146.0	- 147.0	146.3	-9	-			647	- 664	658
		D	2	1	160.0	- 160.0	160.0	N/Q	314	- 314	314	768	- 768	768
				143	146.0	230.0	202.3		314	426	375	450	1035	806
Yearling Heifer														
0-330		C	3	1	180.0	- 180.0	180.0	N/Q	340	- 340	340	594	- 594	594
		D	2	1	148.0	- 148.0	148.0	N/Q	296	- 296	296	422	- 422	422
	RS	D	2	1	148.0	- 148.0	148.0	N/Q	-			466	- 466	466
		D	3	3	165.0	- 165.0	165.0	N/Q	324	- 324	324	528	- 528	528
330-400		B	3	5	200.0	- 217.0	213.6	N/Q	370	- 395	390	700	- 825	800
	FD	C	2	16	166.0	- 206.0	186.3	N/Q	-			573	- 690	632
		C	2	1	158.0	- 158.0	158.0	N/C	310	- 310	310	545	- 545	545
		C	3	49	155.0	- 212.0	195.3	5	298	- 398	368	527	- 816	719
	FD	C	3	20	190.0	- 190.0	190.0	N/Q	-			665	- 665	665
	RS	D	2	1	120.0	- 120.0	120.0	N/Q	-			408	- 408	408
		D	2	2	142.0	- 145.0	143.5	N/Q	284	- 290	287	497	- 558	528
		D	3	1	135.0	- 135.0	135.0	N/Q	260	- 260	260	540	- 540	540
		D	4	4	147.0	- 147.0	147.0	N/Q	277	- 277	277	507	- 507	507
400+		C	2	3	170.0	- 170.0	170.0	11	333	- 333	333	757	- 757	757
		C	3	61	155.0	- 197.0	176.3	1	298	- 365	332	651	- 883	787
	FD	C	3	6	182.0	- 182.0	182.0	N/Q	-			764	- 764	764
		C	4	6	182.0	- 185.0	182.5	N/Q	337	- 343	338	823	- 874	865
		D	2	5	155.0	- 155.0	155.0	13	304	- 304	304	674	- 674	674
		D	3	21	153.0	- 165.0	157.4	N/Q	300	- 324	308	658	- 787	683
				207	120.0	217.0	179.8		260	398	338	408	883	715
Grown Steer														
400-500		C	3	5	192.0	- 192.0	192.0	N/Q	362	- 362	362	960	- 960	960
500-600		C	3	38	170.0	- 192.0	183.3	N/C	321	- 356	345	945	- 1075	1017
		C	4	2	188.0	- 188.0	188.0	N/Q	348	- 348	348	1128	- 1128	1128
600-750		C	3	10	165.0	- 180.0	172.5	1	317	- 327	322	1023	- 1089	1056
		C	4	14	174.0	- 176.0	174.1	-6	322	- 326	323	1153	- 1192	1189
				69	165.0	192.0	180.6		317	362	338	945	1192	1057
Grown Heifer														
0-540		C	2	1	170.0	- 170.0	170.0	N/Q	333	- 333	333	757	- 757	757
		C	3	47	162.0	- 168.0	164.2	-3	317	- 329	320	713	- 891	836
		C	4	1	173.0	- 173.0	173.0	N/Q	333	- 333	333	839	- 839	839
		D	2	10	142.0	- 153.0	149.3	14	290	- 300	297	667	- 788	737
		D	3	1	150.0	- 150.0	150.0	N/Q	294	- 294	294	780	- 780	780

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	2	1	146.0	- 146.0	146.0	N/Q	286	- 286	286	854	- 854	854
		C	3	20	155.0	- 162.0	159.8	-4	298	- 318	309	845	- 980	909
		C	4	4	160.0	- 165.0	161.3	-7	314	- 317	315	1016	- 1064	1028
				85	142.0	173.0	161.1		286	333	314	667	1064	849
Manufacturing Steer														
540+	DA	D	2	11	152.0	- 160.0	157.1	5	298	- 314	308	882	- 960	931
					11	152.0	160.0	157.1		298	314	308	882	960
Cows														
0-400		D	1	1	112.0	- 112.0	112.0	N/Q	267	- 267	267	398	- 398	398
400-520		D	2	11	122.0	- 136.0	127.3	-4	271	- 296	282	605	- 660	623
	RS	D	2	4	132.0	- 137.0	133.3	-4				587	- 712	619
		D	3	1	148.0	- 148.0	148.0	N/Q	296	- 296	296	747	- 747	747
		E	1	3	90.0	- 90.0	90.0	N/Q	220	- 220	220	378	- 378	378
520+		C	2	8	146.0	- 152.0	146.8	N/Q	286	- 298	288	788	- 821	792
		C	3	148	148.0	- 162.0	155.9	7	290	- 312	300	840	- 1000	922
		C	4	97	147.0	- 158.0	152.6	4	285	- 304	293	853	- 1140	968
		C	5	132	144.0	- 155.0	151.3	12	277	- 298	290	866	- 1054	973
		D	2	5	120.0	- 135.0	127.0	-7	273	- 284	278	696	- 736	713
		D	3	44	132.0	- 149.0	145.2	1	275	- 298	291	739	- 868	832
		D	4	7	142.0	- 148.0	144.6	-1	278	- 292	286	831	- 866	846
		E	1	1	115.0	- 115.0	115.0	N/Q	281	- 281	281	627	- 627	627
				462	90.0	162.0	150.7		220	312	293	378	1140	916
Bulls														
0-450		C	2	5	183.0	- 183.0	183.0	22	359	- 359	359	586	- 586	586
		FD	C	2	3	185.0	- 185.0	185.0	5			666	- 666	666
		RS	C	2	1	180.0	- 180.0	180.0	N/C			729	- 729	729
450-600		B	2	2	166.0	- 166.0	166.0	N/Q	307	- 307	307	764	- 764	764
		C	2	1	152.0	- 152.0	152.0	N/Q	287	- 287	287	859	- 859	859
		DA	D	2	1	142.0	- 142.0	142.0	N/Q	284	- 284	284	682	- 682
600+		B	2	9	142.0	- 158.0	149.9	-6	258	- 282	271	1028	- 1525	1204
		C	2	8	138.0	- 154.0	144.0	N/C	256	- 285	267	849	- 1310	1066
				30	138.0	185.0	159.2		256	359	291	586	1525	936

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.