

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 14 Jun 2011

Yarding Change ¹⁰²⁴
-344

comparison date 07/06/2011

Useful falls of rain in parts of the supply area reduced the number of stock penned. Values for calves and vealers to slaughter improved by 2c to 12c/kg, and lightweight yearling steers to restockers also experienced a stronger market. However, heavy yearling steers to feed sold to a market 6c/kg less. Not all the usual export buyers were present and heavy steers and bullocks fell in value by 12c to 13c, and cows averaged 7c/kg less.

Calves to the trade averaged 213c, while those returning to the paddock made to 260.2c to average 228c/kg. Vealer steers also returning to the paddock averaged 230c and made to 239.2c/kg. Vealer heifers to the trade averaged 6c dearer at 211c and a small selection of well presented grades sold to local butchers in the 230c range, with some to 240.2c/kg. Lightweight yearling steers to restockers made to 234.2c, with a fairly large sample around 223c/kg. Feeder buyers were selective on the medium weight yearling steers, with well bred grades around 222c, however, sales ranged from 199c to 234.2c/kg. Heavy yearling steers to feed averaged 6c cheaper at 182c/kg. Medium weight yearling heifers to feed averaged 181c and sold to 197c and a handful to the trade averaged 205c and made to 212.2c/kg.

Heavy steers in the 3 score range generally sold around 158c and the better conditions lines averaged 165c and sold to 172.2c/kg. Bullocks sold from 165c to 173.2c to average 13c cheaper at 168c/kg. Full mouth bullocks mostly sold around 155c/kg.

Plain condition cows to restockers averaged 130c and sold to 137.2c, and slaughtered descriptions averaged 121c/kg. Medium weight 3 scores averaged 134c and good heavy cows in small numbers averaged 147c and sold to 154.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	1	216.2	- 216.2	216.2	N/Q	408	- 408	408	97	- 97	97
	RS	D	1	1	160.0	- 160.0	160.0	N/Q	-	-	-	104	- 104	104
80+	RS	C	2	30	196.2	- 260.2	228.3	-6	-	-	-	245	- 429	374
		C	2	46	193.2	- 232.2	213.2	12	365	- 438	402	322	- 430	369
		D	2	2	190.0	- 190.0	190.0	N/Q	359	- 359	359	238	- 238	238
				80	160.0	260.2	217.7		359	438	401	97	430	361
Vealer Steer														
200-280		C	2	6	212.2	- 227.2	220.7	-7	386	- 413	401	499	- 534	519
	RS	C	2	29	215.2	- 239.2	230.8	2	-	-	-	463	- 541	509
280-330		C	3	5	231.2	- 231.2	231.2	N/Q	420	- 420	420	751	- 751	751
				40	212.2	239.2	229.3		386	420	410	463	751	541
Vealer Heifer														
200-280	FD	C	2	3	201.2	- 201.2	201.2	-10	-	-	-	473	- 473	473
		C	2	33	200.0	- 231.2	211.1	6	370	- 428	391	412	- 622	488
	RS	D	2	2	182.2	- 182.2	182.2	N/C	-	-	-	401	- 401	401
		D	2	16	193.2	- 195.0	194.1	N/Q	358	- 361	359	396	- 439	417
280-330		C	2	1	207.2	- 207.2	207.2	N/Q	384	- 384	384	591	- 591	591
		C	3	3	219.2	- 240.2	230.5	N/Q	406	- 445	427	669	- 781	719
				58	182.2	240.2	205.8		358	445	383	396	781	478
Yearling Steer														
0-330	FD	C	2	3	215.2	- 215.2	215.2	4	-	-	-	527	- 527	527
	RS	C	2	60	196.2	- 234.2	223.7	20	-	-	-	422	- 586	519
	FD	C	3	2	214.2	- 214.2	214.2	N/Q	-	-	-	568	- 568	568

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	11	185.0	- 185.0	185.0	-14	-	-	-	712	- 712	712
	FD	C	2	46	180.2	- 224.2	212.4	-6	-	-	-	622	- 841	788
	FD	C	3	83	199.2	- 234.2	221.9	-7	-	-	-	711	- 855	809
	FD	D	2	3	175.0	- 180.0	176.7	-8	-	-	-	657	- 691	680
400+	FD	C	2	11	180.0	- 186.2	181.6	-3	-	-	-	754	- 805	780
	RS	C	2	8	181.2	- 181.2	181.2	-2	-	-	-	734	- 734	734
		C	3	23	175.2	- 183.2	177.9	-6	319	- 333	324	745	- 1099	840
	FD	C	3	55	175.0	- 200.0	182.3	-6	-	-	-	734	- 815	795
	FD	D	2	3	165.0	- 165.0	165.0	N/Q	-	-	-	701	- 701	701
	RS	D	2	1	146.2	- 146.2	146.2	N/Q	-	-	-	621	- 621	621
					309	146.2	234.2	205.4		319	333	323	422	1099
Yearling Heifer														
0-330		C	2	8	185.0	- 207.2	197.6	N/Q	343	- 384	366	416	- 508	469
	FD	C	2	3	190.2	- 198.2	195.5	-10	-	-	-	542	- 565	557
	RS	D	2	6	180.2	- 180.2	180.2	N/Q	-	-	-	423	- 423	423
330-400	FD	C	2	21	175.0	- 197.2	181.4	-5	-	-	-	604	- 661	626
	FD	C	3	4	179.2	- 195.2	183.2	-10	-	-	-	672	- 712	682
		C	3	6	199.2	- 212.2	205.0	15	369	- 393	380	667	- 796	722
	FD	D	2	1	162.2	- 162.2	162.2	N/Q	-	-	-	592	- 592	592
	RS	D	2	5	160.0	- 166.2	165.0	3	-	-	-	557	- 584	562
	FD	D	3	10	161.2	- 161.2	161.2	2	-	-	-	621	- 621	621
					68	151.2	212.2	181.8		280	393	366	416	807
Grown Steer														
0-400	FD	C	3	1	190.2	- 190.2	190.2	N/Q	-	-	-	751	- 751	751
400-500	FD	C	3	14	170.0	- 170.0	170.0	-4	-	-	-	723	- 825	752
500-600	FD	C	3	1	158.2	- 158.2	158.2	N/Q	-	-	-	846	- 846	846
		C	3	28	150.0	- 163.2	158.2	-12	273	- 297	288	803	- 964	889
		C	4	12	163.2	- 172.2	165.7	-11	291	- 308	296	904	- 971	958
600-750		C	3	4	151.2	- 151.2	151.2	-19	275	- 275	275	945	- 945	945
		C	4	34	165.0	- 173.2	168.4	-13	295	- 309	301	1014	- 1201	1093
				94	150.0	190.2	164.6		273	309	294	723	1201	952
Grown Heifer														
0-540		C	3	1	151.2	- 151.2	151.2	N/Q	285	- 285	285	658	- 658	658
		C	4	1	153.2	- 153.2	153.2	N/Q	289	- 289	289	712	- 712	712
					2	151.2	153.2	152.0		285	289	287	658	712
Manufacturing Steer														
540+		C	3	11	148.2	- 158.2	155.8	N/Q	270	- 288	283	926	- 941	939
		C	4	2	160.2	- 165.2	162.7	N/Q	291	- 300	296	1041	- 1156	1099
		D	3	1	142.2	- 142.2	142.2	N/Q	259	- 259	259	917	- 917	917
				14	142.2	165.2	155.8		259	300	283	917	1156	961
Cows														
0-400	RS	D	1	10	96.2	- 106.2	105.2	-12	-	-	-	370	- 419	415
		D	1	4	98.2	- 98.2	98.2	3	273	- 273	273	388	- 388	388

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520		D	2	1	120.0	- 120.0	120.0	N/C	286	- 286	286	474	- 474	474
	RS	E	1	3	68.2	- 68.2	68.2	N/Q	-	-	-	249	- 249	249
	RS	D	1	25	123.2	- 137.2	130.2	-2	-	-	-	557	- 610	578
		D	1	21	83.2	- 113.2	102.4	-13	231	- 314	285	354	- 538	453
		D	2	16	113.2	- 130.2	121.1	-10	270	- 310	288	500	- 637	543
	RS	D	2	7	122.2	- 131.2	127.3	-11	-	-	-	532	- 597	569
		D	3	28	130.2	- 138.2	134.7	-7	266	- 282	275	599	- 647	626
520+		D	4	23	138.2	- 151.2	142.8	-7	271	- 297	280	606	- 703	657
	DA	E	1	1	70.0	- 70.0	70.0	N/Q	194	- 194	194	326	- 326	326
		C	2	1	134.2	- 134.2	134.2	N/Q	298	- 298	298	798	- 798	798
	RS	D	2	2	138.2	- 138.2	138.2	N/Q	-	-	-	753	- 753	753
		D	3	13	130.2	- 141.2	136.6	N/Q	266	- 288	279	736	- 834	763
		D	4	15	141.2	- 154.2	146.9	-7	277	- 302	288	755	- 964	813
		D	5	4	118.2	- 135.2	122.5	-23	241	- 276	250	680	- 1406	861
				174	68.2	154.2	126.5		194	314	280	249	1406	600
Bulls														
0-450	RS	C	2	7	185.2	- 185.2	185.2	N/Q	-	-	-	676	- 676	676
	RS	C	3	2	193.2	- 215.0	204.1	N/Q	-	-	-	840	- 871	856
450-600		C	3	1	134.2	- 134.2	134.2	N/Q	240	- 240	240	463	- 463	463
	FD	D	2	1	133.2	- 133.2	133.2	N/Q	-	-	-	513	- 513	513
		C	2	1	121.2	- 121.2	121.2	N/Q	220	- 220	220	648	- 648	648
		C	3	1	133.2	- 133.2	133.2	N/Q	238	- 238	238	779	- 779	779
600+		C	2	3	110.0	- 128.2	122.1	N/Q	200	- 233	222	710	- 814	771
		C	3	5	125.2	- 145.0	136.0	-20	224	- 259	243	826	- 928	876
		D	1	1	77.2	- 77.2	77.2	N/Q	140	- 140	140	467	- 467	467
				22	77.2	215.0	152.2		140	259	227	463	928	727

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.