

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Toowoomba Landmark

report date 20 Jun 2011

Yarding Change 617  
0

comparison date 13/06/2011

A fair supply of stock was penned following the two-week break to the selling program. The quality of the young cattle was very mixed, and medium weight feeder grades dominated the grown steer portion, while most of the cows were heavy 4 score classes. Not all the usual export buyers were present and operating however a fair number of buyers were active in the young cattle section. Values were cheaper and in line with rates experienced at other centres in the last two weeks. Young cattle were the least affected in the price reductions, while export grades lost around 10c/kg.

Calves to the trade averaged 203c and restocker grades 215c with sales to 235.2c/kg. Vealer steers made to 220c, and vealer heifers to the trade generally sold around 200c with a fair sample to restockers averaging 210c/kg. A small number of medium weight yearling steers to feed averaged 199c and local trade descriptions also in small numbers averaged 205c and made to 216.2c/kg. Medium weight yearling heifers to feed averaged close to 172c and a few heavy grades to the trade averaged 167c/kg.

Medium weight grown steers to feed averaged 160c and made to 165.2c/kg. Heavy steers in the 3 score range averaged 157c and a few pens of heavy bullocks made to 175.6c/kg.

Heavy 3 score cows averaged 131c while a good sample of good heavy cows made to 145c with most at 140c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+	RS	C	1	24	204.2	- 221.2	214.5	N/Q	-	-	-	188	- 291	229
	RS	C	2	26	200.0	- 235.2	215.7	N/Q	-	-	-	200	- 392	344
		C	2	25	200.2	- 211.2	203.8	N/Q	378	- 399	385	250	- 385	331
	RS	D	1	9	181.2	- 193.2	187.9	N/Q	-	-	-	245	- 280	264
		D	2	1	198.2	- 198.2	198.2	N/Q	374	- 374	374	327	- 327	327
				<b>85</b>	<b>181.2</b>	<b>235.2</b>	<b>208.7</b>		<b>374</b>	<b>399</b>	<b>384</b>	<b>188</b>	<b>392</b>	<b>299</b>
<b>Vealer Steer</b>														
200-280	FD	C	2	11	215.2	- 220.2	217.5	N/Q	-	-	-	473	- 549	515
	RS	C	2	20	206.2	- 216.2	211.2	N/Q	-	-	-	443	- 486	465
		D	2	1	200.0	- 200.0	200.0	N/Q	364	- 364	364	410	- 410	410
				<b>32</b>	<b>200.0</b>	<b>220.2</b>	<b>213.0</b>		<b>364</b>	<b>364</b>	<b>364</b>	<b>410</b>	<b>549</b>	<b>480</b>
<b>Vealer Heifer</b>														
200-280		C	2	28	195.2	- 213.2	200.1	N/Q	362	- 395	371	400	- 490	434
	RS	C	2	33	209.2	- 210.2	210.0	N/Q	-	-	-	429	- 494	475
	FD	D	2	2	178.2	- 178.2	178.2	N/Q	-	-	-	365	- 365	365
	RS	D	2	7	176.2	- 186.2	177.6	N/Q	-	-	-	382	- 405	402
				<b>70</b>	<b>176.2</b>	<b>213.2</b>	<b>201.9</b>		<b>362</b>	<b>395</b>	<b>371</b>	<b>365</b>	<b>494</b>	<b>448</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	1	182.2	- 182.2	182.2	N/Q	-	-	-	410	- 410	410
	RS	C	2	6	195.2	- 201.2	197.2	N/Q	-	-	-	420	- 503	447
		D	2	6	180.0	- 180.0	180.0	N/Q	-	-	-	450	- 450	450
330-400	FD	C	2	12	175.2	- 219.2	199.8	N/Q	-	-	-	610	- 756	704
	FD	C	3	6	216.2	- 216.2	216.2	N/Q	-	-	-	768	- 768	768
		C	3	14	199.6	- 216.2	205.5	N/Q	363	- 393	374	768	- 832	791

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head					
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg			
400+	RS	D	2	4	169.2	- 169.2	169.2	N/Q	-			618	- 618	618			
	FD	C	2	2	175.2	- 175.2	175.2	N/Q	-			710	- 710	710			
	RS	C	3	5	177.2	- 177.2	177.2	N/Q	-			753	- 753	753			
				<b>56</b>	<b>169.2</b>	<b>219.2</b>	<b>195.2</b>					<b>363</b>	<b>393</b>	<b>374</b>	<b>410</b>	<b>832</b>	<b>671</b>
<b>Yearling Heifer</b>																	
0-330	FD	C	2	8	184.2	- 184.2	184.2	N/Q	-			396	- 396	396			
		C	2	4	200.0	- 200.0	200.0	N/Q	370	- 370	370	450	- 450	450			
330-400	RS	C	2	10	195.2	- 195.2	195.2	N/Q	-			420	- 420	420			
		D	2	1	171.2	- 171.2	171.2	N/Q	317	- 317	317	368	- 368	368			
	RS	C	2	8	167.2	- 167.2	167.2	N/Q	-			577	- 577	577			
	FD	C	2	10	170.2	- 178.6	171.9	N/Q	-			630	- 670	638			
	RS	C	3	4	185.0	- 185.0	185.0	N/Q	-			620	- 620	620			
		C	3	3	185.0	- 185.0	185.0	N/Q	343	- 343	343	620	- 620	620			
	RS	D	2	1	150.2	- 150.2	150.2	N/Q	-			578	- 578	578			
400+	FD	D	2	6	140.0	- 150.0	146.7	N/Q	-			511	- 518	515			
	FD	D	3	3	166.2	- 166.2	166.2	N/Q	-			640	- 640	640			
		C	3	10	167.6	- 167.6	167.6	N/Q	310	- 310	310	754	- 754	754			
		D	3	2	152.2	- 152.2	152.2	N/Q	282	- 282	282	700	- 700	700			
					<b>70</b>	<b>140.0</b>	<b>200.0</b>	<b>175.1</b>				<b>282</b>	<b>370</b>	<b>325</b>	<b>368</b>	<b>754</b>	<b>563</b>
<b>Grown Steer</b>																	
400-500	FD	C	3	88	158.2	- 165.2	160.2	N/Q	-			725	- 801	755			
500-600		C	3	18	156.6	- 158.2	157.5	N/Q	285	- 288	286	885	- 905	896			
		C	4	9	166.2	- 166.2	166.2	N/Q	297	- 297	297	951	- 951	951			
600-750		C	3	9	158.0	- 158.0	158.0	N/Q	287	- 287	287	972	- 972	972			
		C	4	13	175.6	- 175.6	175.6	N/Q	314	- 314	314	1098	- 1203	1154			
				<b>137</b>	<b>156.6</b>	<b>175.6</b>	<b>161.6</b>				<b>285</b>	<b>314</b>	<b>296</b>	<b>725</b>	<b>1203</b>	<b>839</b>	
<b>Grown Heifer</b>																	
0-540		C	4	14	151.6	- 151.6	151.6	N/Q	286	- 286	286	811	- 811	811			
540+	RS	D	3	2	132.2	- 132.2	132.2	N/Q	-			595	- 595	595			
		C	4	12	150.0	- 150.0	150.0	N/Q	283	- 283	283	848	- 848	848			
				<b>28</b>	<b>132.2</b>	<b>151.6</b>	<b>149.5</b>				<b>283</b>	<b>286</b>	<b>285</b>	<b>595</b>	<b>848</b>	<b>811</b>	
<b>Cows</b>																	
0-400	RS	D	1	5	98.2	- 98.2	98.2	N/Q	-			349	- 349	349			
400-520	DA	D	1	4	107.2	- 107.2	107.2	N/Q	298	- 298	298	493	- 493	493			
		D	2	3	120.0	- 120.0	120.0	N/Q	286	- 286	286	522	- 522	522			
520+		D	3	15	128.0	- 132.2	131.0	N/Q	261	- 270	267	736	- 781	762			
		D	4	56	138.0	- 145.0	140.8	N/Q	271	- 284	276	776	- 870	801			
				<b>83</b>	<b>98.2</b>	<b>145.0</b>	<b>134.1</b>				<b>261</b>	<b>298</b>	<b>276</b>	<b>349</b>	<b>870</b>	<b>742</b>	
<b>Bulls</b>																	
0-450		C	2	7	183.2	- 197.2	189.2	N/Q	333	- 359	344	431	- 444	436			
		C	3	1	145.2	- 145.2	145.2	N/Q	259	- 259	259	80	- 80	80			
450-600		C	2	1	122.2	- 122.2	122.2	N/Q	222	- 222	222	672	- 672	672			
	RS	C	3	8	145.2	- 145.2	145.2	N/Q	-			675	- 675	675			
600+		C	3	6	129.2	- 141.2	137.2	N/Q	231	- 252	245	692	- 756	713			
		C	3	1	146.6	- 146.6	146.6	N/Q	262	- 262	262	1319	- 1319	1319			

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
				<b>24</b>	<b>122.2</b>	<b>197.2</b>	<b>155.1</b>			<b>222</b>	<b>359</b>	<b>289</b>	<b>80</b>	<b>1319</b>	<b>617</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.