

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 23 Jun 2011

Yarding Change <sup>1970</sup>  
-670

comparison date 16/06/2011

Numbers declined and quality remained mixed with fair percentages of vealers in the market. Fair runs of the yearling steers were yarded, while yearling heifers were scarce. Grown steers were well supplied, with around 330 cows offered.

Vealer steers showed little change in value as the medium weights returning to the paddock ranged from 199c to 225c, with the heavy weights to the trade reaching 235c/kg. The better end of the vealer heifers to the trade sold well to reach 240c/kg. Yearling steers struggled, with lot feeders showing little interest at the higher prices. The light and medium weights together with the heavyweight pens to lot feeders lost 12c to 15c/kg. Heavy weights to the trade slipped 3c/kg. Too few yearling heifers were offered to quote, however, the best to the trade reached 233c/kg.

Medium weight grown steers to lot feeders lost 15c as the heavy weights to slaughter eased 3c to 6c to reach 187c/kg. Heifers sold at similar prices to range from 152c to 178c/kg.

Cows sold to a firm trend as the plainer D2 pens averaged 130c/kg. The better finished D3 and D4 cows ranged from 135c to 145c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	2	248.2	- 248.2	248.2	N/Q	477	- 477	477	323	- 323	323
				<b>2</b>	<b>248.2</b>	<b>248.2</b>	<b>248.0</b>		<b>477</b>	<b>477</b>	<b>478</b>	<b>323</b>	<b>323</b>	<b>323</b>
<b>Vealer Steer</b>														
0-200	RS	C	1	4	191.2	- 191.2	191.2	-15	-	-	-	287	- 287	287
	RS	C	2	16	184.2	- 231.2	213.6	-2	-	-	-	332	- 416	363
		C	2	4	201.2	- 201.2	201.2	N/Q	387	- 387	387	322	- 322	322
	RS	D	2	1	180.0	- 180.0	180.0	N/Q	-	-	-	324	- 324	324
200-280	RS	C	1	5	200.0	- 200.0	200.0	N/C	-	-	-	440	- 440	440
	RS	C	2	73	199.2	- 225.6	216.5	-2	-	-	-	493	- 587	532
		C	2	11	180.0	- 200.0	198.2	N/Q	360	- 385	382	378	- 460	453
	FD	C	2	26	213.2	- 217.2	215.5	-2	-	-	-	576	- 586	582
280-330	FD	C	2	5	214.2	- 214.2	214.2	1	-	-	-	610	- 610	610
	RS	C	2	25	220.6	- 220.6	220.6	N/Q	-	-	-	706	- 706	706
		C	3	3	215.6	- 215.6	215.6	3	399	- 399	399	690	- 690	690
330+		C	3	25	216.2	- 235.2	231.9	4	393	- 420	415	735	- 966	816
				<b>198</b>	<b>180.0</b>	<b>235.2</b>	<b>216.1</b>		<b>360</b>	<b>420</b>	<b>403</b>	<b>287</b>	<b>966</b>	<b>570</b>
<b>Vealer Heifer</b>														
0-200		C	2	3	180.2	- 180.2	180.2	N/Q	360	- 360	360	333	- 333	333
	RS	C	2	7	220.2	- 220.2	220.2	N/Q	-	-	-	330	- 330	330
	RS	D	2	15	146.2	- 146.2	146.2	-14	-	-	-	263	- 263	263
200-280	FD	C	2	32	184.6	- 198.2	194.6	-13	-	-	-	496	- 531	510
		C	2	77	177.2	- 206.2	199.0	13	354	- 404	390	356	- 570	494
280-330		C	2	3	185.0	- 199.0	189.7	N/C	356	- 383	365	555	- 567	559
	FD	C	2	18	188.6	- 202.6	197.3	17	-	-	-	538	- 627	605
	RS	C	2	14	180.6	- 205.2	201.7	N/Q	-	-	-	515	- 585	575

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	9	216.6	- 216.6	216.6	N/Q	-			650	- 650	650
		C	3	10	210.0	- 240.0	230.3	N/Q	396	- 444	427	630	- 792	751
330+		C	3	35	192.6	- 233.2	222.3	-12	370	- 432	413	674	- 793	761
				<b>223</b>	<b>146.2</b>	<b>240.0</b>	<b>200.9</b>		<b>354</b>	<b>444</b>	<b>398</b>	<b>263</b>	<b>793</b>	<b>548</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	57	170.0	- 216.2	199.1	-24	-			510	- 662	612
	RS	D	2	7	171.2	- 181.0	179.6	17	-			453	- 488	458
	FD	D	2	4	185.0	- 185.0	185.0	13	-			500	- 500	500
330-400	RS	C	2	24	175.0	- 182.2	178.6	-22	-			595	- 638	616
	FD	C	2	85	175.0	- 207.0	190.3	-24	-			603	- 718	659
		C	2	1	175.0	- 175.0	175.0	N/Q	337	- 337	337	665	- 665	665
		C	3	14	199.2	- 231.2	227.3	5	369	- 413	407	757	- 879	864
400+	FD	C	2	31	172.0	- 192.0	179.2	-17	-			690	- 787	735
	RS	C	2	17	170.0	- 171.2	170.4	N/Q	-			689	- 710	695
	RS	C	3	13	218.0	- 218.0	218.0	N/Q	-			981	- 981	981
		C	3	49	175.6	- 234.0	193.3	-3	325	- 418	350	746	- 983	876
				<b>302</b>	<b>170.0</b>	<b>234.0</b>	<b>191.8</b>		<b>325</b>	<b>418</b>	<b>362</b>	<b>453</b>	<b>983</b>	<b>708</b>
<b>Yearling Heifer</b>														
0-330	RS	C	2	1	193.0	- 193.0	193.0	N/Q	-			579	- 579	579
	FD	C	2	19	201.6	- 201.6	201.6	21	-			625	- 625	625
	RS	D	2	22	137.0	- 177.2	149.8	N/C	-			411	- 567	461
		D	2	4	170.0	- 170.0	170.0	20	354	- 354	354	442	- 442	442
330-400	FD	C	2	10	181.2	- 181.2	181.2	7	-			670	- 670	670
		C	2	5	197.2	- 197.2	197.2	N/Q	394	- 394	394	670	- 670	670
		C	3	5	181.6	- 225.0	216.3	-1	349	- 417	403	690	- 788	768
	RS	C	3	3	200.0	- 200.0	200.0	N/Q	-			700	- 700	700
		D	2	1	140.0	- 140.0	140.0	N/Q	292	- 292	292	469	- 469	469
400+		B	3	1	233.2	- 233.2	233.2	N/Q	424	- 424	424	979	- 979	979
		C	3	16	178.6	- 210.0	188.9	-8	344	- 400	361	732	- 861	801
				<b>87</b>	<b>137.0</b>	<b>233.2</b>	<b>182.4</b>		<b>292</b>	<b>424</b>	<b>372</b>	<b>411</b>	<b>979</b>	<b>628</b>
<b>Grown Steer</b>														
0-400	RS	C	2	1	155.0	- 155.0	155.0	N/Q	-			527	- 527	527
	DA	D	2	3	136.2	- 136.2	136.2	N/Q	290	- 290	290	518	- 518	518
		D	2	4	134.0	- 134.0	134.0	N/Q	268	- 268	268	482	- 482	482
400-500	FD	C	2	94	154.2	- 176.2	167.3	-19	-			618	- 753	703
		C	2	12	158.0	- 171.6	169.3	11	304	- 330	326	704	- 727	707
	RS	C	2	20	164.0	- 174.0	168.9	N/Q	-			705	- 739	732
	RS	C	3	3	170.6	- 170.6	170.6	N/Q	-			717	- 717	717
	FD	C	3	5	175.0	- 175.0	175.0	-7	-			753	- 753	753
		C	3	93	162.0	- 185.0	173.2	-4	300	- 343	321	738	- 880	780
500-600		C	3	68	162.0	- 185.0	172.8	-6	300	- 339	319	842	- 1018	936
		C	4	29	181.6	- 187.2	184.4	-1	324	- 334	329	923	- 1067	1028
600-750		C	2	1	155.0	- 155.0	155.0	N/Q	298	- 298	298	961	- 961	961
		C	3	36	160.0	- 172.0	164.8	-5	296	- 319	305	976	- 1099	1012
		C	4	21	168.0	- 183.2	170.8	-9	305	- 327	308	1075	- 1118	1085

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					<b>390</b>	<b>134.0</b>	<b>187.2</b>	<b>170.5</b>		<b>268</b>	<b>343</b>	<b>317</b>	<b>482</b>	<b>1118</b>	<b>834</b>
<b>Grown Heifer</b>															
0-540		C	2	13	150.0	- 152.0	151.2	N/Q	313	- 317	315	623	- 645	632	
		C	3	74	152.0	- 178.0	165.6	-1	304	- 356	331	676	- 774	751	
		D	1	6	132.0	- 132.0	132.0	N/Q	314	- 314	314	455	- 455	455	
		D	2	13	110.0	- 145.2	131.2	4	262	- 329	295	374	- 523	475	
	RS	D	2	5	124.0	- 124.0	124.0	-14	-	-	-	353	- 353	353	
		D	3	11	145.0	- 155.2	154.2	-3	302	- 323	321	609	- 698	682	
		D	4	1	151.2	- 151.2	151.2	N/Q	309	- 309	309	680	- 680	680	
540+		D	5	1	132.0	- 132.0	132.0	N/Q	269	- 269	269	818	- 818	818	
					<b>124</b>	<b>110.0</b>	<b>178.0</b>	<b>155.8</b>		<b>262</b>	<b>356</b>	<b>323</b>	<b>353</b>	<b>818</b>	<b>673</b>
<b>Manufacturing Steer</b>															
0-540	DA	D	2	1	115.0	- 115.0	115.0	N/Q	240	- 240	240	461	- 461	461	
540+		C	3	1	154.0	- 154.0	154.0	N/Q	285	- 285	285	986	- 986	986	
		C	4	1	160.0	- 160.0	160.0	N/Q	291	- 291	291	976	- 976	976	
	DA	D	2	4	138.0	- 138.0	138.0	N/Q	288	- 288	288	856	- 856	856	
					<b>7</b>	<b>115.0</b>	<b>160.0</b>	<b>140.1</b>		<b>240</b>	<b>291</b>	<b>281</b>	<b>461</b>	<b>986</b>	<b>835</b>
<b>Cows</b>															
0-400		D	1	8	111.6	- 111.6	111.6	-7	294	- 294	294	424	- 424	424	
	RS	D	1	4	125.0	- 125.0	125.0	N/C	-	-	-	425	- 425	425	
		D	2	8	112.0	- 118.0	115.8	N/C	273	- 281	278	414	- 437	428	
		E	1	4	60.0	- 60.0	60.0	N/Q	171	- 171	171	210	- 210	210	
	RS	E	1	2	80.6	- 80.6	80.6	N/Q	-	-	-	310	- 310	310	
400-520		D	1	10	105.0	- 110.0	106.5	N/Q	276	- 290	280	421	- 451	434	
		D	2	107	115.0	- 139.0	130.9	1	274	- 331	310	496	- 599	556	
	RS	D	2	28	122.0	- 137.6	131.5	-1	-	-	-	500	- 552	532	
		D	3	33	134.6	- 145.2	137.2	3	280	- 296	286	606	- 755	665	
		D	4	1	132.0	- 132.0	132.0	N/Q	275	- 275	275	660	- 660	660	
520+		D	3	50	138.0	- 145.0	142.4	1	288	- 302	297	731	- 854	792	
		D	4	45	137.0	- 145.2	139.8	N/C	285	- 298	289	726	- 915	835	
					<b>300</b>	<b>60.0</b>	<b>145.2</b>	<b>131.8</b>		<b>171</b>	<b>331</b>	<b>296</b>	<b>210</b>	<b>915</b>	<b>629</b>
<b>Bulls</b>															
0-450		C	2	50	132.0	- 190.2	160.8	10	244	- 352	292	533	- 701	590	
	FD	C	2	1	141.0	- 141.0	141.0	N/Q	-	-	-	494	- 494	494	
	RS	C	2	56	135.2	- 190.2	178.5	12	-	-	-	460	- 533	520	
450-600		C	2	1	166.0	- 166.0	166.0	N/Q	296	- 296	296	863	- 863	863	
600+		B	2	10	163.2	- 171.2	167.7	3	281	- 295	289	1106	- 1496	1319	
		C	2	1	157.2	- 157.2	157.2	N/Q	281	- 281	281	1132	- 1132	1132	
	DA	E	2	1	124.2	- 124.2	124.2	N/Q	239	- 239	239	807	- 807	807	
					<b>120</b>	<b>124.2</b>	<b>190.2</b>	<b>169.2</b>		<b>239</b>	<b>352</b>	<b>291</b>	<b>460</b>	<b>1496</b>	<b>626</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.