

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 02 Aug 2011

Yarding Change 731
-230

comparison date 26/07/2011

The number of stock penned eased back, and apart from heavy grades of yearlings losing ground in value all other classes improved in price. Buyer attendance was good and included all the usual export processors. Vealers gained around 9c/kg and medium weight yearlings were keenly sought after by the butcher trade and prices improved by 7c to 8c/kg. A fair sample of bullocks averaged 2c dearer, and cows lifted in price by 2c to 4c/kg.

The occasional calf made to 255c with some returning to the paddock at 240.2c/kg. Vealer steers sold to restockers at an average of 230c with sales to 233.2c/kg. Vealer heifers to local and southern processors averaged 9c dearer at 213c, while local butchers had to pay into the 230c/kg range with some to 244.2c/kg. Medium yearling steers to feed averaged 206c and made to 215c/kg. A handful to the trade averaged 213c and sold to 216.2c/kg. Heavy yearling steers to the trade averaged 7c less at 182c with some to 189.2c/kg. Medium weight yearling heifers to feed averaged 191c, while a small selection to the trade averaged 8c better at 209c with isolated sales to 225c/kg.

Bullocks made to a top of 178c to average 175c/kg. Medium weight poor condition cows averaged 108c, and the 2 scores sold to a market 4c dearer at 127c/kg. A handful of good heavy cows made to 158.2c with most in the 140c/kg range. Heavy bulls made to 170.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	18	206.2	- 255.2	214.0	2	389	- 482	404	217	- 413	357
	RS	C	2	9	216.2	- 240.2	226.9	9		-		368	- 408	386
				27	206.2	255.2	218.3		389	482	404	217	413	367
Vealer Steer														
200-280		C	2	7	215.2	- 221.2	217.8	11	391	- 402	396	506	- 608	550
	FD	C	2	1	215.0	- 215.0	215.0	N/Q		-		570	- 570	570
	RS	C	2	21	221.2	- 233.2	229.8	8		-		525	- 586	542
280-330	FD	C	2	4	200.0	- 200.0	200.0	-19		-		590	- 590	590
		C	2	1	219.2	- 219.2	219.2	N/Q	399	- 399	399	647	- 647	647
		C	3	3	221.2	- 231.2	227.2	-19	402	- 420	413	676	- 719	692
330+		C	3	7	215.2	- 235.2	225.9	N/Q	391	- 428	411	759	- 826	797
				44	200.0	235.2	223.8		391	428	405	506	826	602
Vealer Heifer														
200-280	FD	C	2	1	198.6	- 198.6	198.6	N/Q		-		546	- 546	546
	RS	C	2	18	209.2	- 210.2	209.9	N/Q		-		450	- 494	461
		C	2	26	203.2	- 223.2	213.8	9	376	- 413	396	445	- 611	520
		C	3	1	232.2	- 232.2	232.2	N/Q	430	- 430	430	546	- 546	546
280-330		C	2	12	201.2	- 234.2	216.7	7	373	- 434	401	573	- 691	634
		C	3	11	218.2	- 244.2	232.8	3	404	- 452	431	653	- 745	700
330+		C	3	5	210.0	- 234.2	214.8	N/Q	389	- 434	398	725	- 785	737
				74	198.6	244.2	216.3		373	452	405	445	785	566
Yearling Steer														
0-330	RS	C	2	21	209.2	- 215.2	212.2	12		-		492	- 635	532
	RS	D	2	2	167.2	- 167.2	167.2	N/Q		-		443	- 443	443
		D	2	1	185.0	- 185.0	185.0	N/Q	336	- 336	336	435	- 435	435

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	28	194.2	- 215.0	205.9	3	-			690	- 785	728
	RS	C	2	4	205.2	- 205.2	205.2	N/Q	-			749	- 749	749
		C	3	7	211.2	- 216.2	213.8	7	384	- 393	389	778	- 832	796
	FD	C	3	4	200.2	- 210.0	207.6	3	-			731	- 809	789
	FD	D	2	2	165.0	- 165.0	165.0	N/Q	-			619	- 619	619
	RS	D	2	2	176.2	- 176.2	176.2	N/Q	-			590	- 590	590
	D	3	7	168.2	- 173.2	170.3	N/Q	306	- 315	310	580	- 648	619	
400+	FD	C	2	4	108.2	- 108.2	108.2	N/Q	-			438	- 438	438
	FD	C	3	33	170.2	- 187.2	179.3	1	-			718	- 833	778
		C	3	33	173.2	- 189.2	181.9	-7	315	- 344	331	719	- 823	776
	FD	D	2	12	170.0	- 171.2	170.6	N/Q	-			723	- 728	725
	FD	D	3	6	163.2	- 169.2	167.2	N/Q	-			694	- 719	711
				166	108.2	216.2	187.7		306	393	336	435	833	707
Yearling Heifer														
0-330	RS	C	2	7	190.2	- 194.2	192.5	N/Q	-			456	- 515	485
		C	2	1	210.0	- 210.0	210.0	N/Q	389	- 389	389	557	- 557	557
		C	3	2	202.2	- 202.2	202.2	N/Q	374	- 374	374	627	- 627	627
330-400	RS	C	2	24	201.2	- 201.2	201.2	N/Q	-			755	- 755	755
	FD	C	2	3	196.2	- 196.2	196.2	N/Q	-			657	- 657	657
	FD	C	3	20	188.2	- 199.2	191.2	-4	-			630	- 727	692
		C	3	16	193.2	- 225.0	209.7	8	358	- 417	388	667	- 785	736
	RS	D	2	3	155.2	- 155.2	155.2	N/Q	-			566	- 566	566
	FD	D	3	2	165.2	- 165.2	165.2	N/Q	-			603	- 603	603
400+	B	3	1	205.2	- 205.2	205.2	N/Q	380	- 380	380	831	- 831	831	
	C	3	6	168.2	- 170.2	169.8	-4	312	- 315	314	715	- 740	730	
				85	155.2	225.0	195.0		312	417	370	456	831	694
Grown Steer														
400-500	FD	C	2	8	164.2	- 164.2	164.2	N/Q	-			764	- 764	764
	FD	C	3	4	168.2	- 168.2	168.2	-1	-			732	- 732	732
		C	3	1	144.2	- 144.2	144.2	N/Q	262	- 262	262	714	- 714	714
		D	3	8	154.6	- 154.6	154.6	N/Q	281	- 281	281	703	- 703	703
500-600		C	3	5	165.0	- 167.2	165.9	N/Q	300	- 304	302	866	- 945	898
		C	4	12	169.2	- 174.6	173.6	-1	302	- 312	310	1007	- 1039	1033
		D	3	2	158.2	- 158.2	158.2	N/Q	288	- 288	288	846	- 846	846
600-750		C	3	6	164.2	- 167.2	165.0	N/Q	299	- 304	300	1045	- 1177	1135
		C	4	26	173.2	- 178.0	174.9	2	309	- 318	312	1074	- 1255	1149
		D	3	2	149.2	- 149.2	149.2	N/Q	271	- 271	271	903	- 903	903
				74	144.2	178.0	168.0		262	318	303	703	1255	979
Grown Heifer														
0-540	FD	D	2	1	134.2	- 134.2	134.2	N/Q	-			624	- 624	624
	FD	D	3	1	137.2	- 137.2	137.2	N/Q	-			597	- 597	597
				2	134.2	137.2	135.5		0	0		597	624	611
Manufacturing Steer														
540+		C	4	1	159.2	- 159.2	159.2	N/Q	290	- 290	290	1114	- 1114	1114
				1	159.2	159.2	159.0		290	290	290	1114	1114	1114

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Cows														
0-400	RS	D	1	7	84.2	- 111.2	105.6	6	-	-	-	324	- 406	392
	RS	E	1	2	89.2	- 89.2	89.2	N/Q	-	-	-	326	- 326	326
	RS	E	2	4	99.2	- 99.2	99.2	N/Q	-	-	-	362	- 362	362
400-520	FD	C	3	2	157.2	- 157.2	157.2	N/Q	-	-	-	778	- 778	778
	RS	C	3	1	84.2	- 84.2	84.2	N/Q	-	-	-	375	- 375	375
	RS	D	1	3	101.2	- 120.2	113.2	2	-	-	-	440	- 523	492
		D	1	18	90.0	- 123.2	108.6	3	250	- 342	302	392	- 548	474
	DA	D	1	1	107.2	- 107.2	107.2	N/Q	298	- 298	298	531	- 531	531
	DA	D	2	1	123.2	- 123.2	123.2	N/Q	293	- 293	293	573	- 573	573
		D	2	22	118.2	- 133.2	127.2	4	281	- 317	303	522	- 619	575
	RS	D	2	1	118.2	- 118.2	118.2	N/Q	-	-	-	514	- 514	514
		D	3	14	131.2	- 137.2	134.6	1	268	- 280	275	571	- 664	639
		D	4	2	140.0	- 140.0	140.0	N/Q	275	- 275	275	651	- 651	651
		D	5	1	130.2	- 130.2	130.2	N/Q	266	- 266	266	644	- 644	644
	520+	DA	E	1	1	71.2	- 71.2	71.2	N/Q	198	- 198	198	310	- 310
DA		E	2	4	114.2	- 118.2	115.2	N/Q	272	- 281	274	485	- 550	501
		C	3	1	158.2	- 158.2	158.2	N/Q	304	- 304	304	949	- 949	949
		D	2	2	132.0	- 132.2	132.1	N/Q	314	- 315	315	707	- 746	727
DA		D	2	7	123.2	- 136.2	128.9	3	293	- 324	307	707	- 817	723
DA		D	3	4	142.2	- 142.2	142.2	N/Q	290	- 290	290	846	- 846	846
		D	3	13	136.2	- 140.2	138.2	2	278	- 286	282	729	- 789	756
		D	4	9	143.2	- 147.2	144.1	-2	281	- 289	283	766	- 832	785
		D	5	3	136.2	- 137.2	136.9	N/Q	278	- 280	279	770	- 775	773
					123	71.2	158.2	125.0		198	342	291	310	949
Bulls														
0-450	RS	C	2	3	188.2	- 188.2	188.2	N/Q	-	-	-	565	- 565	565
		C	2	3	216.2	- 216.2	216.2	N/Q	393	- 393	393	638	- 638	638
		C	3	4	156.2	- 166.2	159.7	-21	279	- 297	288	625	- 723	649
	DA	D	2	1	99.2	- 99.2	99.2	N/Q	180	- 180	180	397	- 397	397
450-600	FD	C	3	6	164.2	- 164.2	164.2	19	-	-	-	764	- 764	764
	RS	C	3	2	179.2	- 180.0	179.6	N/Q	-	-	-	900	- 977	938
		C	3	12	135.2	- 164.2	156.3	N/C	246	- 299	284	669	- 782	748
	DA	D	2	1	100.0	- 100.0	100.0	N/Q	182	- 182	182	595	- 595	595
600+		C	2	1	123.2	- 123.2	123.2	N/Q	224	- 224	224	924	- 924	924
		C	3	8	140.2	- 170.2	161.2	-1	250	- 304	288	1052	- 1615	1240
				41	99.2	216.2	163.0		180	393	288	397	1615	816

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.