

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 09 Aug 2011

Yarding Change 1100
-36

comparison date 02/08/2011

Consignments remained similar, however quality lifted compared to the last market with fair percentages of younger cattle yarded. There were good runs of grown steers and heifers, while around 220 cows were penned. The market overall sold at dearer levels.

Vealer steers returning to the paddock lifted 7c/kg as the heifer portion also lifted by similar amounts. The best heavy weight vealer to the butchers reached 248c/kg. The 330/kg plus yearling steers to lot feeder orders remained firm, while the heavy weights improved in quality and gained 5c/kg. Yearling heifers to feed lifted 5c to 6c as the best B muscle to the trade topped at 240c/kg.

Grown steers to lot feeders lifted in both breed and quality to sell dearer with the medium weight pens ranging from 175c to 197c/kg. Heavy weight steers to slaughter gained 3c to 4c, while the heifer portion lifted 4c/kg in value.

Cows continued the dearer trend to remain firm to 4c/kg dearer. The plainer D2 cows averaged 135c, while the D3 and D4 pens ranged from 139c to 152c/kg. Heavy bulls sold at firm prices.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	230.0	- 230.0	230.0	N/Q	-			184	- 184	184
80+		C	2	7	200.0	- 220.0	205.7	N/Q	400	- 423	407	330	- 340	337
				8	200.0	230.0	208.8		400	423	407	184	340	318
Vealer Steer														
200-280	RS	C	2	8	216.0	- 220.0	217.5	7	-			484	- 562	533
		C	2	1	200.2	- 200.2	200.2	N/Q	385	- 385	385	561	- 561	561
		C	3	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	532	- 532	532
280-330	FD	C	2	8	213.6	- 213.6	213.6	18	-			641	- 641	641
	RS	C	2	46	203.6	- 215.2	209.6	12	-			580	- 630	606
	RS	C	3	4	218.0	- 218.0	218.0	N/Q	-			698	- 698	698
		C	3	2	244.2	- 247.8	246.0	N/Q	436	- 443	439	781	- 793	787
330+		B	3	1	248.0	- 248.0	248.0	N/Q	443	- 443	443	1017	- 1017	1017
		C	3	2	237.6	- 238.0	237.8	N/Q	424	- 425	425	832	- 857	844
				73	190.0	248.0	213.3		365	443	417	484	1017	622
Vealer Heifer														
0-200	RS	D	2	1	151.0	- 151.0	151.0	N/Q	-			272	- 272	272
200-280	RS	C	2	1	181.0	- 181.0	181.0	N/Q	-			398	- 398	398
	FD	C	2	10	190.2	- 190.2	190.2	N/Q	-			476	- 533	487
		C	2	20	191.0	- 209.6	200.9	10	375	- 403	387	401	- 587	549
		C	3	2	247.8	- 247.8	247.8	N/Q	459	- 459	459	644	- 644	644
280-330		C	2	6	190.0	- 205.2	202.7	9	373	- 395	391	542	- 585	578
		C	3	6	215.2	- 243.0	231.6	6	414	- 450	434	646	- 765	721
	FD	D	2	1	175.0	- 175.0	175.0	N/Q	-			499	- 499	499
330+		C	3	1	240.2	- 240.2	240.2	N/Q	445	- 445	445	817	- 817	817
				48	151.0	247.8	203.5		373	459	402	272	817	561
Yearling Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-330	FD	C	2	9	197.8	- 197.8	197.8	11	-			564	- 564	564
	RS	C	2	13	195.0	- 205.0	201.2	-16	-			584	- 640	605
330-400	FD	C	2	57	185.0	- 213.2	202.3	N/C	-			657	- 741	711
		C	2	1	172.0	- 172.0	172.0	N/Q	331	- 331	331	654	- 654	654
		C	3	6	232.2	- 232.2	232.2	12	415	- 415	415	859	- 859	859
400+		C	2	1	182.0	- 182.0	182.0	N/Q	350	- 350	350	746	- 746	746
	FD	C	2	37	184.2	- 200.0	198.9	N/Q	-			746	- 807	801
	RS	C	3	14	188.2	- 188.2	188.2	N/Q	-			866	- 866	866
	FD	C	3	66	188.2	- 204.6	199.2	8	-			834	- 878	850
		C	3	18	180.0	- 221.6	202.5	-5	333	- 396	368	765	- 931	846
				222	172.0	232.2	200.3		331	415	376	564	931	780
Yearling Heifer														
0-330	FD	C	2	28	189.6	- 200.2	197.1	15	-			474	- 641	599
330-400		B	3	1	240.2	- 240.2	240.2	N/Q	437	- 437	437	817	- 817	817
	FD	C	2	13	178.0	- 196.0	187.7	3	-			605	- 666	643
		C	3	15	196.2	- 235.0	216.9	23	385	- 437	417	687	- 823	750
	FD	C	3	11	198.4	- 198.4	198.4	13	-			714	- 714	714
	FD	D	2	2	170.0	- 170.0	170.0	N/Q	-			587	- 587	587
400+	RS	C	3	17	180.0	- 180.0	180.0	N/Q	-			738	- 738	738
	FD	C	3	1	189.2	- 189.2	189.2	N/Q	-			832	- 832	832
		C	3	10	180.2	- 190.2	187.0	-2	350	- 366	360	759	- 836	801
				98	170.0	240.2	194.8		350	437	396	474	836	690
Grown Steer														
0-400	FD	C	2	25	191.6	- 192.2	191.9	19	-			692	- 709	700
		D	1	1	110.0	- 110.0	110.0	N/Q	244	- 244	244	385	- 385	385
400-500		C	2	7	160.0	- 165.0	160.7	6	306	- 308	307	664	- 743	675
	FD	C	2	50	175.0	- 197.2	189.5	17	-			729	- 842	800
	RS	C	2	7	180.0	- 180.0	180.0	N/Q	-			792	- 792	792
	RS	C	3	11	171.6	- 171.6	171.6	-2	-			824	- 824	824
	FD	C	3	15	185.0	- 193.0	192.3	11	-			798	- 869	861
		C	3	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	828	- 828	828
		D	2	2	138.0	- 144.6	141.3	N/Q	282	- 295	288	553	- 600	577
500-600		C	3	81	180.0	- 190.0	182.1	6	327	- 339	335	954	- 1053	1009
		C	4	25	180.0	- 187.2	184.3	3	321	- 334	329	936	- 1030	988
600-750		C	3	1	165.0	- 165.0	165.0	N/Q	306	- 306	306	1056	- 1056	1056
				226	110.0	197.2	183.7		244	339	330	385	1056	883
Grown Heifer														
0-540		C	2	1	154.0	- 154.0	154.0	N/Q	321	- 321	321	678	- 678	678
	FD	C	2	33	146.0	- 180.2	163.7	4	-			527	- 748	612
		C	3	56	160.0	- 186.2	175.7	9	320	- 359	351	664	- 931	761
	FD	C	3	8	178.2	- 178.2	178.2	N/Q	-			748	- 748	748
		C	4	20	162.0	- 189.2	183.3	11	324	- 364	356	859	- 1022	985
		D	2	7	120.0	- 145.0	132.7	-5	267	- 322	295	444	- 508	473
	RS	D	2	5	120.0	- 144.0	138.4	N/Q	-			384	- 518	477

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	4	150.0	- 150.0	150.0	10	-			555	- 555	555
		D	3	1	130.0	- 130.0	130.0	N/Q	283	- 283	283	598	- 598	598
540+		C	4	3	162.0	- 165.0	163.0	-4	324	- 330	326	908	- 1134	1059
				138	120.0	189.2	169.0		267	364	346	384	1134	731
Manufacturing Steer														
0-540		D	2	1	136.0	- 136.0	136.0	N/Q	283	- 283	283	585	- 585	585
	DA	E	2	1	123.2	- 123.2	123.2	N/Q	274	- 274	274	431	- 431	431
540+		C	3	16	156.6	- 156.6	156.6	N/Q	290	- 290	290	861	- 861	861
				18	123.2	156.6	153.6		274	290	289	431	861	822
Cows														
0-400		D	1	11	100.0	- 118.0	111.5	N/C	263	- 311	293	360	- 425	401
		D	2	3	120.0	- 120.0	120.0	-2	293	- 293	293	444	- 444	444
400-520		D	2	69	123.0	- 138.2	134.7	1	300	- 329	322	504	- 608	580
	DA	D	2	2	125.0	- 125.0	125.0	N/Q	313	- 313	313	575	- 575	575
		D	3	79	139.0	- 150.0	146.9	4	296	- 313	307	611	- 750	714
		D	4	1	150.0	- 150.0	150.0	N/Q	313	- 313	313	750	- 750	750
		E	2	1	112.0	- 112.0	112.0	N/Q	280	- 280	280	482	- 482	482
520+		D	3	17	140.0	- 150.2	145.7	N/C	292	- 313	304	742	- 825	810
		D	4	15	146.0	- 152.0	148.4	2	304	- 317	309	824	- 990	877
		D	6	1	115.0	- 115.0	115.0	N/Q	256	- 256	256	828	- 828	828
				199	100.0	152.0	139.8		256	329	310	360	990	665
Bulls														
0-450		C	2	21	145.2	- 184.6	174.6	8	259	- 330	314	407	- 646	585
600+		B	2	2	162.0	- 169.6	165.8	N/Q	279	- 292	286	1361	- 1425	1393
		C	2	8	142.0	- 156.0	150.8	N/C	254	- 279	269	1094	- 1310	1204
				31	142.0	184.6	167.9		254	330	301	407	1425	797

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.