

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 09 Aug 2011

Yarding Change ⁸²⁰/₈₉

comparison date 02/08/2011

The small increase in supply generally sold to a dearer market. A fair panel of buyers were present and operating and included most of the major export processors. Vealer steers and heifers improved a further 2c to 5c/kg, and yearling classes also experienced a dearer market. A small sample of heavy steers and bullocks to export slaughter gained 2c to 3c, and cows lifted in value by 2c to 6c/kg.

The occasional light weight calf sold to restockers at 279.2c, with most around 214c/kg. Vealer steers to feed averaged 5c better at 219c, with some to local butchers at 251.2c/kg. A fair selection of vealer heifers sold to processors at 213c, with the occasional heavy class to the butcher trade at 242.2c/kg. Lightweight yearling steers to feed averaged 212c and medium weights 210c, with sales to 222.2c/kg. Yearling steers in the heavyweight range to feed averaged 178c, while a handful to the trade improved in price to average 197c and sold to 204.2c/kg. A fair sample of lightweight yearling heifers sold to restockers at 205c, while a couple of medium weight B muscle lines sold to the trade at 233.2c/kg. A small sample of heavy weight yearling heifers experienced a dearer trend to average 186c and sold to 199.2c/kg.

Heavy steers to export slaughter made to 180c to average 175c and a few bullocks made to 179.2c/kg. Full mouth classes sold around 165c, with some to 170.2c/kg.

Medium weight 2 score cows averaged 125c, and 3 scores 136c/kg. A fair sample of good heavy cows averaged 5c dearer at 149c, with sales to 159c/kg to return \$1145/head. Heavy Bulls made to 157.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
0-80	RS	D	1	2	160.0	- 160.0	160.0	N/Q	-			104	- 104	104	
80+	RS	C	1	6	200.0	- 279.2	228.2	N/Q	-			230	- 370	317	
	RS	C	2	34	200.2	- 235.0	214.8	-12	-			350	- 435	394	
		C	2	6	207.2	- 209.2	208.2	-6	391	- 395	393	345	- 363	354	
	RS	D	1	4	180.2	- 180.2	180.2	N/Q	-			297	- 297	297	
		D	2	2	190.0	- 190.0	190.0	N/Q	359	- 359	359	361	- 361	361	
					54	160.0	279.2	210.0		359	395	384	104	435	362
Vealer Steer															
200-280		C	2	5	216.2	- 220.0	217.4	N/C	393	- 400	395	486	- 583	515	
	FD	C	2	20	200.0	- 231.2	219.7	5	-			410	- 557	505	
	RS	C	2	8	212.2	- 235.2	220.8	-9	-			456	- 529	484	
330+		C	3	3	251.2	- 251.2	251.2	25	457	- 457	457	867	- 867	867	
					36	200.0	251.2	222.3		393	457	418	410	867	532
Vealer Heifer															
200-280		C	2	39	200.0	- 220.2	213.2	-1	370	- 408	395	465	- 505	485	
	RS	C	2	6	212.2	- 212.2	212.2	2	-			467	- 467	467	
		C	3	2	228.2	- 237.2	232.7	N/Q	423	- 439	431	486	- 536	511	
280-330		C	2	9	200.0	- 225.2	213.9	-3	370	- 417	396	570	- 642	610	
		C	3	2	242.2	- 242.2	242.2	N/Q	449	- 449	449	739	- 739	739	
330+		C	3	3	228.2	- 228.2	228.2	13	423	- 423	423	764	- 764	764	
					61	200.0	242.2	215.5		370	449	400	465	764	525
Yearling Steer															
0-330	FD	C	2	48	197.2	- 228.2	212.6	N/Q	-			473	- 554	511	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	18	194.2	- 219.2	207.5	-5	-			398	- 481	447
	FD	C	2	26	190.0	- 222.2	210.8	5	-			637	- 807	741
	FD	C	3	16	212.2	- 216.2	214.0	6	-			711	- 800	731
		C	3	14	205.2	- 221.2	211.5	-2	373	- 402	385	687	- 844	744
	FD	D	2	7	170.0	- 184.2	176.9	12	-			611	- 639	620
400+	FD	D	3	2	173.2	- 173.2	173.2	N/Q	-			667	- 667	667
		C	3	11	187.2	- 204.2	197.1	15	340	- 371	358	888	- 992	922
	FD	C	3	29	172.0	- 186.2	178.1	-1	-			731	- 814	774
					171	170.0	228.2	203.1		340	402	373	398	992
Yearling Heifer														
0-330	FD	C	2	10	190.2	- 196.2	193.6	N/Q	-			447	- 461	455
	RS	C	2	27	191.2	- 211.2	205.4	13	-			421	- 523	502
330-400		C	2	15	192.2	- 208.2	202.8	-7	356	- 386	376	462	- 548	516
		B	3	2	233.2	- 233.2	233.2	N/Q	416	- 416	416	851	- 851	851
	FD	C	2	7	170.0	- 186.2	179.6	-17	-			624	- 629	625
	FD	C	3	17	182.2	- 205.2	192.8	2	-			677	- 770	697
		C	3	12	170.2	- 220.0	200.6	-9	315	- 407	372	638	- 830	757
	FD	D	2	6	161.2	- 169.2	167.4	N/Q	-			621	- 631	627
	FD	D	3	2	171.2	- 171.2	171.2	N/Q	-			642	- 642	642
400+		D	3	3	152.2	- 152.2	152.2	N/Q	282	- 282	282	586	- 586	586
		C	3	11	175.2	- 199.2	186.1	16	324	- 369	345	762	- 867	806
	FD	C	3	13	165.0	- 170.0	168.8	N/Q	-			689	- 734	699
		C	4	1	174.2	- 174.2	174.2	N/Q	323	- 323	323	784	- 784	784
	FD	D	3	7	165.0	- 165.0	165.0	N/Q	-			701	- 701	701
		D	3	4	163.2	- 163.2	163.2	N/Q	302	- 302	302	710	- 808	783
				137	152.2	233.2	189.5		282	416	356	421	867	631
Grown Steer														
400-500	FD	C	3	7	165.0	- 165.0	165.0	-3	-			817	- 817	817
	FD	D	3	5	157.2	- 157.2	157.2	N/Q	-			684	- 684	684
		D	3	1	150.0	- 150.0	150.0	N/Q	273	- 273	273	653	- 653	653
500-600		C	3	1	169.2	- 169.2	169.2	N/Q	308	- 308	308	905	- 905	905
	FD	C	3	6	168.2	- 168.2	168.2	N/Q	-			883	- 883	883
600-750		C	4	19	169.2	- 180.0	175.5	2	302	- 321	313	903	- 1066	982
		C	3	11	163.2	- 168.2	166.4	1	297	- 306	303	1020	- 1085	1057
		C	4	4	174.2	- 179.2	178.0	3	311	- 320	318	1124	- 1156	1148
				54	150.0	180.0	169.4		273	321	309	653	1156	942
Grown Heifer														
0-540		C	4	3	161.2	- 167.2	164.5	N/Q	304	- 316	310	862	- 895	880
		D	3	3	140.0	- 149.2	143.1	N/Q	264	- 287	272	637	- 739	671
				6	140.0	167.2	153.8		264	316	291	637	895	776
Manufacturing Steer														
0-540		C	4	1	170.2	- 170.2	170.2	N/Q	304	- 304	304	911	- 911	911
540+		C	4	4	164.2	- 166.6	165.1	6	299	- 303	300	1211	- 1291	1247
				5	164.2	170.2	166.0		299	304	301	911	1291	1179
Cows														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-400		D	1	12	85.0	- 85.0	85.0	N/Q	236	- 236	236	327	- 327	327
	RS	D	1	30	95.2	- 108.2	105.1	-1	-	-	-	338	- 395	387
	RS	E	1	4	82.2	- 82.2	82.2	-7	-	-	-	300	- 300	300
400-520	RS	D	1	1	107.2	- 107.2	107.2	N/Q	-	-	-	466	- 466	466
		D	1	1	118.0	- 118.0	118.0	N/Q	328	- 328	328	549	- 549	549
	DA	D	1	1	112.2	- 112.2	112.2	N/Q	312	- 312	312	555	- 555	555
		D	2	22	119.2	- 128.2	125.0	-2	284	- 305	298	566	- 607	589
	RS	D	2	2	123.2	- 123.2	123.2	N/Q	-	-	-	585	- 585	585
		D	3	15	133.2	- 140.0	136.7	2	272	- 286	279	628	- 691	659
		D	4	17	143.2	- 148.2	145.7	6	281	- 291	286	637	- 704	679
520+	DA	D	2	5	129.2	- 131.2	130.8	2	308	- 312	311	691	- 781	763
	DA	D	3	2	140.2	- 140.2	140.2	N/Q	286	- 286	286	890	- 890	890
		D	3	4	140.0	- 141.2	140.9	3	286	- 288	288	749	- 847	823
	DA	D	4	1	137.2	- 137.2	137.2	N/Q	280	- 280	280	858	- 858	858
		D	4	41	143.2	- 159.0	149.4	5	281	- 312	293	771	- 1145	832
				158	82.2	159.0	127.4		236	328	286	300	1145	619
Bulls														
0-450	FD	C	3	1	147.2	- 147.2	147.2	N/Q	-	-	-	567	- 567	567
	FD	D	2	2	141.2	- 148.0	144.6	N/Q	-	-	-	572	- 644	608
450-600		C	2	1	135.0	- 135.0	135.0	N/Q	246	- 246	246	709	- 709	709
600+		C	2	3	120.0	- 136.2	129.8	7	218	- 248	236	750	- 933	843
		C	3	5	140.0	- 157.2	148.1	-13	250	- 281	265	957	- 1170	1062
		D	1	1	100.0	- 100.0	100.0	N/Q	185	- 185	185	650	- 650	650
		D	2	1	123.2	- 123.2	123.2	N/Q	224	- 224	224	801	- 801	801
				14	100.0	157.2	137.4		185	281	244	567	1170	842

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.