

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 06 Oct 2011

Yarding Change 2880
-720

comparison date 29/09/2011

Rainfall around the supply area reduced numbers and quality overall was mixed. There were greater percentages of Bos Indicus cross cattle from the western region, together with a sprinkling of well bred younger cattle throughout the market. Vealers were limited in number with good percentages of the yearling steers yarded. Yearling heifers reduced by nearly 50% compared to the last market, while grown steers were well supplied. There were around 350 cows yarded and competition was solid throughout most categories.

Yearling steers to lot feeders and the restockers sold 3c to 4c dearer for the better end as the lightweights topped at 245c/kg. Heavy weights to the trade lifted 3c to range from 198c to 240c with B muscles reaching 245c/kg. The limited supply of heavy weight yearling heifers to trade buyers sold from 195c to 220c/kg.

Grown steers to lot feeders improved 3c to sell from 175c to 215c/kg. The heavy weight steers and bullocks to slaughter gained 6c to range from 190c to 205c/kg. The heifer portion lifted 4c as the best reached 200c/kg.

Cows improved from 6c to 10c/kg in value. The plainer medium weighted D2 pens averaged 155c, while the better covered medium and heavy weight D3 and D4 cows ranged from 152c to 174c/kg. The C muscled cows topped at 177c/kg. Heavy bulls improved 5c with the best A muscle reaching 193c before averaging 167c to 177c/kg depending on muscle score.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	1	1	265.0	- 265.0	265.0	N/Q	-	-	-	199	- 199	199
80+	RS	C	2	12	270.0	- 270.0	270.0	N/Q	-	-	-	351	- 351	351
		C	2	11	228.2	- 260.6	243.1	23	439	- 521	478	339	- 345	341
				24	228.2	270.0	257.5		439	521	478	199	351	340
Vealer Steer														
0-200	RS	E	1	4	128.0	- 128.0	128.0	N/Q	-	-	-	230	- 230	230
200-280		C	2	3	223.2	- 225.0	223.8	N/Q	429	- 433	430	495	- 580	552
	FD	C	2	8	205.0	- 210.0	206.9	N/Q	-	-	-	472	- 525	492
	RS	C	2	19	223.6	- 229.0	224.6	-8	-	-	-	481	- 560	512
	RS	D	2	3	194.6	- 194.6	194.6	3	-	-	-	545	- 545	545
				37	128.0	229.0	207.8		429	433	430	230	580	483
Vealer Heifer														
0-200	RS	C	2	14	220.0	- 220.2	220.2	-8	-	-	-	396	- 396	396
		C	3	1	215.0	- 215.0	215.0	N/Q	406	- 406	406	409	- 409	409
	RS	D	2	2	211.0	- 211.0	211.0	N/Q	-	-	-	380	- 380	380
200-280	FD	C	2	3	205.0	- 205.0	205.0	4	-	-	-	492	- 492	492
		C	2	37	186.2	- 230.0	205.9	-8	358	- 442	396	444	- 570	480
		D	2	5	180.0	- 196.0	186.6	N/Q	360	- 392	373	392	- 449	409
280-330		C	2	4	205.0	- 205.0	205.0	N/Q	394	- 394	394	584	- 584	584
		C	3	1	215.0	- 215.0	215.0	N/Q	406	- 406	406	645	- 645	645
330+		C	3	6	225.0	- 225.0	225.0	N/Q	417	- 417	417	788	- 788	788
				73	180.0	230.0	209.2		358	442	396	380	788	489
Yearling Steer														
0-330	RS	C	1	26	204.0	- 208.0	205.2	N/Q	-	-	-	593	- 653	634

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330-400	RS	C	2	35	200.0	- 245.0	227.2	3	-	-	-	640	- 784	702	
		C	2	5	195.0	- 195.0	195.0	N/Q	390	- 390	390	556	- 556	556	
	FD	C	2	10	205.0	- 210.0	206.5	-15	-	-	-	630	- 656	648	
	RS	D	1	1	130.0	- 130.0	130.0	N/Q	-	-	-	351	- 351	351	
	RS	D	2	27	185.2	- 208.0	192.9	24	-	-	-	520	- 634	563	
		D	2	15	171.2	- 171.2	171.2	-6	349	- 349	349	514	- 514	514	
		C	2	4	210.0	- 210.0	210.0	N/Q	404	- 404	404	714	- 714	714	
	RS	C	2	30	215.0	- 234.2	231.0	9	-	-	-	731	- 867	844	
	FD	C	2	67	195.0	- 225.6	215.5	-7	-	-	-	653	- 823	764	
	RS	D	2	14	183.0	- 183.0	183.0	-3	-	-	-	677	- 677	677	
400+	FD	D	2	17	182.0	- 184.0	183.1	-4	-	-	-	673	- 681	677	
		B	3	9	219.0	- 245.0	240.2	N/C	378	- 430	422	944	- 1095	1068	
	FD	C	2	5	200.0	- 200.0	200.0	-6	-	-	-	840	- 840	840	
	FD	C	3	66	205.0	- 225.2	215.2	2	-	-	-	892	- 959	921	
		C	3	106	198.0	- 240.0	220.6	3	367	- 429	399	840	- 1086	972	
	RS	C	3	11	231.2	- 231.2	231.2	N/Q	-	-	-	971	- 971	971	
				448	130.0	245.0	213.0		349	430	395	351	1095	809	
Yearling Heifer															
0-330		C	2	13	190.0	- 202.0	199.8	2	365	- 404	398	542	- 576	565	
	FD	C	2	24	194.6	- 215.6	200.0	-4	-	-	-	582	- 642	628	
	RS	C	2	24	191.0	- 206.0	200.6	-4	-	-	-	544	- 587	572	
		C	3	1	220.0	- 220.0	220.0	N/Q	423	- 423	423	682	- 682	682	
		D	2	26	161.2	- 201.0	193.2	-1	336	- 402	387	459	- 549	542	
	RS	D	2	52	161.0	- 196.2	184.4	21	-	-	-	429	- 608	535	
	330-400	FD	C	2	20	219.2	- 219.2	219.2	N/Q	-	-	-	767	- 767	767
			C	3	1	211.6	- 211.6	211.6	N/Q	407	- 407	407	783	- 783	783
			C	4	3	203.2	- 203.2	203.2	N/Q	391	- 391	391	752	- 752	752
		FD	D	2	38	162.0	- 184.0	168.4	N/Q	-	-	-	551	- 626	582
RS		D	2	3	170.0	- 182.2	178.1	N/Q	-	-	-	578	- 619	606	
400+		D	2	14	168.0	- 168.0	168.0	N/Q	350	- 350	350	638	- 638	638	
		D	3	1	184.2	- 184.2	184.2	N/Q	368	- 368	368	700	- 700	700	
	FD	C	2	8	190.0	- 190.0	190.0	N/Q	-	-	-	779	- 779	779	
		C	3	18	195.6	- 220.0	200.5	-14	376	- 407	384	784	- 946	820	
		C	4	1	223.2	- 223.2	223.2	N/Q	413	- 413	413	960	- 960	960	
					247	161.0	223.2	190.6		336	423	382	429	960	618
	Grown Steer														
	0-400	FD	C	1	16	190.0	- 190.0	190.0	N/Q	-	-	-	684	- 684	684
		FD	C	2	41	178.2	- 213.0	189.4	-12	-	-	-	624	- 788	677
		RS	C	2	2	191.0	- 191.0	191.0	N/Q	-	-	-	688	- 688	688
RS		D	2	8	176.0	- 178.0	177.0	23	-	-	-	570	- 651	610	
		D	2	29	135.0	- 173.2	164.1	N/Q	281	- 346	330	459	- 658	607	
400-500	FD	D	2	1	150.0	- 150.0	150.0	N/Q	-	-	-	555	- 555	555	
		C	2	45	174.0	- 185.2	179.6	-5	335	- 356	348	753	- 852	803	
	FD	C	2	151	175.0	- 215.0	193.0	3	-	-	-	746	- 942	817	
	RS	C	2	33	174.2	- 217.2	202.9	42	-	-	-	714	- 891	832	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	57	180.0	- 199.2	193.2	7	333	- 369	358	810	- 936	892
	FD	D	2	7	165.2	- 165.2	165.2	N/Q	-			669	- 669	669
		D	2	16	150.0	- 175.0	157.2	-3	313	- 357	327	630	- 726	663
500-600		C	2	22	185.0	- 192.0	188.9	N/Q	356	- 369	363	979	- 1036	1004
		C	3	128	195.0	- 205.2	200.2	6	354	- 366	359	1014	- 1141	1096
		C	4	41	192.0	- 203.2	201.1	2	349	- 363	359	1040	- 1189	1098
600-750		C	3	84	190.0	- 204.0	199.7	8	348	- 365	360	1178	- 1275	1234
		C	4	51	200.0	- 205.0	202.4	7	357	- 366	361	1252	- 1307	1273
				732	135.0	217.2	193.0		281	369	356	459	1307	946
Grown Heifer														
0-540		C	2	38	172.0	- 184.0	176.0	N/Q	358	- 383	367	659	- 722	703
	FD	C	2	5	174.0	- 179.2	178.2	5	-			670	- 719	709
	RS	C	2	14	180.2	- 180.2	180.2	N/Q	-			685	- 685	685
		C	3	77	170.0	- 200.0	184.8	4	340	- 398	368	731	- 1000	851
	RS	D	1	1	147.0	- 147.0	147.0	N/Q	-			485	- 485	485
	RS	D	2	9	140.2	- 170.2	150.2	-5	-			519	- 613	541
	FD	D	2	11	160.0	- 160.0	160.0	N/C	-			544	- 544	544
		D	2	9	130.0	- 150.2	132.2	-17	289	- 334	294	416	- 511	427
		D	3	93	160.0	- 175.0	169.5	6	333	- 365	353	631	- 777	713
540+		C	3	17	175.0	- 185.0	182.1	7	350	- 370	364	1015	- 1018	1017
				274	130.0	200.0	173.9		289	398	359	416	1018	745
Manufacturing Steer														
540+		C	4	5	188.2	- 188.2	188.2	12	342	- 342	342	1355	- 1355	1355
				5	188.2	188.2	188.2		342	342	342	1355	1355	1355
Cows														
0-400	RS	D	1	5	113.2	- 113.2	113.2	-17	-			430	- 430	430
		D	1	17	117.2	- 132.0	120.2	-12	308	- 347	316	422	- 488	446
		D	2	15	136.0	- 147.2	140.5	N/Q	332	- 351	339	503	- 559	526
		E	1	1	50.0	- 50.0	50.0	N/Q	143	- 143	143	170	- 170	170
400-520		D	1	10	115.0	- 142.0	131.0	2	303	- 374	345	483	- 616	542
		D	2	63	145.0	- 162.0	155.5	12	352	- 386	371	599	- 729	681
		D	3	75	152.0	- 165.0	160.0	6	317	- 344	333	684	- 800	742
520+		C	3	20	173.0	- 176.0	175.5	14	339	- 346	340	986	- 1226	1006
		C	4	8	177.2	- 177.2	177.2	N/Q	334	- 334	334	1240	- 1240	1240
		D	3	30	165.0	- 171.2	167.5	10	336	- 355	347	872	- 1038	927
		D	4	83	158.0	- 174.2	168.5	10	329	- 360	345	869	- 1224	1071
				327	50.0	177.2	158.4		143	386	344	170	1240	821
Bulls														
0-450		C	2	21	148.0	- 180.0	166.6	N/C	274	- 340	307	443	- 756	596
		D	2	1	130.0	- 130.0	130.0	N/Q	250	- 250	250	390	- 390	390
450-600		C	2	19	142.0	- 165.0	157.1	10	258	- 300	286	824	- 891	877
600+	A	2	1	193.0	- 193.0	193.0	N/Q	311	- 311	311	2027	- 2027	2027	
	B	2	16	167.2	- 181.2	177.0	4	288	- 312	305	1176	- 1993	1622	
	C	2	19	154.2	- 168.2	167.5	22	275	- 300	299	1060	- 1203	1067	
				77	130.0	193.0	166.5		250	340	299	390	2027	1011

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.