

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 11 Oct 2011

Yarding Change $\frac{1741}{787}$

comparison date 04/10/2011

A larger mixed quality yarding contained 1,473 young cattle, 183 grown steers, 47 grown heifers and 38 bulls. The usual trade, supermarket and processor buyers were present, although Victorian buyers sourced limited numbers. Feeder and restocker orders were also active with a large draft of steers from Broken Hill attracting very strong demand. There were also good quality lines of supplementary fed yearling and grown steers offered with the EU Accredited steers attracting the strongest competition.

Vealer steers to the trade sold from 210c to 259c/kg with isolated C2 and B2 sales slightly dearer. Feeder and restocker orders sourced the majority from 210c to 216c/kg at mainly lower levels. Vealer heifer sales were erratic at times as most to the trade sold from 190c to 245c with a few lightweights up to 270c/kg. This tended to leave most heifers 6c to 10c/kg. Pastoral bred mainly lightweights sold from 145c to 195c, to be up to 33c/kg cheaper for the D2 lightweights.

Medium and heavyweight prime yearling steers sold from 188c to 220c to be 2c to 9c/kg cheaper on the previous week's improved prices. Pastoral bred C2 and C3 sales were between 184c and 193c/kg. Feeder and restocker purchases of C2 medium and heavy steers were from 196c to 215c/kg at basically unchanged prices. Yearling C3 and C4 heifers in large runs of medium and heavyweights with many having been supplementary fed, sold from 186c to 210c to be 4c to 5c/kg cheaper. The pastoral bred heifers also in large lines sold from 132c to 186c/kg at prices unchanged to 6c cheaper. Feeder and restocker orders sourced a wide range of quality from 174c to 194c or 6c/kg cheaper overall.

Grown steers sold from 175c to 215c with the EU accredited supplementary feds at the higher end to be unchanged to 9c/kg dearer. Grown heifer sales fluctuated as most sold from 156c to 188c, while the heavy C4 pens were 7c/kg dearer.

A mixture of light and medium weight bulls to wholesale, feeder and processor competition sold from 146c to 196c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	PC	C	1	1	170.0	- 170.0	170.0	N/Q	340	- 340	340	408	- 408	408
280-330	RS	C	1	16	215.0	- 215.0	215.0	N/Q		-		688	- 688	688
	RS	C	2	23	215.0	- 215.0	215.0	-10		-		645	- 688	677
	FD	C	2	9	210.0	- 216.0	211.3	N/Q		-		648	- 683	675
		C	2	16	210.0	- 250.0	236.3	1	389	- 455	431	690	- 750	716
330+		B	2	2	259.0	- 259.0	259.0	N/Q	454	- 454	454	881	- 881	881
		C	2	15	213.0	- 216.0	214.8	-15	394	- 396	396	832	- 852	840
		C	3	13	225.0	- 243.0	237.5	-7	398	- 434	423	844	- 875	865
				95	170.0	259.0	221.7		340	455	417	408	881	738
Vealer Heifer														
200-280		C	2	2	220.0	- 220.0	220.0	N/Q	415	- 415	415	550	- 550	550
		C	3	5	270.0	- 270.0	270.0	33	482	- 482	482	702	- 702	702
	PC	D	2	6	145.0	- 166.0	152.0	-33	315	- 332	321	363	- 432	386
	RS	D	2	1	150.0	- 150.0	150.0	N/Q		-		375	- 375	375
		D	3	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	494	- 494	494
280-330		C	3	21	220.0	- 245.0	236.2	6	404	- 438	427	656	- 720	695
		C	4	4	210.0	- 210.0	210.0	-10	375	- 375	375	672	- 672	672
	RS	D	2	8	165.0	- 165.0	165.0	10		-		495	- 495	495
	PC	D	2	4	150.0	- 150.0	150.0	N/Q	300	- 300	300	450	- 450	450
	FD	D	3	6	190.0	- 190.0	190.0	6		-		570	- 570	570
	PC	D	3	1	195.0	- 195.0	195.0	N/Q	368	- 368	368	585	- 585	585

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330+	FD	D	3	7	190.0	- 190.0	190.0	N/Q	352	- 359	355	570	- 570	570	
		C	3	6	241.0	- 241.0	241.0	9	430	- 430	430	880	- 880	880	
		C	3	8	205.0	- 205.0	205.0	N/Q	-	-	-	707	- 707	707	
		C	4	2	200.0	- 200.0	200.0	N/Q	364	- 364	364	680	- 680	680	
				82	145.0	270.0	206.3		300	482	396	363	880	624	
Yearling Steer															
330-400		C	2	6	202.0	- 202.0	202.0	N/Q	374	- 374	374	808	- 808	808	
		PC	C	2	8	185.0	- 185.0	185.0	N/Q	346	- 346	346	740	- 740	740
		FD	C	2	65	200.0	- 215.0	209.5	1	-	-	-	700	- 840	813
		RS	C	2	79	211.0	- 214.0	212.6	N/Q	-	-	-	728	- 760	742
400+		C	3	49	204.0	- 220.0	209.9	-7	364	- 393	375	755	- 803	771	
		RS	D	2	3	170.0	- 170.0	170.0	N/Q	-	-	-	621	- 621	621
		D	3	4	185.0	- 185.0	185.0	N/Q	349	- 349	349	694	- 694	694	
		B	2	3	215.0	- 215.0	215.0	-2	384	- 384	384	914	- 914	914	
		PC	C	2	25	167.0	- 167.0	167.0	N/Q	321	- 321	321	752	- 752	752
		C	2	18	186.0	- 205.0	192.3	-9	351	- 380	361	818	- 943	860	
		RS	C	2	25	196.0	- 196.0	196.0	N/Q	-	-	-	882	- 882	882
		PC	C	3	21	184.0	- 193.0	187.0	N/Q	341	- 357	346	791	- 869	817
		C	3	226	188.0	- 220.0	209.5	-2	348	- 389	375	827	- 1161	994	
		C	4	6	209.0	- 209.0	209.0	19	367	- 367	367	1045	- 1045	1045	
						538	167.0	220.0	205.1		321	393	368	621	1161
Yearling Heifer															
0-330		FD	C	2	10	190.0	- 190.0	190.0	-6	-	-	-	627	- 627	627
		PC	D	2	5	132.0	- 132.0	132.0	N/Q	275	- 275	275	436	- 436	436
		FD	D	2	3	170.0	- 170.0	170.0	N/Q	-	-	-	561	- 561	561
		PC	D	3	9	155.0	- 185.0	175.0	N/Q	293	- 349	330	504	- 611	575
330-400		D	3	2	165.0	- 165.0	165.0	N/Q	344	- 344	344	545	- 545	545	
		C	2	1	182.0	- 182.0	182.0	N/Q	337	- 337	337	728	- 728	728	
		FD	C	2	18	182.0	- 194.0	192.7	-6	-	-	-	683	- 728	723
		PT	C	3	10	175.0	- 175.0	175.0	N/Q	321	- 321	321	700	- 700	700
		FD	C	3	44	196.0	- 205.0	201.2	2	-	-	-	711	- 738	722
		C	3	83	198.0	- 210.0	202.0	-8	354	- 376	364	758	- 809	790	
		C	4	14	185.0	- 200.0	193.6	N/Q	330	- 354	344	740	- 800	774	
		RS	D	2	15	165.0	- 165.0	165.0	38	-	-	-	660	- 660	660
		PC	D	2	12	122.0	- 159.0	131.2	-6	265	- 331	281	445	- 541	466
		PC	D	3	101	145.0	- 178.0	174.2	17	290	- 332	327	544	- 712	662
		FD	D	3	16	174.0	- 175.0	174.2	N/Q	-	-	-	613	- 653	645
D		3	21	163.0	- 182.0	171.2	-5	314	- 343	335	611	- 683	637		
400+		PC	D	4	5	156.0	- 156.0	156.0	N/Q	289	- 289	289	624	- 624	624
		C	2	8	180.0	- 180.0	180.0	-10	340	- 340	340	792	- 792	792	
	PC	C	3	20	186.0	- 186.0	186.0	N/Q	341	- 341	341	818	- 818	818	
	PT	C	3	4	165.0	- 165.0	165.0	N/Q	306	- 306	306	767	- 767	767	
	C	3	167	192.0	- 206.0	200.6	-4	348	- 373	361	840	- 1025	901		
C	4	28	186.0	- 195.0	189.4	-5	329	- 348	337	800	- 1002	913			
C	5	1	185.0	- 185.0	185.0	N/C	330	- 330	330	925	- 925	925			

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PC	D	2	5	122.0	- 150.0	144.4	N/Q	271	- 323	312	525	- 660	633
		D	2	2	135.0	- 135.0	135.0	N/Q	287	- 287	287	567	- 567	567
		D	3	27	168.0	- 175.0	172.1	10	323	- 330	326	722	- 788	762
	PC	D	3	9	145.0	- 173.0	166.8	-1	302	- 326	321	624	- 727	704
	PC	D	4	15	165.0	- 166.0	165.9	N/Q	306	- 307	307	764	- 800	766
		D	4	5	162.0	- 162.0	162.0	-18	306	- 306	306	753	- 753	753
				660	122.0	210.0	186.0		265	376	341	436	1025	763
Grown Steer														
500-600		C	2	1	182.0	- 182.0	182.0	N/Q	337	- 337	337	1092	- 1092	1092
		C	3	115	192.0	- 215.0	202.3	9	343	- 381	361	1034	- 1290	1170
		C	4	2	186.0	- 186.0	186.0	N/Q	338	- 338	338	1070	- 1070	1070
600-750		C	2	6	176.0	- 176.0	176.0	-6	332	- 332	332	1091	- 1091	1091
		C	3	38	186.0	- 194.0	190.0	-1	332	- 353	343	1166	- 1222	1190
		C	4	17	175.0	- 194.0	188.4	4	313	- 346	336	1155	- 1242	1216
750+		C	5	4	173.0	- 173.0	173.0	N/Q	309	- 309	309	1384	- 1384	1384
				183	173.0	215.0	196.7		309	381	352	1034	1384	1179
Grown Heifer														
0-540		C	2	10	170.0	- 170.0	170.0	N/Q	327	- 327	327	765	- 765	765
		C	3	2	182.0	- 182.0	182.0	N/Q	331	- 331	331	983	- 983	983
		C	4	6	168.0	- 168.0	168.0	-11	311	- 311	311	907	- 907	907
		D	2	1	134.0	- 134.0	134.0	N/Q	279	- 279	279	637	- 637	637
		D	3	6	156.0	- 156.0	156.0	-2	300	- 300	300	725	- 725	725
540+		C	4	18	176.0	- 188.0	184.7	7	320	- 336	331	1053	- 1056	1054
		C	5	4	158.0	- 172.0	161.5	N/Q	282	- 307	288	980	- 1084	1006
				47	134.0	188.0	172.6		279	336	319	637	1084	916
Manufacturing Steer														
0-540	DA	D	2	4	150.0	- 150.0	150.0	N/Q	313	- 313	313	810	- 810	810
540+		C	3	6	172.0	- 172.0	172.0	N/Q	331	- 331	331	1273	- 1273	1273
		C	4	9	177.0	- 177.0	177.0	N/Q	316	- 316	316	1469	- 1469	1469
				19	150.0	177.0	169.7		313	331	320	810	1469	1268
Bulls														
0-450		B	2	5	196.0	- 196.0	196.0	N/Q	350	- 350	350	715	- 715	715
	RS	C	1	5	176.0	- 176.0	176.0	36		-		616	- 616	616
	RS	C	2	5	155.0	- 165.0	161.0	-9		-		620	- 660	644
450-600		C	1	14	146.0	- 148.0	147.0	N/Q	281	- 282	281	740	- 788	764
		C	2	5	156.0	- 156.0	156.0	6	286	- 286	286	780	- 780	780
		C	3	4	172.0	- 172.0	172.0	N/Q	307	- 307	307	817	- 817	817
				38	146.0	196.0	162.9		281	350	298	616	817	730

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.