

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 15 Nov 2011

Yarding Change 1850
-170

comparison date 08/11/2011

Numbers slipped back for a fair to good quality offering with very few vealers in the market. Yearlings were well supplied with a good selection of grown steers and heifers also offered. There were around 320 cows yarded and on average the market improved 2c to 7c/kg.

Medium and heavyweight yearling steers to lot feeders and restockers gained 2c to 3c/kg with heavyweights to trade buyers also marginally dearer. Yearling heifers to lot feeders and the trade sold a few cents either side of firm as the best reached 217c/kg.

Grown steers to lot feeders gained 2c/kg with some selected drafts carrying extra weight compared to recent markets. Heavy weight grown steers and bullocks to slaughter remained firm, while the better end lifted 8c as the best reached 210c with a pen of B muscle bullocks topping at 213c/kg. Heifers overall sold at similar values with those to slaughter ranging from 170c to 184c/kg.

Cows continued the dearer trend to gain 5c/kg. The plainer D2 cows averaged 144c, while the 3 and 4 score pens ranged from 144c to 166c/kg. The best heavy weight bull topped at 172c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	3	322.8	- 322.8	322.8	N/Q	-	-	-	194	- 194	194
80+	RS	C	2	1	262.0	- 262.0	262.0	N/Q	-	-	-	262	- 262	262
				4	262.0	322.8	307.5		0	0		194	262	211
Vealer Steer														
200-280	RS	C	2	24	220.0	- 262.2	253.4	-3	-	-	-	462	- 682	638
280-330	RS	C	2	5	237.6	- 237.6	237.6	N/Q	-	-	-	760	- 760	760
				29	220.0	262.2	250.7		0	0		462	760	659
Vealer Heifer														
200-280		C	2	4	211.6	- 211.6	211.6	N/Q	407	- 407	407	592	- 592	592
	FD	C	2	5	190.0	- 200.0	192.0	N/Q	-	-	-	532	- 540	534
330+		B	2	2	230.6	- 230.6	230.6	N/Q	419	- 419	419	784	- 784	784
				11	190.0	230.6	206.1		407	419	411	532	784	601
Yearling Steer														
0-330	RS	C	1	2	227.0	- 227.0	227.0	N/Q	-	-	-	545	- 545	545
	RS	C	2	29	210.0	- 251.6	233.9	-7	-	-	-	630	- 768	722
	FD	C	2	3	215.6	- 215.6	215.6	-21	-	-	-	647	- 647	647
	RS	D	2	1	160.0	- 160.0	160.0	N/Q	-	-	-	448	- 448	448
330-400	RS	C	2	75	228.6	- 236.6	232.4	2	-	-	-	781	- 852	819
	FD	C	2	45	219.2	- 232.6	229.8	4	-	-	-	745	- 837	818
		C	2	1	210.0	- 210.0	210.0	N/Q	404	- 404	404	777	- 777	777
	RS	C	3	1	222.0	- 222.0	222.0	N/Q	-	-	-	844	- 844	844
400+		B	2	1	215.6	- 215.6	215.6	N/Q	392	- 392	392	884	- 884	884
		B	3	1	230.0	- 230.0	230.0	N/Q	404	- 404	404	966	- 966	966
	RS	C	2	45	217.8	- 222.0	218.9	-1	-	-	-	882	- 905	892
	FD	C	2	61	207.8	- 218.6	215.4	-5	-	-	-	851	- 914	884
	FD	C	3	89	205.0	- 218.6	211.3	3	-	-	-	861	- 945	911

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	41	195.0	- 225.2	214.5	1	355	- 410	390	839	- 946	915
	RS	C	3	62	187.2	- 228.0	219.3	3	-			796	- 949	912
				457	160.0	251.6	220.7		355	410	391	448	966	865
Yearling Heifer														
0-330	FD	C	2	12	192.6	- 200.6	198.8	-9	-			602	- 636	611
	RS	D	1	6	175.0	- 175.0	175.0	N/Q	-			385	- 385	385
	RS	D	2	3	191.6	- 191.6	191.6	6	-			498	- 498	498
	FD	D	2	9	190.0	- 190.0	190.0	N/Q	-			589	- 589	589
		D	3	11	195.0	- 195.0	195.0	N/Q	390	- 390	390	624	- 624	624
330-400	FD	C	2	85	190.0	- 207.2	200.0	-2	-			663	- 787	724
	RS	C	2	15	194.2	- 202.2	199.5	N/Q	-			719	- 768	752
		C	3	12	193.6	- 214.2	200.9	-13	380	- 404	389	658	- 728	690
	FD	C	3	25	190.0	- 200.6	196.3	-12	-			692	- 760	721
	RS	C	3	11	199.2	- 199.2	199.2	N/Q	-			697	- 697	697
	RS	D	2	9	181.0	- 181.0	181.0	N/Q	-			615	- 615	615
	FD	D	3	4	185.0	- 185.0	185.0	N/Q	-			629	- 629	629
400+	FD	C	2	6	200.0	- 200.0	200.0	-5	-			810	- 810	810
	FD	C	3	26	188.0	- 203.2	192.4	-10	-			780	- 855	806
		C	3	54	182.0	- 217.2	198.9	N/C	350	- 402	379	746	- 880	819
	RS	C	3	10	187.0	- 187.0	187.0	N/Q	-			757	- 757	757
		C	4	10	190.0	- 215.0	210.8	N/Q	359	- 401	396	789	- 882	873
		D	3	1	175.0	- 175.0	175.0	N/Q	350	- 350	350	770	- 770	770
	FD	D	3	1	173.6	- 173.6	173.6	N/Q	-			712	- 712	712
				310	173.6	217.2	196.8		350	404	383	385	882	729
Grown Steer														
400-500		C	2	2	186.0	- 186.0	186.0	N/Q	358	- 358	358	856	- 856	856
	FD	C	2	37	191.2	- 212.0	202.4	1	-			784	- 897	874
	FD	C	3	110	185.0	- 212.0	204.7	2	-			796	- 1060	952
		C	3	30	176.0	- 192.0	187.3	7	326	- 356	347	810	- 922	859
	FD	C	4	2	200.0	- 200.0	200.0	N/Q	-			1000	- 1000	1000
	FD	D	2	1	178.2	- 178.2	178.2	N/Q	-			766	- 766	766
500-600		C	3	74	185.2	- 206.6	196.9	8	338	- 376	359	988	- 1157	1099
		C	4	88	182.0	- 211.2	200.4	9	337	- 377	361	983	- 1224	1155
600-750		B	3	10	213.0	- 213.0	213.0	N/Q	367	- 367	367	1321	- 1321	1321
		C	3	27	184.0	- 186.0	184.9	-1	335	- 338	336	1135	- 1147	1138
		C	4	7	186.0	- 210.0	203.1	16	338	- 375	365	1135	- 1323	1269
				388	176.0	213.0	199.3		326	377	356	766	1323	1039
Grown Heifer														
0-540		C	2	6	160.0	- 165.0	163.3	1	333	- 344	340	685	- 704	691
	FD	C	2	15	178.0	- 180.0	178.9	14	-			659	- 684	670
	RS	C	2	55	182.0	- 184.0	182.5	N/Q	-			692	- 754	706
	FD	C	3	3	165.0	- 165.0	165.0	-23	-			677	- 677	677
		C	3	97	170.0	- 184.0	176.3	N/C	340	- 368	352	714	- 938	790
		C	4	17	166.0	- 187.0	178.2	N/Q	332	- 360	349	863	- 991	920

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		D	2	8	122.0	- 145.0	130.9	-15	271	- 322	291	415	- 609	469
	FD	D	2	1	155.0	- 155.0	155.0	N/Q	-			574	- 574	574
		D	3	8	165.0	- 165.0	165.0	12	344	- 344	344	759	- 759	759
		D	4	6	160.0	- 160.0	160.0	18	327	- 327	327	736	- 736	736
		C	4	11	172.0	- 184.0	182.9	18	344	- 354	353	1032	- 1141	1131
		D	4	4	171.0	- 171.0	171.0	6	349	- 349	349	941	- 941	941
				231	122.0	187.0	175.3		271	368	347	415	1141	772
Manufacturing Steer														
0-540	DA	D	2	2	160.0	- 160.0	160.0	N/Q	333	- 333	333	720	- 720	720
540+		C	3	6	184.0	- 184.0	184.0	8	341	- 341	341	1067	- 1067	1067
	DA	D	2	1	165.0	- 165.0	165.0	N/Q	344	- 344	344	957	- 957	957
				9	160.0	184.0	176.6		333	344	339	720	1067	978
Cows														
0-400		D	1	4	122.0	- 122.0	122.0	N/Q	321	- 321	321	439	- 439	439
		D	2	3	128.0	- 128.0	128.0	N/C	320	- 320	320	474	- 474	474
	DA	E	2	2	115.2	- 115.2	115.2	N/Q	303	- 303	303	403	- 403	403
400-520		D	2	59	135.0	- 156.0	144.0	5	277	- 355	332	558	- 718	625
		D	3	113	144.0	- 160.0	151.5	6	302	- 333	318	638	- 814	703
520+		D	3	7	153.0	- 156.0	153.4	N/C	319	- 325	320	842	- 874	846
		D	4	64	156.0	- 166.0	162.1	5	322	- 337	330	869	- 1079	987
		D	5	40	140.0	- 156.0	153.0	6	298	- 332	324	803	- 1071	997
		E	3	1	134.2	- 134.2	134.2	N/Q	305	- 305	305	711	- 711	711
				293	115.2	166.0	151.6		277	355	324	403	1079	785
Bulls														
0-450		C	2	8	142.6	- 156.0	150.2	-17	264	- 284	273	485	- 660	569
	FD	C	3	1	190.0	- 190.0	190.0	N/Q	-			722	- 722	722
	RS	D	1	3	134.0	- 134.0	134.0	N/Q	-			308	- 308	308
450-600		C	2	4	150.0	- 160.0	156.3	-11	273	- 286	282	683	- 928	808
600+		B	2	11	159.2	- 172.0	166.4	-5	275	- 297	287	1037	- 1737	1374
		B	3	1	152.0	- 152.0	152.0	N/Q	262	- 262	262	1596	- 1596	1596
		C	2	4	138.0	- 161.0	149.8	-9	251	- 288	269	1047	- 1270	1194
				32	134.0	190.0	156.3		251	297	279	308	1737	966

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.