

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 29 Nov 2011

Yarding Change ¹²⁰²/₃₁

comparison date 22/11/2011

Despite some rain over the supply area numbers hovered around the previous weeks level. Buyer attendance was good and included all major export processors. Values improved across a number of classes of young cattle with feeder lines up to 15c/kg dearer. Heavy steers and bullocks to export slaughter gained 6c to 10c/kg. Cows sold to a record level and lifted by up to 15c/kg against the cheaper market experienced the previous week.

Vealer heifers to local butchers made up to 247.2c to average in the 230c/kg range. Lightweight yearling steers returned to the paddock 10c dearer at 255c with sales to 260.2c/kg. Medium weight yearling steers to feed experienced a lift in price to average from 235c to 240c with sales to 246.2c/kg. Heavy yearling steers to feed averaged 210c, while those going to the supermarket trade averaged 10c better at 211c with sales to 222.2c/kg. Medium weight yearling heifers to feed averaged 215c and sold to 233.2c, while local trade lines made to 228.2c to average close to 220c/kg.

A fair sample of bullocks made to 209.2c to average 205c, and full mouth bullocks made to 197.2c/kg.

Restockers were very active on lightweight plain condition cows with most around 134c with some medium weights to 158.2c/kg. Medium weight 3 scores to processors averaged 152c and sold to 154.2c/kg. Good heavy cows mostly sold around 176c with some to 190c/kg to return \$1,444/head. Heavy bulls made to 180.6c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	2	227.2	- 230.0	228.6	N/Q	-	-	-	92	- 102	97
80+		C	2	4	225.2	- 228.0	226.6	-9	425	- 430	428	304	- 376	340
	RS	D	2	6	223.2	- 223.2	223.2	-2	-	-	-	301	- 301	301
				12	223.2	230.0	225.2		425	430	428	92	376	280
Vealer Steer														
200-280	FD	C	2	4	225.4	- 225.4	225.4	N/Q	-	-	-	507	- 507	507
	RS	C	2	4	240.0	- 240.0	240.0	N/Q	-	-	-	540	- 564	546
		C	3	2	241.2	- 241.2	241.2	N/Q	439	- 439	439	639	- 639	639
330+	FD	C	3	4	243.2	- 243.2	243.2	N/Q	-	-	-	815	- 815	815
				14	225.4	243.2	236.9		439	439	439	507	815	625
Vealer Heifer														
200-280		C	2	11	220.0	- 228.2	225.4	-7	400	- 423	417	550	- 622	595
	FD	C	2	2	221.8	- 221.8	221.8	N/Q	-	-	-	588	- 588	588
280-330		C	3	8	230.2	- 233.2	231.0	-6	426	- 432	428	665	- 679	675
330+		C	3	3	228.2	- 247.2	238.9	N/Q	423	- 458	442	764	- 828	800
				24	220.0	247.2	228.7		400	458	424	550	828	647
Yearling Steer														
0-330	RS	A	2	12	213.2	- 213.2	213.2	N/Q	-	-	-	533	- 533	533
	RS	C	2	24	239.2	- 260.2	255.3	10	-	-	-	490	- 690	621
		C	2	4	222.2	- 222.2	222.2	-11	404	- 404	404	500	- 500	500
	FD	C	2	25	225.0	- 248.2	243.5	20	-	-	-	634	- 731	674
		C	3	15	228.2	- 235.2	231.3	N/Q	415	- 428	421	536	- 588	569
	RS	D	2	9	160.0	- 212.2	203.6	N/Q	-	-	-	424	- 487	477
330-400	FD	C	2	62	208.0	- 246.2	235.8	18	-	-	-	758	- 895	824

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	93	220.2	- 245.2	240.5	17	-	-	-	738	- 929	877
		C	3	6	208.2	- 226.2	215.7	13	379	- 411	392	718	- 813	786
	FD	D	2	1	190.0	- 190.0	190.0	N/C	-	-	-	665	- 665	665
	FD	D	3	4	195.0	- 195.0	195.0	N/Q	-	-	-	751	- 751	751
	FD	C	2	11	200.0	- 213.2	208.4	N/C	-	-	-	850	- 885	872
	FD	C	3	88	200.0	- 217.2	210.2	1	-	-	-	850	- 996	934
		C	3	115	203.2	- 222.2	211.1	10	370	- 404	384	885	- 1183	1015
	D	3	3	179.2	- 184.2	182.5	N/Q	326	- 335	332	783	- 833	800	
				472	160.0	260.2	224.2		326	428	387	424	1183	858
Yearling Heifer														
0-330	RS	C	2	3	223.2	- 223.2	223.2	N/Q	-	-	-	591	- 591	591
		C	2	11	220.2	- 227.2	222.7	1	408	- 421	412	517	- 602	560
	FD	C	2	15	216.2	- 223.2	219.5	7	-	-	-	595	- 638	615
	FD	D	2	21	210.0	- 216.2	213.2	20	-	-	-	473	- 616	572
		D	2	5	180.0	- 210.0	198.7	N/Q	333	- 389	368	423	- 494	467
	RS	D	2	4	160.0	- 160.0	160.0	N/Q	-	-	-	368	- 424	382
330-400	RS	C	2	14	234.2	- 234.2	234.2	N/Q	-	-	-	831	- 831	831
	FD	C	2	5	213.2	- 214.2	214.0	N/Q	-	-	-	718	- 782	768
	FD	C	3	68	200.2	- 233.2	215.4	17	-	-	-	708	- 860	792
		C	3	17	209.2	- 228.2	219.9	15	387	- 423	407	701	- 822	788
	FD	D	3	7	185.2	- 188.2	186.9	N/Q	-	-	-	639	- 725	681
400+	FD	C	2	2	179.2	- 179.2	179.2	N/Q	-	-	-	780	- 780	780
	FD	C	3	5	194.2	- 194.2	194.2	N/C	-	-	-	845	- 845	845
		C	3	4	196.2	- 210.0	203.1	6	363	- 389	376	912	- 914	913
				181	160.0	234.2	213.8		333	423	400	368	914	718
Grown Steer														
400-500		C	3	5	188.2	- 188.2	188.2	N/Q	342	- 342	342	800	- 800	800
	FD	C	3	8	185.0	- 195.0	191.6	N/Q	-	-	-	786	- 907	853
500-600		C	4	7	205.2	- 211.2	209.5	14	366	- 377	374	1109	- 1159	1123
		D	2	6	160.2	- 160.2	160.2	N/Q	291	- 291	291	857	- 857	857
600-750		C	3	5	191.2	- 191.2	191.2	6	348	- 348	348	1195	- 1195	1195
		C	4	53	193.2	- 209.2	205.8	10	345	- 374	368	1256	- 1521	1341
				84	160.2	211.2	199.6		291	377	359	786	1521	1201
Grown Heifer														
0-540		C	4	6	183.2	- 185.2	183.5	7	346	- 356	347	917	- 962	954
		D	3	4	160.0	- 175.2	167.6	7	308	- 337	322	792	- 937	834
540+		C	4	3	191.2	- 191.2	191.2	N/Q	361	- 361	361	1138	- 1138	1138
				13	160.0	191.2	180.4		308	361	343	792	1138	960
Manufacturing Steer														
540+		C	4	3	197.2	- 197.2	197.2	20	352	- 359	354	1252	- 1252	1252
				3	197.2	197.2	197.3		352	359	354	1252	1252	1252
Cows														
0-400	RS	D	1	21	122.2	- 146.2	134.6	10	-	-	-	428	- 541	485
400-520		D	1	2	120.0	- 138.0	129.0	N/Q	333	- 383	358	522	- 642	582
		D	2	14	139.6	- 153.2	143.2	4	332	- 365	341	610	- 712	647

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	RS	D	2	10	158.2	- 158.2	158.2	12	-				704	- 704	704
	DA	D	2	4	144.2	- 144.2	144.2	N/Q	343	- 343	343	714	- 714	714	
	DA	D	3	2	155.2	- 155.2	155.2	N/Q	370	- 370	370	760	- 760	760	
		D	3	19	151.2	- 154.2	152.8	10	309	- 315	312	671	- 763	720	
		D	4	6	164.2	- 175.6	166.6	10	322	- 344	327	780	- 869	803	
520+		C	3	5	160.0	- 160.0	160.0	N/Q	327	- 327	327	904	- 904	904	
	DA	D	2	8	145.2	- 148.2	147.8	N/Q	346	- 353	352	835	- 837	837	
		D	2	6	142.0	- 157.2	152.1	7	338	- 349	346	774	- 841	819	
		D	3	19	158.6	- 163.6	161.0	6	324	- 334	329	849	- 941	888	
	DA	D	3	6	158.2	- 160.2	159.9	N/Q	323	- 327	326	857	- 910	866	
		D	4	56	168.2	- 190.0	176.6	14	330	- 371	346	909	- 1444	1010	
				178	120.0	190.0	158.8		309	383	337	428	1444	815	
Bulls															
0-450	FD	C	2	3	174.2	- 174.2	174.2	N/Q	-			636	- 636	636	
		C	2	2	141.2	- 141.2	141.2	N/Q	257	- 257	257	572	- 572	572	
	FD	C	3	1	174.2	- 174.2	174.2	N/Q	-			758	- 758	758	
		D	1	1	100.0	- 100.0	100.0	N/Q	182	- 182	182	415	- 415	415	
		D	3	1	160.2	- 160.2	160.2	N/Q	291	- 291	291	697	- 697	697	
	FD	D	3	1	165.0	- 165.0	165.0	N/Q	-			718	- 718	718	
450-600		C	2	1	154.2	- 154.2	154.2	N/Q	280	- 280	280	763	- 763	763	
		C	3	3	155.0	- 171.2	162.1	11	282	- 306	293	793	- 916	841	
		D	2	3	122.0	- 143.2	129.1	N/Q	222	- 260	235	567	- 723	619	
		D	3	1	165.2	- 165.2	165.2	N/Q	300	- 300	300	818	- 818	818	
600+		C	3	4	168.2	- 180.6	175.1	20	300	- 323	313	1145	- 1896	1376	
		D	2	1	143.2	- 143.2	143.2	N/Q	260	- 260	260	995	- 995	995	
				22	100.0	180.6	156.3		182	323	274	415	1896	823	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.