

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date 16 Dec 2011

Grass and grain fed rates were fully firm as all processors resisted the temptation to increase rates. Inconsistent supplies and high demand are combining to maintain the strong market. Processors have consignments booked for the coming weeks and are resigned to the fact that sourcing greater numbers may be difficult given the wet weather.

Please note this is the final Queensland OTH Cattle Report for 2011, the first report in 2012 is anticipated to commence on Tuesday 10th January.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Low Price (c/kg cwt)	High Price (c/kg cwt)	Average (c/kg cwt)	Trend
North								
Yearlings								
Steers	180 - 220	0 - 2	A-C	2-3	330	340	335	NC
	220 - 260	0 - 2	A-C	2-3	310	350	329	NC
	260 - 280	0 - 2	A-C	2-3	310	360	335	NC
Heifers	180 - 220	0 - 2	A-C	2-3	325	335	330	NC
	220 - 260	0 - 2	A-C	2-3	308	340	325	NC
	260 - 280	0 - 2	A-C	2-3	308	355	332	NC
Grown Steers								
Steers	< 260	0 - 2	A-C	3-4	300	345	328	NC
		2 - 4	A-C	3-4	315	340	330	NC
		0 - 2	A-C	3-4	310	355	338	NC
	260 - 300	2 - 4	A-C	3-4	305	350	333	NC
		5 - 6	A-C	3-4	345	350	348	NC
		8	A-C	3-4	337	347	342	NC
	300 - 420	0 - 2	A-C	3-4	325	355	345	NC
		2 - 4	A-C	3-4	320	350	340	NC
		5 - 6	A-C	3-4	315	350	338	NC
Manufacturing Steer	250 - 400	8	A-C	3-4	310	347	335	NC
		0 - 8	A-D	2-4	283	300	293	NC
Cows								
	160 - 200	8	A-D	2-4	235	299	273	NC
		8	D-E	1-4	250	304	284	NC
	200 - 240	8	A-D	2-4	270	312	294	NC
		8	D-E	1-4	285	317	302	NC
	240 - 280	8	A-E	2-4	290	332	312	NC
		8	A-E	5+	290	312	303	NC
	280 - 320	8	A-E	2-4	305	337	326	NC
		8	A-E	5+	290	317	308	NC
	320 +	8	A-E	2-4	310	337	328	NC
		8	A-E	5+	300	317	311	NC

Bulls

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Low Price (c/kg cwt)	High Price (c/kg cwt)	Average (c/kg cwt)	Trend
	200 - 300	0 - 8	A-E	ALL	220	278	241	NC
	300 - 400	0 - 8	A-E	ALL	240	293	265	NC
	400 +	0 - 8	A-E	ALL	240	293	268	NC
South Yearlings								
Steers	180 - 220	0 - 2	A-C	2-3	345	355	348	NC
	220 - 260	0 - 2	A-C	2-3	350	365	356	NC
	260 - 280	0 - 2	A-C	2-3	355	375	365	NC
Heifers	180 - 220	0 - 2	A-C	2-3	340	350	346	NC
	220 - 260	0 - 2	A-C	2-3	350	355	353	NC
	260 - 280	0 - 2	A-C	2-3	355	370	363	NC
Grown Steers								
Steers	< 260	0 - 2	A-C	3-4	355	360	358	NC
		2 - 4	A-C	3-4	350	355	353	NC
		5 - 6	A-C	3-4	350	355	353	NC
		8	A-C	3-4	342	347	345	NC
	260 - 300	0 - 2	A-C	3-4	355	370	363	NC
		2 - 4	A-C	3-4	355	365	360	NC
		5 - 6	A-C	3-4	350	365	358	NC
		8	A-C	3-4	340	362	350	NC
	300 - 420	0 - 2	A-C	3-4	360	370	367	NC
		2 - 4	A-C	3-4	355	365	362	NC
		5 - 6	A-C	3-4	350	365	359	NC
		8	A-C	3-4	350	362	357	NC
EU Steer	240 - 330	0 - 4	A-C	3-4	367	377	372	NC
Manufacturing Steer	250 - 400	0 - 8	A-D	2-4	298	320	309	NC
Cows								
	160 - 200	8	A-D	2-4	295	319	309	NC
		8	D-E	1-4	290	314	303	NC
	200 - 240	8	A-D	2-4	305	332	320	NC
		8	D-E	1-4	300	327	314	NC
	240 - 280	8	A-E	2-4	310	347	330	NC
		8	A-E	5+	300	327	315	NC
	280 - 320	8	A-E	2-4	315	352	336	NC
		8	A-E	5+	310	332	322	NC
	320 +	8	A-E	2-4	320	352	339	NC
		8	A-E	5+	310	332	324	NC
Bulls								
	200 - 300	0 - 8	A-E	ALL	241	293	267	NC
	300 - 400	0 - 8	A-E	ALL	298	308	303	NC
	400 +	0 - 8	A-E	ALL	308	308	308	NC
Grainfed Yearlings								
Steers	180 - 220	0 - 2	A-C	2-3	360	370	365	NC
	220 - 260	0 - 2	A-C	2-3	370	385	376	NC

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Low Price (c/kg cwt)	High Price (c/kg cwt)	Average (c/kg cwt)	Trend
Heifers	260 - 280	0 - 2	A-C	2-3	380	380	380	NC
	180 - 220	0 - 2	A-C	2-3	355	370	362	NC
	220 - 260	0 - 2	A-C	2-3	365	385	374	NC
	260 - 280	0 - 2	A-C	2-3	375	375	375	NC
Grainfed 100 Days								
Steers	300 - 420	0 - 2	A-C	3-4	375	387	380	NC
		2 - 4	A-C	3-4	370	375	372	NC
		5 - 6	A-C	3-4	365	365	365	NC
MSA Yearlings								
Heifers	180 - 220	0 - 2	A-C	3-4	360	365	363	NC
	220 - 260	0 - 2	A-C	3-4	370	390	382	NC
	260 - 280	0 - 2	A-C	3-4	380	390	385	NC
	180 - 220	0 - 2	A-C	3-4	355	365	360	NC
	220 - 260	0 - 2	A-C	3-4	365	390	378	NC
	260 - 280	0 - 2	A-C	3-4	375	385	380	NC

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.