

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dalby

report date 14 Dec 2011

Yarding Change ⁴³²⁰₇₄₉

comparison date 07/12/2011

Numbers increased as some producers elected to offload stock before the annual close down. The last sale for the year attracted a fair to good quality yarding, and prices moved higher across a number of classes. Yearling steers and heifers to feed restockers and slaughter improved 2c to 10c/kg. Heavy steers and bullocks to export slaughter gained a further 3c to 4c, and cows experienced a dearer trend to average 3c to 5c/kg better.

Calves to restockers made to 268.2c to average 247c/kg. Lightweight yearling steers to feed made to the occasional 260c with a fairly large number at 247c/kg. Heavy yearling steers to feed mostly sold around 216c with some well bred lines to 253.2c/kg. Lightweight yearling heifers were well supplied and feeder classes averaged 234c with sales to 239.2c, restocker lines made to a top of 246.2 to average 234c and slaughter classes averaged 227c/kg. A large selection of medium weight yearling heifers to feed mostly sold around 225c with some to 243.2c/kg.

Heavy steers to export slaughter made to 211.2c to average 208c, certified grainfeds made to 215.2c with most at 212c/kg. Certified grain fed bullocks made to 214.2c, while those out of the paddock made to 212.2c to average 4c dearer at 207c/kg.

Medium weight 3 score cows averaged 162c, and the 4 scores 170c/kg. A fairly large selection of good heavy cows made to 186.2c with most 4c dearer at close to 178c/kg. Heavy Bulls made to 208.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	22	234.2	- 240.2	236.7	-2	442	- 453	447	316	- 420	402
	RS	C	2	122	222.2	- 268.2	247.8	-7	-	-	-	272	- 545	383
	RS	D	2	20	236.2	- 240.2	237.4	21	-	-	-	437	- 444	439
		D	2	6	205.2	- 205.2	205.2	-17	387	- 387	387	277	- 277	277
				170	205.2	268.2	243.6		387	453	434	272	545	388
Yearling Steer														
0-330		C	2	25	227.2	- 236.2	231.6	1	413	- 430	421	484	- 602	534
	FD	C	2	222	228.2	- 260.2	247.7	-3	-	-	-	492	- 707	588
	RS	C	2	108	227.2	- 256.2	238.9	-13	-	-	-	511	- 602	553
	RS	D	1	42	202.2	- 232.2	216.5	N/Q	-	-	-	253	- 374	316
	RS	D	2	183	208.2	- 226.2	217.3	2	-	-	-	448	- 578	503
	FD	D	2	56	215.2	- 224.2	219.8	N/C	-	-	-	495	- 570	525
		D	2	8	226.2	- 226.2	226.2	16	411	- 411	411	532	- 532	532
330-400	FD	C	2	4	238.2	- 238.2	238.2	8	-	-	-	869	- 869	869
	FD	C	3	9	227.2	- 258.2	243.5	15	-	-	-	829	- 906	880
	GF	C	3	16	223.2	- 226.2	225.1	N/Q	413	- 419	417	837	- 848	844
	FD	D	2	28	190.2	- 217.2	205.6	N/Q	-	-	-	694	- 767	739
400+	FD	C	2	16	221.2	- 221.2	221.2	-4	-	-	-	896	- 896	896
	FD	C	3	142	197.2	- 253.2	216.5	2	-	-	-	828	- 1025	914
	GF	C	3	38	209.2	- 222.0	211.1	-1	380	- 404	384	910	- 1064	959
		C	3	13	208.2	- 217.2	210.3	N/C	379	- 395	382	880	- 968	948
	FD	D	2	10	198.2	- 198.2	198.2	N/Q	-	-	-	803	- 803	803
			920	190.2	260.2	227.3		379	430	400	253	1064	640	
Yearling Heifer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
0-330		C	2	100	203.2	- 233.2	222.4	-9	376	-	432	412	437	-	594	532
	FD	C	2	121	209.2	- 239.2	232.7	10		-			513	-	718	638
	RS	C	2	64	222.2	- 246.2	234.6	4		-			484	-	554	513
		C	3	14	225.0	- 225.0	225.0	N/Q	417	-	417	417	506	-	506	506
	RS	D	1	14	218.2	- 222.2	221.1	N/Q		-			404	-	500	472
	RS	D	2	33	195.2	- 218.2	213.3	7		-			459	-	513	501
	FD	D	2	12	210.0	- 210.0	210.0	6		-			557	-	557	557
		D	2	58	208.2	- 213.2	210.4	13	386	-	395	390	489	-	575	516
	RS	D	3	8	223.2	- 223.2	223.2	N/Q		-			469	-	469	469
330-400	FD	C	2	86	220.0	- 229.2	225.1	N/Q		-			737	-	768	754
	FD	C	3	60	200.0	- 243.2	224.0	7		-			730	-	912	821
		C	3	21	220.0	- 229.2	225.6	15	407	-	424	418	803	-	905	865
	GF	C	3	2	205.0	- 205.0	205.0	N/Q	380	-	380	380	789	-	789	789
	RS	D	2	4	200.2	- 200.2	200.2	N/Q		-			731	-	731	731
		D	2	5	166.2	- 166.2	166.2	N/Q	308	-	308	308	557	-	557	557
		D	3	6	175.0	- 175.0	175.0	-5	318	-	318	318	586	-	586	586
	FD	D	3	6	190.0	- 190.0	190.0	19		-			637	-	637	637
	GF	D	3	8	182.2	- 182.2	182.2	N/Q	337	-	337	337	701	-	701	701
400+		C	3	45	190.0	- 202.2	193.6	-7	352	-	374	359	782	-	880	831
	GF	C	3	152	191.2	- 213.2	202.3	-25	354	-	395	375	800	-	991	862
	FD	C	3	38	182.2	- 210.2	198.3	-20		-			756	-	917	867
	GF	D	3	14	187.2	- 191.2	189.2	N/Q	347	-	354	350	768	-	784	776
		D	3	9	180.0	- 183.2	181.1	11	333	-	339	335	779	-	783	782
					880	166.2	246.2	215.6		308	432	383	404	991	688	
Grown Steer																
0-400	RS	D	2	6	186.2	- 186.2	186.2	N/Q		-			735	-	735	735
400-500	RS	C	2	6	185.2	- 185.2	185.2	N/Q		-			787	-	787	787
500-600		C	3	9	190.0	- 195.0	193.9	N/C	346	-	355	353	1017	-	1102	1083
		C	4	35	201.2	- 211.2	207.4	2	359	-	389	376	1137	-	1219	1184
	GF	C	4	59	210.2	- 216.2	212.9	8	375	-	386	380	1125	-	1263	1193
600-750		C	3	5	193.2	- 193.2	193.2	-2	351	-	351	351	1208	-	1208	1208
		C	4	122	200.2	- 212.2	207.6	5	358	-	393	374	1271	-	1445	1352
	GF	C	4	34	208.0	- 214.2	210.7	-10	371	-	383	376	1328	-	1435	1388
750+		C	5	2	170.0	- 170.0	170.0	N/Q	309	-	309	309	1360	-	1360	1360
					278	170.0	216.2	207.2		309	393	374	735	1445	1265	
Grown Heifer																
0-540		C	3	24	183.2	- 192.2	186.0	N/Q	346	-	363	351	783	-	980	870
		C	4	65	181.2	- 191.2	188.8	1	342	-	361	356	879	-	1023	962
	GF	C	4	15	197.2	- 199.2	198.8	N/Q	372	-	376	375	1035	-	1046	1044
		D	2	10	128.2	- 128.2	128.2	N/Q	267	-	267	267	519	-	519	519
	FD	D	3	8	171.2	- 171.2	171.2	11		-			796	-	796	796
		D	3	38	168.2	- 181.2	175.4	N/Q	319	-	346	335	782	-	963	862
540+		C	4	25	191.2	- 205.2	194.6	4	361	-	387	367	1053	-	1231	1092
	GF	C	4	6	208.2	- 208.2	208.2	N/Q	393	-	393	393	1176	-	1176	1176
		D	3	2	174.2	- 174.2	174.2	N/Q	329	-	329	329	984	-	984	984

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					193	128.2	208.2	183.9		267	393	350	519	1231	931
Manufacturing Steer															
540+		C	4	11	193.2	- 195.0	194.0	10	348	- 351	350	1323	- 1365	1342	
				11	193.2	195.0	194.0		348	351	350	1323	1365	1342	
Cows															
0-400	RS	D	1	3	92.2	- 92.2	92.2	-47		-		355	- 355	355	
		E	1	1	72.6	- 72.6	72.6	N/Q	202	- 202	202	265	- 265	265	
400-520	RS	D	1	1	117.2	- 117.2	117.2	N/Q		-		510	- 510	510	
	RS	D	2	8	149.2	- 149.2	149.2	N/C		-		634	- 634	634	
		D	2	6	147.2	- 147.2	147.2	5	351	- 351	351	684	- 684	684	
		D	3	10	162.0	- 162.0	162.0	6	331	- 331	331	697	- 697	697	
		D	4	29	146.5	- 181.2	164.9	3	287	- 355	323	681	- 942	815	
520+		C	3	2	190.0	- 190.0	190.0	N/Q	359	- 359	359	1074	- 1074	1074	
		C	4	8	189.2	- 189.2	189.2	N/Q	371	- 371	371	1012	- 1012	1012	
		D	3	17	153.2	- 170.0	162.7	N/C	313	- 347	332	856	- 910	889	
		D	4	228	166.2	- 186.2	177.9	4	318	- 365	347	911	- 1182	1037	
		D	6	5	111.2	- 122.0	115.1	N/Q	232	- 250	239	667	- 732	691	
				318	72.6	190.0	172.1		202	371	342	265	1182	965	
Bulls															
0-450	RS	C	2	14	210.2	- 231.2	217.9	-24		-		494	- 543	512	
		C	2	8	233.2	- 233.2	233.2	N/Q	424	- 424	424	548	- 548	548	
	RS	C	3	21	181.2	- 184.2	181.5	-35		-		638	- 788	722	
	FD	C	3	2	182.2	- 185.2	183.7	N/Q		-		793	- 833	813	
450-600	FD	C	2	2	177.2	- 177.2	177.2	N/Q		-		824	- 824	824	
	FD	C	3	3	170.2	- 185.2	178.9	5		-		808	- 969	880	
		C	3	2	183.2	- 183.2	183.2	N/Q	327	- 327	327	852	- 852	852	
	RS	D	1	2	80.2	- 100.0	90.1	N/Q		-		453	- 595	524	
600+		C	2	6	129.2	- 144.2	137.9	-14	235	- 262	251	808	- 1037	937	
		C	3	32	139.2	- 208.2	170.5	2	249	- 372	305	940	- 2134	1278	
	RS	C	3	2	187.2	- 187.2	187.2	N/Q		-		1133	- 1133	1133	
	RS	D	2	2	114.2	- 116.2	115.2	N/Q		-		725	- 738	732	
		D	2	1	113.2	- 113.2	113.2	N/Q	206	- 206	206	764	- 764	764	
				97	80.2	233.2	180.7		206	424	316	453	2134	890	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.