

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 10 Jan 2012

Yarding Change 0<sup>1420</sup>

comparison date 03/01/2012

The first fat sale of the year was a good quality offering which consisted of a small number of vealers, a large number of medium weight yearlings which were mainly going onto feed. Only a few pens of prime grown steers and bullocks were offered and around 200 cows. All the usual buyers were active in a strong market.

Light and medium weight vealers ranged from 214c to 230c and heavy weights reached 244c/kg. Light weights returning to the paddock ranged from 206c to 248c and medium weights 210c to 238c/kg. Yearling to feed were very strong and the medium weights ranged from 175c to 229c and heavier weights reached 223.6c/kg. Trade steers ranged from 200c to 235c and the heifers 175c to 218c/kg.

The better covered grown steers ranged from 184c to 199c and the bullocks averaged 186c/kg. The 2 score cows made between 120c and 146c and the medium and heavy 3 and 4 scores ranged from 145c to 168c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
0-200	RS	C	2	2	240.0	- 240.0	240.0	N/Q	-	-	-	432	- 432	432
200-280	RS	C	2	15	214.2	- 248.0	232.2	N/Q	-	-	-	600	- 620	611
		C	3	1	225.0	- 225.0	225.0	N/Q	417	- 417	417	630	- 630	630
280-330	FD	C	2	1	235.0	- 235.0	235.0	N/Q	-	-	-	729	- 729	729
	RS	C	2	2	238.2	- 238.2	238.2	N/Q	-	-	-	750	- 750	750
	RS	C	3	5	220.0	- 234.6	225.8	N/Q	-	-	-	660	- 751	696
330+	C	C	3	7	214.2	- 230.6	220.5	N/Q	397	- 427	408	660	- 714	686
		B	3	1	239.2	- 239.2	239.2	N/Q	435	- 435	435	885	- 885	885
	C	3	17	213.2	- 244.6	231.7	N/Q	395	- 445	425	714	- 881	818	
	RS	C	3	12	220.0	- 243.2	232.1	N/Q	-	-	-	737	- 845	796
				<b>63</b>	<b>213.2</b>	<b>248.0</b>	<b>230.7</b>		<b>395</b>	<b>445</b>	<b>420</b>	<b>432</b>	<b>885</b>	<b>722</b>
<b>Vealer Heifer</b>														
200-280	RS	C	2	20	206.0	- 216.6	209.7	N/Q	-	-	-	520	- 525	523
	RS	D	2	6	212.0	- 212.0	212.0	N/Q	-	-	-	572	- 572	572
280-330	C	2	2	219.0	- 219.0	219.0	N/Q	413	- 413	413	657	- 657	657	
	RS	C	2	3	210.6	- 210.6	210.6	N/Q	-	-	-	611	- 611	611
	RS	C	3	1	209.6	- 209.6	209.6	N/Q	-	-	-	629	- 629	629
330+	C	C	3	16	211.0	- 226.0	221.4	N/Q	391	- 419	410	647	- 720	683
		C	3	6	210.0	- 237.6	223.5	N/Q	382	- 432	409	704	- 903	787
					<b>54</b>	<b>206.0</b>	<b>237.6</b>	<b>215.4</b>		<b>382</b>	<b>432</b>	<b>410</b>	<b>520</b>	<b>903</b>
<b>Yearling Steer</b>														
0-330	C	2	1	218.6	- 218.6	218.6	N/Q	420	- 420	420	710	- 710	710	
	FD	C	2	18	195.0	- 235.0	225.4	N/Q	-	-	-	624	- 771	724
	RS	C	2	13	185.0	- 236.8	212.8	N/Q	-	-	-	521	- 734	622
	RS	D	2	1	141.2	- 141.2	141.2	N/Q	-	-	-	381	- 381	381
	D	2	3	190.0	- 190.0	190.0	N/Q	380	- 380	380	570	- 570	570	
330-400	FD	C	2	146	175.6	- 229.6	219.8	N/Q	-	-	-	597	- 860	799

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	2	1	188.0	- 188.0	188.0	N/Q	355	- 355	355	714	- 714	714
	FD	C	3	14	200.0	- 217.2	212.0	N/Q	-	-	-	760	- 818	793
	RS	C	3	4	225.6	- 225.6	225.6	N/Q	-	-	-	857	- 857	857
		C	3	22	205.0	- 235.0	223.9	N/Q	380	- 435	415	704	- 855	780
		B	3	1	200.0	- 200.0	200.0	N/Q	364	- 364	364	840	- 840	840
	FD	C	2	61	190.0	- 226.2	215.5	N/Q	-	-	-	798	- 995	935
	RS	C	2	13	223.8	- 223.8	223.8	N/Q	-	-	-	962	- 962	962
	FD	C	3	59	200.0	- 223.6	218.7	N/Q	-	-	-	880	- 1032	974
		C	3	14	188.6	- 224.2	204.4	N/Q	343	- 415	377	897	- 1053	972
	C	4	13	210.0	- 210.0	210.0	N/Q	389	- 389	389	1092	- 1092	1092	
				<b>384</b>	<b>141.2</b>	<b>236.8</b>	<b>217.7</b>		<b>343</b>	<b>435</b>	<b>395</b>	<b>381</b>	<b>1092</b>	<b>856</b>
<b>Yearling Heifer</b>														
0-330	FD	C	2	13	180.0	- 210.0	196.4	N/Q	-	-	-	486	- 651	612
	RS	C	2	9	185.0	- 216.2	208.7	N/Q	-	-	-	601	- 672	640
		C	2	2	200.0	- 210.0	205.0	N/Q	377	- 396	387	630	- 640	635
		C	3	7	200.0	- 210.0	205.7	N/Q	377	- 396	388	620	- 683	656
	RS	C	3	1	208.6	- 208.6	208.6	N/Q	-	-	-	584	- 584	584
		D	2	1	140.0	- 140.0	140.0	N/Q	280	- 280	280	448	- 448	448
330-400		C	2	21	207.0	- 215.2	211.5	N/Q	396	- 414	406	713	- 787	753
	FD	C	2	147	186.2	- 215.2	207.9	N/Q	-	-	-	633	- 848	756
	RS	C	2	29	191.2	- 208.6	204.9	N/Q	-	-	-	699	- 730	721
	FD	C	3	1	205.6	- 205.6	205.6	N/Q	-	-	-	740	- 740	740
		C	3	60	185.0	- 215.2	209.1	N/Q	343	- 406	390	694	- 818	766
		C	4	2	180.0	- 202.2	191.1	N/Q	333	- 374	354	684	- 789	736
	FD	D	2	4	135.0	- 170.0	152.5	N/Q	-	-	-	513	- 612	563
		D	2	1	130.0	- 130.0	130.0	N/Q	265	- 265	265	442	- 442	442
	RS	D	2	1	140.0	- 140.0	140.0	N/Q	-	-	-	476	- 476	476
400+	FD	C	2	25	195.0	- 211.2	204.1	N/Q	-	-	-	839	- 887	865
	FD	C	3	5	185.0	- 214.2	192.8	N/Q	-	-	-	836	- 900	862
		C	3	38	175.0	- 218.6	195.8	N/Q	324	- 398	364	753	- 918	861
		D	3	2	175.0	- 185.0	180.0	N/Q	330	- 349	340	759	- 770	764
				<b>369</b>	<b>130.0</b>	<b>218.6</b>	<b>204.5</b>		<b>265</b>	<b>414</b>	<b>382</b>	<b>442</b>	<b>918</b>	<b>759</b>
<b>Grown Steer</b>														
0-400		C	2	1	200.0	- 200.0	200.0	N/Q	370	- 370	370	730	- 730	730
		D	2	1	130.0	- 130.0	130.0	N/Q	271	- 271	271	520	- 520	520
400-500	FD	C	2	19	150.0	- 208.0	203.1	N/Q	-	-	-	720	- 998	925
		C	3	2	182.0	- 185.0	183.5	N/Q	337	- 343	340	814	- 855	835
500-600		C	2	5	192.2	- 192.2	192.2	N/Q	356	- 356	356	1038	- 1038	1038
		C	3	13	179.2	- 195.6	192.0	N/Q	332	- 362	356	905	- 1073	1016
		C	4	31	184.0	- 199.0	195.4	N/Q	341	- 362	357	994	- 1114	1070
600-750		C	4	9	179.0	- 193.2	186.5	N/Q	332	- 358	345	1198	- 1339	1245
				<b>81</b>	<b>130.0</b>	<b>208.0</b>	<b>194.4</b>		<b>271</b>	<b>370</b>	<b>353</b>	<b>520</b>	<b>1339</b>	<b>1028</b>
<b>Grown Heifer</b>														
0-540	FD	C	2	1	175.0	- 175.0	175.0	N/Q	-	-	-	665	- 665	665
		C	3	5	175.0	- 180.0	178.0	N/Q	324	- 340	335	823	- 936	891

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	1	176.2	- 176.2	176.2	N/Q	-			828	- 828	828
	RS	D	2	5	157.6	- 157.6	157.6	N/Q	-			591	- 591	591
		D	2	3	148.0	- 150.0	148.7	N/Q	300	- 315	310	622	- 645	629
		D	3	63	166.0	- 190.0	179.9	N/Q	319	- 359	342	797	- 978	858
540+		D	4	11	178.0	- 188.0	182.2	N/Q	342	- 362	348	1029	- 1278	1053
				<b>89</b>	<b>148.0</b>	<b>190.0</b>	<b>177.7</b>		<b>300</b>	<b>362</b>	<b>341</b>	<b>591</b>	<b>1278</b>	<b>859</b>
<b>Cows</b>														
0-400		D	1	2	60.0	- 108.0	84.0	N/Q	130	- 230	180	216	- 410	313
400-520		D	1	2	125.0	- 125.0	125.0	N/Q	272	- 272	272	525	- 525	525
		D	2	26	120.0	- 146.0	136.4	N/Q	250	- 302	285	573	- 701	623
		D	3	37	145.0	- 154.2	149.7	N/Q	290	- 308	298	677	- 790	740
		D	4	2	152.0	- 156.0	154.0	N/Q	304	- 306	305	790	- 811	801
520+		D	3	28	146.0	- 158.0	151.6	N/Q	292	- 316	303	796	- 995	818
		D	4	72	152.0	- 168.0	159.0	N/Q	292	- 329	311	832	- 1116	938
		D	5	7	120.0	- 160.0	148.6	N/Q	240	- 308	288	864	- 1184	1093
				<b>176</b>	<b>60.0</b>	<b>168.0</b>	<b>150.8</b>		<b>130</b>	<b>329</b>	<b>300</b>	<b>216</b>	<b>1184</b>	<b>824</b>
<b>Bulls</b>														
0-450		C	2	1	174.0	- 174.0	174.0	N/Q	311	- 311	311	713	- 713	713
450-600		C	2	21	152.6	- 170.0	157.3	N/Q	273	- 304	281	702	- 940	843
600+		B	2	8	160.0	- 182.0	169.6	N/Q	286	- 319	300	1136	- 1565	1366
		C	2	10	140.0	- 172.0	154.3	N/Q	250	- 302	277	992	- 1686	1196
		D	2	1	138.0	- 138.0	138.0	N/Q	251	- 251	251	897	- 897	897
				<b>41</b>	<b>138.0</b>	<b>182.0</b>	<b>158.9</b>		<b>250</b>	<b>319</b>	<b>284</b>	<b>702</b>	<b>1686</b>	<b>1029</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.