

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 12 Jun 2012

Yarding Change 2720  
210

comparison date 05/06/2012

Quality remained fair to good and numbers increased as younger cattle were well supplied. Fair percentages of grown steers and a reduced offering of older heifers were penned. Cows were well represented with some good quality pens available and the usual buyers competed in a firm to dearer market.

Medium weight vealer steers returning to the paddock sold at similar prices with only breed and quality affected averages in places. Well-bred and finished heavy weight B muscled vealers to the trade reached 250c as most sold around the 205c to 229c/kg range. Yearling steers to lot feeders remained firm as the heifer portion lifted 5c/kg. Heavy weights to trade buyers sold a few cents either side of firm to top at 210c as the majority sold around the 184c to 193c/kg range.

Grown steers to lot feeders lifted 2c to average 185c/kg. Heavy weights to slaughter also sold slightly dearer to range from 172c to 194c/kg. The heifer portion gained 3c to top at 176c/kg. Cows continued the dearer trend to lift from 2c to 4c as the plainer 2 scores averaged 129c/kg. The better finished 3 and 4 scores ranged from 130c to 150c/kg. Heavy bulls sold at similar prices as the best reached 175c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	2	5	281.0	- 285.0	282.6	N/Q	562	- 570	565	141	- 200	164
	RS	C	2	9	238.0	- 238.0	238.0	N/Q	-	-	-	167	- 167	167
80+		D	2	4	171.0	- 171.0	171.0	N/Q	342	- 342	342	239	- 239	239
				<b>18</b>	<b>171.0</b>	<b>285.0</b>	<b>235.5</b>		<b>342</b>	<b>570</b>	<b>466</b>	<b>141</b>	<b>239</b>	<b>182</b>
<b>Vealer Steer</b>														
0-200	RS	D	2	6	170.0	- 170.0	170.0	N/Q	-	-	-	255	- 255	255
200-280	RS	C	2	67	184.6	- 223.2	201.8	-14	-	-	-	410	- 625	510
		C	2	7	206.0	- 206.0	206.0	N/Q	396	- 396	396	536	- 536	536
	FD	C	2	5	177.6	- 177.6	177.6	N/Q	-	-	-	462	- 462	462
	RS	D	2	29	156.0	- 180.0	158.5	N/Q	-	-	-	362	- 414	375
280-330	FD	C	2	23	195.6	- 200.0	199.2	4	-	-	-	587	- 640	631
		C	3	5	212.6	- 237.2	217.5	N/Q	394	- 439	403	680	- 759	696
330+		B	3	8	250.6	- 250.6	250.6	17	440	- 440	440	1040	- 1040	1040
		C	3	13	219.6	- 239.2	229.4	15	399	- 427	414	804	- 837	833
				<b>163</b>	<b>156.0</b>	<b>250.6</b>	<b>197.1</b>		<b>394</b>	<b>440</b>	<b>415</b>	<b>255</b>	<b>1040</b>	<b>551</b>
<b>Vealer Heifer</b>														
200-280		C	2	37	165.0	- 189.2	177.9	8	324	- 364	343	347	- 455	432
	FD	C	2	1	186.0	- 186.0	186.0	N/Q	-	-	-	521	- 521	521
	RS	C	2	37	165.0	- 188.6	179.8	N/Q	-	-	-	399	- 528	489
	RS	D	2	9	149.6	- 149.6	149.6	5	-	-	-	329	- 329	329
		D	2	2	170.0	- 175.0	172.5	N/Q	340	- 350	345	425	- 455	440
280-330		C	2	8	195.0	- 211.2	199.1	-1	375	- 406	383	614	- 634	619
	FD	C	2	23	169.2	- 181.6	173.0	-8	-	-	-	508	- 572	527
	RS	C	2	8	190.0	- 190.0	190.0	21	-	-	-	589	- 589	589
		C	3	37	195.0	- 208.2	203.0	N/Q	368	- 393	386	585	- 687	619
330+		C	2	2	192.0	- 192.0	192.0	N/Q	369	- 369	369	979	- 979	979

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	21	197.2	- 223.6	205.7	-5	379	- 407	390	696	- 903	720
				<b>185</b>	<b>149.6</b>	<b>223.6</b>	<b>186.0</b>		<b>324</b>	<b>407</b>	<b>370</b>	<b>329</b>	<b>979</b>	<b>542</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	22	185.2	- 206.0	201.6	-5	-	-	-	611	- 656	645
	RS	C	2	4	188.6	- 188.6	188.6	5	-	-	-	528	- 528	528
	RS	D	2	4	136.0	- 136.0	136.0	N/Q	-	-	-	354	- 354	354
	FD	D	2	8	175.2	- 175.2	175.2	N/Q	-	-	-	561	- 561	561
		D	2	1	155.0	- 155.0	155.0	N/Q	310	- 310	310	496	- 496	496
330-400	FD	C	2	130	195.0	- 205.0	200.3	1	-	-	-	666	- 768	707
		C	3	19	205.0	- 209.2	207.2	-12	375	- 386	381	725	- 784	743
	RS	D	2	2	132.0	- 132.0	132.0	N/Q	-	-	-	449	- 449	449
400+	FD	C	2	84	178.6	- 204.0	194.7	1	-	-	-	739	- 867	816
		C	3	89	178.0	- 210.0	193.5	-5	330	- 382	354	765	- 900	823
	FD	C	3	6	204.2	- 204.2	204.2	5	-	-	-	827	- 827	827
		D	2	1	120.0	- 120.0	120.0	N/Q	245	- 245	245	492	- 492	492
				<b>370</b>	<b>120.0</b>	<b>210.0</b>	<b>195.8</b>		<b>245</b>	<b>386</b>	<b>358</b>	<b>354</b>	<b>900</b>	<b>748</b>
<b>Yearling Heifer</b>														
0-330	FD	C	2	62	172.0	- 194.6	177.3	7	-	-	-	516	- 584	538
	RS	C	2	32	187.0	- 187.0	187.0	N/Q	-	-	-	617	- 617	617
	RS	D	2	12	123.0	- 155.0	147.0	N/Q	-	-	-	308	- 419	391
	FD	D	2	9	151.0	- 160.0	158.0	N/Q	-	-	-	480	- 512	502
330-400	FD	C	2	96	165.0	- 197.2	188.8	5	-	-	-	578	- 739	678
		C	2	1	172.6	- 172.6	172.6	N/Q	345	- 345	345	604	- 604	604
		C	3	16	190.0	- 208.0	204.1	6	365	- 393	386	646	- 770	748
	RS	D	2	13	144.6	- 161.0	158.5	N/Q	-	-	-	492	- 580	566
400+		C	2	22	175.0	- 175.0	175.0	N/Q	337	- 337	337	702	- 702	702
		C	3	41	175.0	- 204.6	184.1	5	339	- 379	352	722	- 943	764
				<b>304</b>	<b>123.0</b>	<b>208.0</b>	<b>181.5</b>		<b>337</b>	<b>393</b>	<b>354</b>	<b>308</b>	<b>943</b>	<b>638</b>
<b>Grown Steer</b>														
0-400		D	2	8	128.0	- 131.2	130.8	N/Q	267	- 268	268	435	- 466	462
400-500		C	2	13	147.2	- 175.0	164.5	3	283	- 337	316	648	- 788	713
	FD	C	2	67	169.6	- 194.6	185.8	2	-	-	-	709	- 846	798
	RS	C	2	10	147.0	- 147.0	147.0	-12	-	-	-	617	- 617	617
	FD	C	3	6	185.0	- 185.0	185.0	4	-	-	-	833	- 833	833
		C	3	61	172.0	- 187.0	183.4	8	319	- 344	338	774	- 860	838
		D	2	1	120.0	- 120.0	120.0	N/Q	240	- 240	240	528	- 528	528
500-600		C	2	5	152.2	- 152.2	152.2	N/Q	293	- 293	293	837	- 837	837
		C	3	131	172.0	- 194.0	187.4	N/C	319	- 351	338	946	- 1125	1039
600-750		C	3	5	178.0	- 182.0	181.2	-6	324	- 331	330	1104	- 1128	1123
		C	4	29	185.0	- 190.0	189.4	8	336	- 339	339	1129	- 1159	1155
750+		C	5	3	147.2	- 147.2	147.2	N/Q	273	- 273	273	1207	- 1207	1207
				<b>339</b>	<b>120.0</b>	<b>194.6</b>	<b>181.9</b>		<b>240</b>	<b>351</b>	<b>333</b>	<b>435</b>	<b>1207</b>	<b>921</b>
<b>Grown Heifer</b>														
0-540	FD	C	2	2	171.6	- 171.6	171.6	N/Q	-	-	-	601	- 601	601
		C	2	17	154.0	- 162.0	158.5	-2	321	- 338	330	608	- 697	670

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	22	160.0	- 176.0	174.4	3	320	- 352	349	656	- 842	756
		C	4	4	166.0	- 166.0	166.0	N/Q	332	- 332	332	863	- 863	863
	FD	D	2	3	135.0	- 135.0	135.0	N/Q	-			473	- 473	473
	RS	D	2	15	144.2	- 144.2	144.2	4	-			497	- 497	497
		D	2	9	128.0	- 150.0	135.3	-5	284	- 333	301	576	- 615	589
		D	3	13	136.2	- 151.0	141.6	-5	290	- 315	298	613	- 680	635
540+		C	4	1	165.0	- 165.0	165.0	N/Q	330	- 330	330	990	- 990	990
				<b>86</b>	<b>128.0</b>	<b>176.0</b>	<b>155.0</b>		<b>284</b>	<b>352</b>	<b>326</b>	<b>473</b>	<b>990</b>	<b>652</b>
<b>Manufacturing Steer</b>														
0-540	DA	D	2	9	132.0	- 135.0	134.3	N/Q	281	- 281	281	581	- 594	591
540+	DA	D	3	1	159.2	- 159.2	159.2	N/Q	332	- 332	332	1114	- 1114	1114
				<b>10</b>	<b>132.0</b>	<b>159.2</b>	<b>136.8</b>		<b>281</b>	<b>332</b>	<b>286</b>	<b>581</b>	<b>1114</b>	<b>643</b>
<b>Cows</b>														
0-400		D	1	2	105.0	- 105.0	105.0	N/Q	276	- 276	276	368	- 368	368
		D	2	29	122.0	- 128.0	126.4	N/Q	298	- 312	308	458	- 486	481
		E	1	1	80.0	- 80.0	80.0	N/Q	229	- 229	229	280	- 280	280
400-520		C	3	5	143.2	- 143.2	143.2	N/Q	286	- 286	286	716	- 716	716
		D	1	5	115.0	- 115.0	115.0	35	303	- 303	303	477	- 477	477
	RS	D	1	1	122.0	- 122.0	122.0	N/Q	-			494	- 494	494
	RS	D	2	25	125.0	- 128.2	127.4	N/Q	-			538	- 551	548
		D	2	175	120.0	- 136.0	128.6	6	293	- 318	305	492	- 680	568
		D	3	90	130.0	- 138.0	134.4	3	277	- 294	286	589	- 690	652
		E	1	4	83.0	- 83.0	83.0	N/Q	237	- 237	237	336	- 336	336
520+		C	2	9	138.0	- 138.0	138.0	N/Q	294	- 294	294	828	- 828	828
		C	3	23	146.0	- 152.0	146.5	4	292	- 304	293	934	- 1064	946
		D	2	11	133.0	- 133.0	133.0	4	317	- 317	317	698	- 698	698
		D	3	116	135.0	- 142.0	139.2	2	281	- 296	291	709	- 856	755
		D	4	90	133.0	- 144.2	140.5	3	277	- 298	293	732	- 1009	865
		D	5	8	132.0	- 135.0	134.6	6	281	- 287	286	810	- 818	811
				<b>594</b>	<b>80.0</b>	<b>152.0</b>	<b>133.7</b>		<b>229</b>	<b>318</b>	<b>296</b>	<b>280</b>	<b>1064</b>	<b>679</b>
<b>Bulls</b>														
0-450		B	2	1	168.0	- 168.0	168.0	N/Q	290	- 290	290	756	- 756	756
		C	2	11	142.0	- 180.0	166.2	20	263	- 340	312	405	- 513	474
	RS	C	2	9	132.0	- 168.0	156.9	1	-			433	- 502	461
450-600		B	2	3	166.0	- 166.0	166.0	N/Q	286	- 286	286	830	- 830	830
		C	1	1	126.0	- 126.0	126.0	N/Q	233	- 233	233	706	- 706	706
		C	2	5	125.0	- 152.0	140.0	-10	232	- 271	253	650	- 754	699
600+		B	2	11	157.0	- 175.0	162.8	1	271	- 302	281	1068	- 1749	1386
		C	1	2	128.0	- 128.0	128.0	N/Q	237	- 237	237	819	- 845	832
		C	2	5	135.0	- 158.0	148.6	N/C	241	- 282	265	891	- 1025	966
				<b>48</b>	<b>125.0</b>	<b>180.0</b>	<b>156.7</b>		<b>232</b>	<b>340</b>	<b>281</b>	<b>405</b>	<b>1749</b>	<b>803</b>

**Abbreviations**

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

**Disclaimer:**

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.