

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Toowoomba Elders

report date 18 Jun 2012

Yarding Change <sup>692</sup>  
431

comparison date 04/06/2012

There was an increase in supply following the two-week break to the selling program. Overall quality was mixed and a full panel of buyers was present and most were operating. Restocker lines improved in value compared to two weeks ago and cows also experienced a dearer trend, while most other classes met firm demand.

A small selection of calves to restockers made to 230.2c, with some poor condition lines at 196c/kg. A few pens of vealer heifers to the trade averaged 196c and some to local butchers made to 215.2c/kg. Lightweight yearling steers to restockers averaged 210c and made to 216c/kg. Medium weight yearling steers to feed averaged 199c and a handful to the trade made to 214.2c/kg. Heavy B muscle yearling steers to slaughter made to 220c while the remainder sold around 193c/kg. A fair sample of lightweight yearling heifers were purchased by feeder operators at 188c with some to 199.2c/kg. Medium weight lines to feed averaged 182c and local trade classes 205c with sales to 218.2c/kg.

A small selection of bullocks averaged 177c with isolated sales to 185.2c/kg. Medium weight 1 score cows averaged 111c, and 2 scores 122c with sales to 127.2c/kg. Medium weight 3 scores averaged close to 130c, while good heavy cows made to 150.2c to average 146c/kg. Heavy Bulls made to 163.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+	RS	C	1	15	193.2	- 199.2	196.8	N/Q	-	-	-	249	- 261	254
	RS	C	2	7	201.2	- 230.2	226.1	11	-	-	-	372	- 424	416
				<b>22</b>	<b>193.2</b>	<b>230.2</b>	<b>206.1</b>		<b>0</b>	<b>0</b>		<b>249</b>	<b>424</b>	<b>305</b>
<b>Vealer Steer</b>														
200-280	FD	C	2	4	197.2	- 197.2	197.2	-2	-	-	-	523	- 523	523
	RS	C	2	7	209.2	- 209.2	209.2	2	-	-	-	513	- 513	513
280-330	RS	C	2	1	205.2	- 205.2	205.2	N/Q	-	-	-	605	- 605	605
		C	2	2	210.0	- 210.0	210.0	N/Q	382	- 382	382	620	- 620	620
				<b>14</b>	<b>197.2</b>	<b>210.0</b>	<b>205.6</b>		<b>382</b>	<b>382</b>	<b>382</b>	<b>513</b>	<b>620</b>	<b>537</b>
<b>Vealer Heifer</b>														
200-280		C	2	12	193.2	- 197.2	196.8	2	358	- 365	364	444	- 523	479
	FD	C	2	6	191.2	- 191.2	191.2	-3	-	-	-	449	- 449	449
		C	3	2	210.0	- 210.0	210.0	N/Q	389	- 389	389	578	- 578	578
280-330		C	3	1	215.2	- 215.2	215.2	N/Q	399	- 399	399	613	- 613	613
				<b>21</b>	<b>191.2</b>	<b>215.2</b>	<b>197.3</b>		<b>358</b>	<b>399</b>	<b>370</b>	<b>444</b>	<b>613</b>	<b>486</b>
<b>Yearling Steer</b>														
0-330	RS	C	2	45	199.2	- 216.2	210.2	8	-	-	-	461	- 622	535
	FD	D	2	6	189.2	- 189.2	189.2	12	-	-	-	501	- 501	501
330-400	RS	C	2	18	191.2	- 191.2	191.2	N/Q	-	-	-	717	- 717	717
	FD	C	2	16	188.2	- 199.2	190.6	-7	-	-	-	667	- 725	697
	FD	C	3	11	197.2	- 202.2	199.5	-4	-	-	-	720	- 738	728
		C	3	5	189.2	- 214.2	208.4	8	344	- 390	379	728	- 825	794
	FD	D	2	2	175.0	- 175.0	175.0	N/Q	-	-	-	656	- 656	656
	FD	D	3	2	177.2	- 177.2	177.2	N/Q	-	-	-	647	- 647	647
		D	3	1	163.2	- 163.2	163.2	N/Q	297	- 297	297	645	- 645	645
400+		B	3	2	220.0	- 220.0	220.0	N/Q	400	- 400	400	1038	- 1038	1038

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	11	183.2	- 185.2	184.5	N/Q	-			779	- 806	796
		C	3	28	184.2	- 215.0	193.5	N/Q	330	- 391	351	810	- 1155	863
		D	3	1	168.2	- 168.2	168.2	N/Q	306	- 306	306	715	- 715	715
	FD	D	3	3	174.2	- 174.2	174.2	N/Q	-			740	- 740	740
				<b>151</b>	<b>163.2</b>	<b>220.0</b>	<b>197.1</b>		<b>297</b>	<b>400</b>	<b>354</b>	<b>461</b>	<b>1155</b>	<b>691</b>
<b>Yearling Heifer</b>														
0-330	FD	C	2	46	180.2	- 199.2	188.4	-1	-			405	- 548	489
	RS	C	2	5	192.2	- 192.2	192.2	N/Q	-			452	- 452	452
		C	2	14	190.0	- 195.2	193.0	7	352	- 362	357	447	- 459	453
	FD	D	2	5	170.2	- 170.2	170.2	N/Q	-			485	- 485	485
		D	2	1	168.2	- 168.2	168.2	N/Q	312	- 312	312	446	- 446	446
330-400		B	3	5	219.2	- 219.2	219.2	N/Q	406	- 406	406	866	- 866	866
	FD	C	2	30	174.2	- 189.2	182.2	-3	-			584	- 672	619
	FD	C	3	10	185.2	- 203.2	192.6	3	-			653	- 721	685
		C	3	19	183.2	- 218.2	205.3	6	339	- 404	380	653	- 840	713
		D	2	10	131.2	- 153.2	140.2	N/Q	243	- 284	260	479	- 559	506
	FD	D	2	1	149.2	- 149.2	149.2	N/Q	-			574	- 574	574
400+		C	3	5	168.2	- 203.2	183.6	11	312	- 376	340	757	- 823	790
	FD	C	3	4	171.2	- 171.2	171.2	N/Q	-			796	- 796	796
	FD	D	3	3	168.2	- 168.2	168.2	N/Q	-			732	- 732	732
		D	3	1	150.2	- 150.2	150.2	N/Q	278	- 278	278	653	- 653	653
				<b>159</b>	<b>131.2</b>	<b>219.2</b>	<b>185.8</b>		<b>243</b>	<b>406</b>	<b>348</b>	<b>405</b>	<b>866</b>	<b>584</b>
<b>Grown Steer</b>														
0-400		D	3	6	145.0	- 158.2	152.5	N/Q	264	- 288	277	558	- 609	587
400-500		C	3	1	165.2	- 165.2	165.2	N/Q	300	- 300	300	743	- 743	743
	FD	C	3	27	168.2	- 178.2	172.3	-2	-			748	- 846	787
	FD	D	3	11	166.2	- 168.2	167.3	N/Q	-			723	- 799	764
		D	3	3	166.2	- 168.2	167.5	N/Q	302	- 306	305	673	- 732	712
500-600		C	4	2	178.0	- 178.0	178.0	N/Q	318	- 318	318	935	- 935	935
600-750		C	4	16	170.2	- 185.2	177.0	-4	304	- 331	316	1095	- 1269	1165
				<b>66</b>	<b>145.0</b>	<b>185.2</b>	<b>170.6</b>		<b>264</b>	<b>331</b>	<b>306</b>	<b>558</b>	<b>1269</b>	<b>857</b>
<b>Grown Heifer</b>														
0-540		C	4	3	161.2	- 161.2	161.2	N/Q	304	- 304	304	750	- 750	750
		D	3	8	143.2	- 155.0	147.4	11	275	- 293	281	623	- 788	658
540+		C	4	8	163.2	- 163.2	163.2	3	308	- 308	308	922	- 922	922
				<b>19</b>	<b>143.2</b>	<b>163.2</b>	<b>156.3</b>		<b>275</b>	<b>308</b>	<b>296</b>	<b>623</b>	<b>922</b>	<b>784</b>
<b>Cows</b>														
0-400	RS	D	1	1	100.2	- 100.2	100.2	N/Q	-			366	- 366	366
		D	2	2	116.2	- 116.2	116.2	N/Q	277	- 277	277	447	- 447	447
	DA	E	1	2	74.2	- 78.2	76.2	N/Q	206	- 217	212	271	- 309	290
400-520		D	1	10	103.2	- 116.2	111.4	12	287	- 323	309	449	- 505	485
	DA	D	1	7	105.0	- 119.2	112.4	5	292	- 331	312	520	- 590	556
	RS	D	1	5	97.2	- 97.2	97.2	N/Q	-			418	- 423	421
	RS	D	2	4	123.2	- 123.2	123.2	N/Q	-			536	- 536	536
		D	2	32	117.2	- 127.2	122.5	4	279	- 303	292	502	- 620	548

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	DA	D	2	1	125.2	- 125.2	125.2	N/Q	298	- 298	298	532	- 532	532
		D	3	22	127.2	- 133.2	129.9	N/Q	260	- 272	265	584	- 630	623
		D	4	7	140.2	- 146.2	145.3	N/Q	275	- 287	285	694	- 709	707
	DA	D	1	4	114.2	- 121.2	116.4	2	317	- 337	323	611	- 758	650
	DA	D	2	7	130.2	- 130.2	130.2	1	310	- 310	310	775	- 775	775
		D	3	12	128.2	- 138.2	130.0	-2	262	- 282	265	710	- 746	726
		D	4	14	140.2	- 150.2	146.6	4	275	- 295	288	761	- 901	840
				<b>130</b>	<b>74.2</b>	<b>150.2</b>	<b>125.2</b>		<b>206</b>	<b>337</b>	<b>287</b>	<b>271</b>	<b>901</b>	<b>616</b>
<b>Bulls</b>														
0-450	FD	C	2	6	181.2	- 193.2	191.2	N/Q	-	-	-	544	- 551	549
	RS	C	2	7	180.0	- 198.0	192.9	N/Q	-	-	-	441	- 465	458
	FD	C	3	6	144.2	- 165.2	151.2	N/Q	-	-	-	555	- 636	582
	RS	D	2	6	118.2	- 133.2	130.7	N/Q	-	-	-	420	- 500	486
	FD	D	2	2	139.2	- 139.2	139.2	N/Q	-	-	-	550	- 550	550
450-600		C	2	4	135.0	- 135.0	135.0	N/Q	246	- 246	246	763	- 763	763
600+		C	2	1	137.2	- 137.2	137.2	N/Q	250	- 250	250	940	- 940	940
		C	3	3	155.2	- 163.2	159.2	20	277	- 291	284	1011	- 1567	1214
		D	1	1	83.2	- 83.2	83.2	N/Q	154	- 154	154	520	- 520	520
		D	2	2	110.0	- 122.2	116.1	N/Q	200	- 222	211	837	- 924	881
				<b>38</b>	<b>83.2</b>	<b>198.0</b>	<b>156.2</b>		<b>154</b>	<b>291</b>	<b>242</b>	<b>420</b>	<b>1567</b>	<b>630</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.