

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 19 Jun 2012

Yarding Change ¹³²⁷
834

comparison date 12/06/2012

A larger quite mixed quality yarding containing 546 young cattle, 153 grown and manufacturing steers, 71 grown heifers, 368 cows and 54 bulls sold to steady trade and export competition from most of the regular SA and Victorian buyers. Feeder and restocker orders were also quite active on a mixture of young cattle and some plain quality cows.

Vealer steers in small numbers to the trade sold from 195c to 216c with limited B2 sales 8c/kg dearer. Feeders and restockers sourced C1 and C2 mainly lightweight steers from 151c to 192c at prices averaging 10c/kg cheaper. Vealer heifers also in small numbers to the trade sold from 182c to 204c/kg. Feeder and restocker purchases of C and D muscled mainly lightweight heifers were between 125c and 195c, with the C2 sales 4c/kg less and some of the D2 sales dearer. Yearling C3 and B2 steers sold from 198c to 212c to be 1c to 6c/kg cheaper. Feeder orders sourced C2 medium and heavyweights from 170c to 210c with the medium weights 5c/kg dearer. Yearling heifer C3 sales of medium and heavyweights sold from 183c to 200c to be unchanged to 5c/kg dearer. However, D muscled sales ranged from 130c to 153c/kg at mainly lower levels.

Grown steers sold between 172c to 188c, to be 2c to 8c/kg dearer for the medium weights and were averaging around 325c/kg cwt. Grown heifers sold erratically with C2 and C3 sales 150c to 162c and a single at 172c to be generally 12c/kg cheaper. However, D3 sales were 10c dearer selling from 145c to 150c/kg. Beef manufacturing steers sold from 135c to 165c, with a pen of D1 Friesians selling at 141c/kg. The medium and heavy 2 to 5 score beef cows sold from 118c to 148c with the D2 medium weights 3c less, and the balance unchanged to 9c/kg dearer with the heavy D2 sales at the higher end as most sold in a 275c to 300c/kg cwt price range. Light bulls to a mixture of orders sold from 138c to 186c, with the medium and heavyweights to processors 120c to 158c with the B2 sales 10c/kg cheaper.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	RS	C	1	1	160.0	- 160.0	160.0	N/Q	-			416	- 416	416
280-330	RS	C	1	5	155.0	- 190.0	169.0	-1	-			504	- 627	553
	FD	C	1	16	151.0	- 192.0	171.5	-19	-			498	- 595	547
	FD	C	2	25	190.0	- 192.0	190.5	N/Q	-			570	- 634	600
		C	2	12	195.0	- 195.0	195.0	N/Q	361	- 361	361	634	- 634	634
	PC	C	2	2	190.0	- 190.0	190.0	N/Q	352	- 352	352	570	- 570	570
330+		B	2	4	210.0	- 216.0	214.5	8	375	- 386	383	788	- 810	804
	FD	C	2	2	200.0	- 200.0	200.0	N/Q	-			680	- 680	680
				67	151.0	216.0	186.4		352	386	365	416	810	601
Vealer Heifer														
200-280	RS	D	1	6	125.0	- 151.0	133.7	N/Q	-			288	- 378	318
280-330		C	2	9	182.0	- 195.0	186.3	-18	343	- 368	352	601	- 644	615
	FD	C	2	15	176.0	- 195.0	187.9	-4	-			563	- 644	614
		C	3	2	203.0	- 203.0	203.0	N/Q	373	- 373	373	670	- 670	670
	RS	D	2	6	175.0	- 175.0	175.0	N/Q	-			525	- 525	525
		D	3	1	170.0	- 170.0	170.0	N/Q	321	- 321	321	561	- 561	561
330+	FD	C	2	8	195.0	- 195.0	195.0	N/Q	-			663	- 663	663
		C	2	4	204.0	- 204.0	204.0	N/Q	374	- 374	374	694	- 694	694
		C	3	10	235.0	- 235.0	235.0	N/Q	427	- 427	427	799	- 799	799
				61	125.0	235.0	191.0		321	427	385	288	799	619
Yearling Steer														
330-400		B	2	6	212.0	- 212.0	212.0	-6	375	- 375	375	816	- 816	816

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	1	2	170.0	- 170.0	170.0	N/Q	-			578	- 578	578
	RS	C	1	12	158.0	- 167.0	165.5	N/Q	-			577	- 668	653
	FD	C	2	44	188.0	- 210.0	197.9	5	-			731	- 752	740
		C	3	28	200.0	- 210.0	206.4	-6	357	- 385	371	800	- 840	826
	RS	D	2	4	135.0	- 135.0	135.0	N/Q	-			452	- 452	452
		B	2	24	208.0	- 211.0	208.6	-5	368	- 374	370	874	- 928	904
	RS	C	1	8	165.0	- 165.0	165.0	N/Q	-			767	- 767	767
	FD	C	2	11	170.0	- 180.0	172.7	N/Q	-			714	- 756	725
		C	3	20	198.0	- 205.0	200.8	-1	350	- 366	357	953	- 990	975
					159	135.0	212.0	194.1	350	385	367	452	990	797
Yearling Heifer														
0-330	RS	D	1	5	120.0	- 120.0	120.0	N/Q	-			360	- 360	360
330-400	PC	C	2	1	145.0	- 145.0	145.0	N/Q	290	- 290	290	529	- 529	529
	FD	C	2	27	175.0	- 198.0	178.4	15	-			613	- 713	627
	RS	C	2	9	170.0	- 170.0	170.0	N/Q	-			578	- 578	578
		C	3	15	193.0	- 199.0	195.0	-1	354	- 355	355	733	- 746	738
		D	1	3	111.0	- 111.0	111.0	N/Q	247	- 247	247	444	- 444	444
	RS	D	1	1	106.0	- 106.0	106.0	N/Q	-			382	- 382	382
	RS	D	2	20	135.0	- 145.0	143.0	3	-			486	- 544	532
		D	2	4	135.0	- 135.0	135.0	-1	284	- 284	284	506	- 506	506
		D	3	17	130.0	- 153.0	151.6	N/Q	271	- 294	293	520	- 574	571
400+		C	2	6	163.0	- 165.0	164.0	N/Q	308	- 311	309	685	- 726	705
	RS	C	2	16	155.0	- 155.0	155.0	N/Q	-			651	- 651	651
		C	3	19	183.0	- 200.0	185.2	5	336	- 357	339	818	- 851	837
	PC	C	3	1	170.0	- 170.0	170.0	N/Q	312	- 312	312	748	- 748	748
		D	2	13	138.0	- 147.0	144.9	N/Q	288	- 306	302	607	- 684	666
	RS	D	2	12	148.0	- 148.0	148.0	N/Q	-			622	- 622	622
	PC	D	3	12	142.0	- 148.0	146.0	N/Q	296	- 296	296	611	- 666	648
		D	3	12	150.0	- 150.0	150.0	N/Q	286	- 286	286	630	- 630	630
		D	4	1	150.0	- 150.0	150.0	N/Q	278	- 278	278	698	- 698	698
					194	106.0	200.0	159.5	247	357	310	360	851	634
Grown Steer														
400-500		B	2	16	181.0	- 181.0	181.0	N/Q	332	- 332	332	905	- 905	905
		C	2	12	165.0	- 182.0	173.5	N/Q	311	- 337	324	726	- 865	795
	PC	C	2	16	175.0	- 175.0	175.0	N/Q	318	- 318	318	849	- 849	849
	PC	C	3	1	175.0	- 175.0	175.0	N/Q	313	- 313	313	875	- 875	875
500-600		C	2	21	160.0	- 180.0	177.5	8	305	- 333	329	896	- 1008	981
		C	3	21	173.0	- 188.0	185.1	2	315	- 345	335	995	- 1053	1029
600-750		C	3	7	172.0	- 175.0	174.6	N/Q	313	- 318	317	1066	- 1138	1127
					94	160.0	188.0	178.6	305	345	327	726	1138	942
Grown Heifer														
0-540		C	2	24	150.0	- 154.0	152.0	N/Q	289	- 291	290	713	- 750	736
		C	3	23	150.0	- 162.0	157.8	-12	278	- 297	291	770	- 790	782
	RS	D	2	7	145.0	- 145.0	145.0	N/Q	-			674	- 674	674
		D	3	3	145.0	- 150.0	148.3	10	274	- 283	280	703	- 750	734

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	3	4	165.0	- 172.0	166.8	N/Q	303	- 307	304	932	- 963	940
		C	4	10	155.0	- 155.0	155.0	N/Q	287	- 287	287	853	- 853	853
			71		145.0	172.0	154.3		274	307	290	674	963	773
Manufacturing Steer														
0-540	RS	C	1	7	135.0	- 135.0	135.0	N/Q		-		567	- 567	567
		C	2	21	141.0	- 162.0	155.8	6	294	- 324	313	620	- 702	675
	RS	D	1	7	141.0	- 141.0	141.0	N/Q		-		599	- 599	599
	RS	D	2	16	135.0	- 135.0	135.0	N/Q		-		506	- 506	506
540+		C	3	8	165.0	- 165.0	165.0	N/Q	300	- 300	300	990	- 990	990
			59		135.0	165.0	147.2		294	324	310	506	990	650
Cows														
0-400		D	1	3	110.0	- 110.0	110.0	N/Q	256	- 256	256	413	- 413	413
400-520		D	1	25	95.0	- 114.5	112.2	-10	226	- 257	254	447	- 527	517
	RS	D	1	14	140.0	- 140.0	140.0	N/Q		-		623	- 623	623
		D	2	39	118.0	- 138.0	132.7	-3	262	- 297	290	561	- 641	617
		D	3	6	137.0	- 137.0	137.0	N/Q	292	- 292	292	712	- 712	712
	PC	D	3	4	132.0	- 132.0	132.0	N/Q	287	- 287	287	660	- 660	660
		E	2	3	96.0	- 96.0	96.0	N/Q	229	- 229	229	442	- 442	442
520+		C	2	44	141.0	- 147.0	144.3	8	288	- 303	295	797	- 845	817
		C	3	47	145.0	- 148.0	147.1	2	279	- 282	281	783	- 888	864
	PC	C	3	5	144.0	- 144.0	144.0	N/Q	277	- 277	277	864	- 864	864
		C	4	19	147.0	- 147.0	147.0	N/Q	283	- 283	283	911	- 911	911
		C	5	12	145.0	- 145.0	145.0	4	276	- 276	276	943	- 943	943
		D	2	27	135.0	- 140.0	137.3	9	292	- 294	293	756	- 784	769
		D	3	40	137.0	- 142.0	139.5	1	284	- 292	288	767	- 880	815
		D	4	50	142.0	- 148.0	144.8	3	276	- 300	284	828	- 957	919
	PC	D	4	7	135.0	- 135.0	135.0	-7	278	- 278	278	776	- 776	776
		D	5	7	146.0	- 146.0	146.0	N/Q	276	- 276	276	986	- 986	986
		D	6	5	128.0	- 137.0	131.6	N/Q	244	- 254	248	918	- 973	951
			357		95.0	148.0	138.9		226	303	283	413	986	787
Bulls														
0-450		B	1	2	154.0	- 186.0	170.0	N/Q	280	- 332	306	593	- 679	636
	FD	B	1	2	156.0	- 156.0	156.0	N/Q		-		546	- 546	546
	FD	C	1	1	151.0	- 151.0	151.0	N/Q		-		566	- 566	566
	RS	C	1	4	138.0	- 140.0	139.0	-13		-		552	- 616	584
	RS	C	2	4	148.0	- 148.0	148.0	N/Q		-		592	- 592	592
450-600		A	1	1	155.0	- 155.0	155.0	N/Q	267	- 267	267	868	- 868	868
		B	1	1	145.0	- 145.0	145.0	N/Q	259	- 259	259	812	- 812	812
		B	2	1	170.0	- 170.0	170.0	N/Q	298	- 298	298	952	- 952	952
	PC	B	2	2	155.0	- 155.0	155.0	N/Q	274	- 274	274	930	- 930	930
		C	1	1	110.0	- 110.0	110.0	N/Q	229	- 229	229	616	- 616	616
	RS	C	2	2	145.0	- 158.0	151.5	N/Q		-		689	- 790	739
		C	2	2	135.0	- 148.0	141.5	N/Q	250	- 274	262	675	- 740	708
		D	1	1	115.0	- 115.0	115.0	N/Q	240	- 240	240	661	- 661	661

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+		B	1	5	136.0	- 138.0	136.8	N/Q	247	- 251	249	1088	- 1408	1216
		B	2	9	142.0	- 158.0	147.0	-10	249	- 277	259	1278	- 1359	1299
		C	1	11	120.0	- 135.0	129.3	4	222	- 250	241	914	- 1373	1083
		C	2	4	128.0	- 132.0	130.5	N/Q	237	- 244	242	845	- 1040	926
		D	1	1	100.0	- 100.0	100.0	N/Q	208	- 208	208	960	- 960	960
				54	100.0	186.0	140.6		208	332	253	546	1408	938

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.