

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 26 Jun 2012

Yarding Change 910
-318

comparison date 19/06/2012

Numbers fell by 25% and young cattle dominated the selling pens. A fair panel of buyers was present, however not all the major export processors were in attendance. Young cattle generally sold to strong competition with some classes improving in value. Bullocks to export slaughter averaged 1c better, and cows also gained ground in price to average 3c to 4c/kg dearer.

A large number of calves returned to the paddock at 216c with a few to 239.2c/kg. The vast majority of vealer steers also sold to restockers at an average of 215c with sales to 228.2c/kg. A small selection of vealer heifers improved in value to average 206c with some to local butchers reaching 228.2c/kg. Medium weight yearling steers to feed also lifted in price with most from 205c to 211c the occasional pen reaching 220.2c/kg. Medium and heavy weight classes to the local trade market averaged 1c to 7c/kg better. The medium weights made to 216.6c to average 213c, the occasional heavy weight made to 212.2c/kg. The improved demand for the vealer heifers flowed onto lightweight yearling heifers. Feeder descriptions averaged 2c dearer at 189c and some supplementary fed lines made to 227.2c to average 220c/kg.

A small sample of heavy steers to export slaughter averaged 179c and made to 181.6c/kg. Bullocks averaged 176c and made to 183.6c/kg. Medium weight 2 score cows averaged 120c and made to 125c/kg. Good heavy cows made to 158.2c to average 146c/kg, with some returning \$1135/head. Heavy Bulls made to 168.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Calves																
0-80	RS	C	1	8	200.0	- 213.2	209.9	N/Q	-	-	-	80	-	96	92	
80+	RS	C	2	177	198.2	- 239.2	216.5	-4	-	-	-	195	-	412	333	
		C	2	3	195.2	- 195.2	195.2	-6	368	-	368	368	322	-	322	322
	RS	D	2	15	187.2	- 192.2	188.8	N/Q	-	-	-	234	-	317	255	
				203	187.2	239.2	213.9		368	368	368	80	412	318		
Vealer Steer																
200-280		C	2	1	210.2	- 210.2	210.2	N/Q	382	-	382	382	452	-	452	452
	RS	C	2	48	200.0	- 228.2	214.8	-4	-	-	-	464	-	589	498	
	RS	D	2	3	175.0	- 180.0	178.3	N/Q	-	-	-	411	-	423	419	
280-330	RS	C	2	2	223.2	- 223.2	223.2	N/Q	-	-	-	636	-	636	636	
	FD	C	2	2	205.2	- 215.2	210.2	N/Q	-	-	-	613	-	616	614	
		D	3	1	192.2	- 192.2	192.2	N/Q	350	-	350	350	577	-	577	577
330+		C	3	1	214.2	- 214.2	214.2	N/Q	390	-	390	390	803	-	803	803
				58	175.0	228.2	212.5		350	390	374	411	803	508		
Vealer Heifer																
200-280		C	2	12	201.2	- 212.2	206.5	4	373	-	393	382	457	-	584	526
	FD	C	2	2	209.2	- 209.2	209.2	N/Q	-	-	-	492	-	492	492	
		D	2	3	186.2	- 186.2	186.2	N/Q	345	-	345	345	438	-	438	438
280-330		C	2	6	200.0	- 200.0	200.0	N/Q	370	-	370	370	570	-	590	577
	FD	C	2	6	202.2	- 202.2	202.2	N/Q	-	-	-	576	-	576	576	
		C	3	10	200.2	- 228.2	210.7	-1	371	-	423	390	571	-	719	628
330+		C	3	9	209.2	- 218.0	213.2	3	387	-	404	395	702	-	730	719
				48	186.2	228.2	206.1		345	423	383	438	730	589		
Yearling Steer																
0-330	FD	C	2	3	221.2	- 221.2	221.2	18	-	-	-	653	-	653	653	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	37	206.4	- 222.2	215.0	7	-			442	- 609	536
	RS	D	2	10	192.2	- 192.2	192.2	16	-			432	- 432	432
	FD	C	2	45	196.2	- 215.2	204.9	1	-			674	- 767	720
		C	3	16	208.2	- 216.6	213.0	7	379	- 394	387	710	- 834	774
	FD	C	3	31	195.2	- 220.2	211.1	11	-			667	- 844	766
400+	FD	D	2	8	140.0	- 188.2	169.1	-9	-			511	- 675	596
	FD	C	3	10	180.2	- 195.0	188.0	-10	-			784	- 848	830
		C	3	12	181.6	- 212.2	190.7	1	330	- 386	347	785	- 902	826
	FD	D	3	2	171.6	- 174.2	172.9	N/Q	-			740	- 746	743
				174	140.0	222.2	204.5		330	394	370	432	902	685
Yearling Heifer														
0-330		C	2	9	190.0	- 196.2	192.5	1	352	- 363	356	542	- 579	555
	FD	C	2	30	180.0	- 199.2	189.7	2	-			403	- 561	455
	RS	C	2	4	184.2	- 184.2	184.2	-13	-			553	- 553	553
	FD	C	3	4	194.2	- 194.2	194.2	N/Q	-			573	- 573	573
		C	3	17	210.0	- 227.2	220.0	N/Q	389	- 421	408	662	- 704	682
	FD	D	2	8	169.2	- 169.2	169.2	-6	-			508	- 508	508
		D	2	8	163.2	- 180.0	175.8	N/Q	302	- 333	326	384	- 423	413
330-400	FD	C	2	19	194.2	- 198.2	197.4	6	-			694	- 728	701
	FD	C	3	14	181.2	- 200.2	195.6	N/Q	-			607	- 691	673
		C	3	4	190.0	- 195.2	192.6	14	352	- 362	357	637	- 673	660
	FD	D	2	20	134.2	- 174.2	160.9	N/C	-			450	- 653	575
	RS	D	2	5	140.0	- 146.2	142.5	N/Q	-			511	- 534	520
400+	FD	D	3	1	176.2	- 176.2	176.2	N/Q	-			590	- 590	590
		C	3	3	195.0	- 198.2	197.1	N/Q	361	- 367	365	848	- 862	858
	FD	C	3	8	178.0	- 178.2	178.1	N/Q	-			783	- 784	784
	FD	D	3	2	168.0	- 168.0	168.0	N/Q	-			739	- 739	739
					156	134.2	227.2	186.9		302	421	372	384	862
Grown Steer														
400-500	FD	C	3	11	172.2	- 175.0	173.5	N/Q	-			709	- 866	802
500-600	FD	C	3	5	167.4	- 167.4	167.4	N/Q	-			896	- 896	896
		C	4	9	178.2	- 181.6	179.7	-1	318	- 324	321	1007	- 1081	1040
	RS	D	2	3	118.0	- 118.0	118.0	N/Q	-			620	- 620	620
600-750		D	3	1	154.2	- 154.2	154.2	N/Q	280	- 280	280	871	- 871	871
		C	3	2	164.2	- 164.2	164.2	N/Q	299	- 299	299	1059	- 1059	1059
		C	4	59	175.6	- 183.6	176.0	1	314	- 328	314	1089	- 1175	1124
				90	118.0	183.6	173.1		280	328	314	620	1175	1043
Grown Heifer														
0-540		D	2	1	120.0	- 120.0	120.0	N/Q	250	- 250	250	522	- 522	522
		D	3	2	128.0	- 134.2	131.1	N/Q	242	- 253	247	538	- 570	554
540+		C	4	2	160.0	- 165.2	162.6	N/Q	302	- 312	307	904	- 933	919
				5	120.0	165.2	141.4		242	312	272	522	933	693
Manufacturing Steer														
540+		C	3	3	165.2	- 165.2	165.2	N/Q	300	- 300	300	1049	- 1049	1049
				3	165.2	165.2	165.3		300	300	300	1049	1049	1049

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Cows														
0-400		D	1	2	90.2	- 92.2	91.2	N/Q	251	- 256	253	361	- 364	363
	RS	D	1	1	93.2	- 93.2	93.2	N/C	-			368	- 368	368
	DA	D	1	1	88.2	- 88.2	88.2	N/Q	245	- 245	245	348	- 348	348
	RS	D	2	1	110.0	- 110.0	110.0	N/Q	-			435	- 435	435
		D	2	1	110.0	- 110.0	110.0	N/Q	262	- 262	262	435	- 435	435
		D	4	1	93.2	- 93.2	93.2	N/Q	259	- 259	259	368	- 368	368
	RS	E	1	6	68.2	- 84.2	76.2	10	-			249	- 316	282
		E	1	1	50.0	- 50.0	50.0	N/Q	139	- 139	139	173	- 173	173
	DA	E	1	1	76.2	- 76.2	76.2	N/Q	212	- 212	212	278	- 278	278
400-520	RS	D	1	8	108.2	- 117.2	112.7	8	-			460	- 504	482
		D	1	9	80.0	- 113.2	107.4	-1	222	- 314	298	340	- 522	470
		D	2	24	115.2	- 125.0	120.8	3	274	- 298	288	513	- 578	538
		D	3	7	133.2	- 135.2	134.9	3	272	- 276	275	629	- 656	650
		D	4	5	138.0	- 145.0	143.6	7	271	- 284	282	669	- 674	673
520+	DA	D	1	9	105.2	- 110.0	106.8	N/Q	292	- 306	297	605	- 633	614
	DA	D	2	9	121.2	- 127.2	125.9	N/Q	289	- 303	300	719	- 731	726
		D	2	3	120.0	- 128.2	125.1	4	286	- 305	298	654	- 699	674
	DA	D	3	8	129.2	- 136.2	133.6	N/Q	264	- 278	273	775	- 878	840
		D	3	5	128.0	- 136.6	130.9	-3	261	- 279	267	696	- 731	703
		D	4	21	138.0	- 158.2	146.3	4	271	- 310	287	809	- 1135	918
		D	5	5	126.2	- 133.2	129.0	N/Q	258	- 272	263	757	- 766	761
				128	50.0	158.2	121.9		139	314	283	173	1135	634
Bulls														
0-450	FD	C	2	1	134.2	- 134.2	134.2	N/Q	-			604	- 604	604
	RS	C	3	3	157.2	- 157.2	157.2	-3	-			621	- 621	621
	FD	C	3	3	135.2	- 135.2	135.2	-24	-			588	- 588	588
		C	3	1	150.0	- 150.0	150.0	N/Q	273	- 273	273	638	- 638	638
		D	1	1	100.0	- 100.0	100.0	N/Q	182	- 182	182	435	- 435	435
	FD	D	2	3	115.0	- 123.2	120.5	10	-			466	- 536	513
450-600		C	3	2	139.2	- 140.0	139.6	N/Q	250	- 253	252	689	- 791	740
600+		C	3	5	158.2	- 168.2	162.5	6	283	- 300	290	1028	- 1472	1162
	RS	C	3	1	171.2	- 171.2	171.2	N/Q	-			1455	- 1455	1455
				20	100.0	171.2	144.4		182	300	268	435	1472	779

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.