

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 05 Jul 2012

Yarding Change 3365  
1325

comparison date 28/06/2012

Quality remained fair to good and numbers lifted as younger cattle were well represented in the market. Fair percentages of grown steers and heifers together with around 600 cows were offered and the market on average sold firm to 10c/kg dearer and more in some places.

Medium weight vealer steers returning to the paddock sold firm as the same weight heifer portion to the trade lifted 4c/kg. Heavy weight vealers sold to the butchers improved 10c to 12c as the better finished lots ranged from 210c to 236c/kg. Yearling steers to feed and restocker orders lifted 2c to 8c as medium weights sold from 204c to 214c, with the heavy weights ranging from 188c to 212c/kg. The few heavy weights to the trade improved 9c/kg. Yearling heifers to feeder orders lifted 5c as those selling to the butchers reached as high as 240c/kg with lack of numbers improving competition.

Medium weight grown steers to the lot feeders gained 2c as the better finished heavy weights to slaughter lifted 5c to 6c/kg. Heavy grown steers and bullocks ranged from 180c to 206c/kg. The heifer portion sold firm to 5c dearer as the best younger drafts reached 190c/kg. Cows again lifted 3c to 4c as the plainer 2 scores averaged 135c/kg. The better finished 3 and 4 scores ranged from 134c to 154c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
200-280	RS	C	2	54	190.0	- 217.0	207.3	-3	-	-	-	418	- 597	561
	FD	C	2	2	200.0	- 200.0	200.0	N/Q	-	-	-	500	- 500	500
		D	2	20	167.0	- 180.0	170.9	5	334	- 360	342	396	- 434	423
280-330	RS	C	2	55	212.2	- 215.0	213.7	N/C	-	-	-	607	- 679	637
	FD	C	2	37	200.0	- 212.0	208.0	8	-	-	-	570	- 636	620
		C	2	10	180.0	- 195.0	186.0	N/Q	346	- 375	358	513	- 585	542
330+		B	3	2	236.2	- 236.2	236.2	N/Q	422	- 422	422	968	- 968	968
		C	3	7	220.0	- 230.2	224.3	10	400	- 419	408	783	- 836	816
				<b>187</b>	<b>167.0</b>	<b>236.2</b>	<b>205.2</b>		<b>334</b>	<b>422</b>	<b>362</b>	<b>396</b>	<b>968</b>	<b>593</b>
<b>Vealer Heifer</b>														
0-200		C	2	18	182.2	- 182.2	182.2	N/Q	350	- 350	350	328	- 328	328
200-280		C	2	68	170.0	- 190.0	179.0	4	337	- 365	345	370	- 481	436
	FD	C	2	12	191.0	- 191.0	191.0	N/Q	-	-	-	516	- 516	516
280-330		C	2	9	177.2	- 177.2	177.2	N/Q	341	- 341	341	505	- 505	505
	RS	C	2	19	177.0	- 177.0	177.0	N/Q	-	-	-	504	- 504	504
		C	3	17	191.6	- 233.2	200.1	N/Q	369	- 432	383	613	- 746	640
330+	FD	C	2	4	186.2	- 186.2	186.2	N/Q	-	-	-	633	- 633	633
		C	3	20	210.0	- 235.0	221.3	16	394	- 435	414	735	- 895	781
				<b>167</b>	<b>170.0</b>	<b>235.0</b>	<b>187.3</b>		<b>337</b>	<b>435</b>	<b>361</b>	<b>328</b>	<b>895</b>	<b>509</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	28	185.0	- 215.2	207.2	9	-	-	-	574	- 689	655
	RS	C	2	47	190.6	- 213.2	197.9	-6	-	-	-	534	- 682	585
330-400	RS	C	2	107	204.2	- 213.2	212.3	2	-	-	-	708	- 753	737
	FD	C	2	61	195.0	- 213.2	205.1	6	-	-	-	683	- 757	734
	RS	C	3	7	214.0	- 214.0	214.0	N/Q	-	-	-	813	- 813	813

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	3	1	205.0	- 205.0	205.0	N/Q	380	- 380	380	718	- 718	718
	FD	D	2	1	160.0	- 160.0	160.0	N/Q	-	-	-	560	- 560	560
		C	2	7	166.0	- 166.0	166.0	N/Q	319	- 319	319	681	- 681	681
	FD	C	2	82	198.0	- 212.2	209.0	7	-	-	-	851	- 955	913
	RS	C	2	118	188.2	- 212.0	205.2	N/Q	-	-	-	772	- 869	852
		C	3	20	204.0	- 211.6	206.8	9	371	- 385	376	882	- 979	934
	FD	D	2	1	160.0	- 160.0	160.0	N/Q	-	-	-	672	- 672	672
				<b>480</b>	<b>160.0</b>	<b>215.2</b>	<b>206.3</b>		<b>319</b>	<b>385</b>	<b>362</b>	<b>534</b>	<b>979</b>	<b>783</b>
<b>Yearling Heifer</b>														
0-330		C	2	5	182.2	- 182.2	182.2	N/Q	357	- 357	357	510	- 510	510
	FD	C	2	91	175.0	- 194.0	185.7	5	-	-	-	540	- 621	588
	RS	C	2	18	195.0	- 195.0	195.0	10	-	-	-	624	- 624	624
	RS	D	2	106	150.0	- 179.6	162.6	-1	-	-	-	390	- 593	465
		D	2	8	155.0	- 155.0	155.0	N/C	310	- 310	310	481	- 481	481
330-400		C	2	10	184.0	- 189.2	188.7	N/Q	354	- 364	363	626	- 662	659
	FD	C	2	51	178.0	- 195.0	187.2	2	-	-	-	605	- 663	637
	RS	C	2	11	179.2	- 179.2	179.2	-3	-	-	-	609	- 609	609
		C	3	61	177.2	- 240.0	217.7	28	341	- 444	407	620	- 816	753
400+	FD	C	2	16	182.0	- 188.2	185.9	-2	-	-	-	772	- 783	776
	RS	C	2	9	177.0	- 180.6	177.4	N/Q	-	-	-	743	- 777	747
	RS	C	3	2	175.0	- 175.0	175.0	N/Q	-	-	-	735	- 735	735
		C	3	11	178.0	- 211.0	184.7	-8	342	- 398	353	730	- 903	768
		D	3	3	170.0	- 170.0	170.0	N/Q	340	- 340	340	689	- 689	689
				<b>402</b>	<b>150.0</b>	<b>240.0</b>	<b>183.9</b>		<b>310</b>	<b>444</b>	<b>384</b>	<b>390</b>	<b>903</b>	<b>605</b>
<b>Grown Steer</b>														
0-400	FD	C	2	24	175.0	- 180.6	176.6	-3	-	-	-	560	- 675	602
	RS	D	2	15	160.0	- 160.0	160.0	N/Q	-	-	-	512	- 512	512
	FD	D	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	589	- 589	589
		D	2	1	126.0	- 126.0	126.0	N/Q	263	- 263	263	441	- 441	441
400-500		C	2	16	168.0	- 175.0	172.2	-9	323	- 337	331	756	- 835	773
	RS	C	2	14	195.0	- 195.0	195.0	30	-	-	-	858	- 858	858
	FD	C	2	63	172.0	- 202.0	190.4	2	-	-	-	722	- 892	839
	FD	C	3	4	185.0	- 199.2	192.1	-2	-	-	-	796	- 916	856
		C	3	84	180.0	- 194.0	184.9	N/Q	333	- 359	342	810	- 892	848
500-600		C	2	10	175.0	- 176.0	175.6	5	337	- 339	338	945	- 968	959
		C	3	134	183.0	- 206.0	198.5	5	339	- 368	357	998	- 1193	1124
		C	4	23	187.0	- 200.0	197.7	8	340	- 357	354	1085	- 1170	1155
600-750		C	3	86	180.2	- 201.6	191.1	5	328	- 362	344	1110	- 1223	1175
		C	4	12	199.8	- 199.8	199.8	14	357	- 357	357	1239	- 1239	1239
				<b>487</b>	<b>126.0</b>	<b>206.0</b>	<b>189.8</b>		<b>263</b>	<b>368</b>	<b>348</b>	<b>441</b>	<b>1239</b>	<b>981</b>
<b>Grown Heifer</b>														
0-540		C	2	66	162.0	- 172.0	166.6	5	338	- 358	347	677	- 740	712
	FD	C	2	8	178.0	- 178.0	178.0	18	-	-	-	605	- 605	605
		C	3	54	165.0	- 182.0	175.5	N/C	330	- 364	351	693	- 802	760
		C	4	10	176.6	- 190.6	189.2	N/Q	353	- 360	359	812	- 1010	990

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	2	9	134.2	- 170.0	146.1	N/Q	-			544	- 595	561
		D	2	31	140.0	- 145.6	145.1	15	311	- 324	323	510	- 588	524
		D	3	2	145.0	- 145.0	145.0	N/Q	302	- 302	302	616	- 616	616
540+		C	3	5	182.0	- 188.2	187.0	10	362	- 364	362	1010	- 1092	1075
		C	4	1	178.0	- 178.0	178.0	N/Q	356	- 356	356	997	- 997	997
					<b>186</b>	<b>134.2</b>	<b>190.6</b>	<b>166.7</b>				<b>302</b>	<b>364</b>	<b>344</b>
									<b>302</b>	<b>364</b>	<b>344</b>	<b>510</b>	<b>1092</b>	<b>708</b>
<b>Manufacturing Steer</b>														
540+		C	3	7	172.0	- 180.2	175.5	N/Q	319	- 334	325	980	- 991	985
					<b>7</b>	<b>172.0</b>	<b>180.2</b>	<b>175.4</b>				<b>319</b>	<b>334</b>	<b>325</b>
									<b>319</b>	<b>334</b>	<b>325</b>	<b>980</b>	<b>991</b>	<b>985</b>
<b>Cows</b>														
0-400		D	1	34	100.0	- 119.2	110.5	-5	278	- 314	296	350	- 441	407
	RS	D	1	7	115.0	- 115.0	115.0	N/Q	-			426	- 426	426
		D	2	25	115.0	- 122.0	120.3	N/Q	281	- 298	294	426	- 427	427
		E	1	1	90.0	- 90.0	90.0	N/Q	257	- 257	257	306	- 306	306
400-520	RS	D	1	10	120.2	- 120.2	120.2	N/Q	-			493	- 493	493
		D	1	19	95.0	- 119.0	107.9	-10	250	- 313	284	431	- 494	478
		D	2	140	125.0	- 148.0	135.5	5	298	- 336	316	525	- 740	631
	RS	D	2	31	127.2	- 133.2	130.1	-2	-			534	- 586	559
		D	3	71	134.0	- 142.0	140.7	N/C	285	- 302	299	602	- 710	662
	DA	E	1	4	80.0	- 80.0	80.0	N/Q	229	- 229	229	336	- 336	336
		E	1	2	60.0	- 60.0	60.0	N/Q	177	- 177	177	241	- 241	241
520+		C	4	52	152.0	- 154.0	153.8	5	298	- 308	307	988	- 1001	1000
		D	2	24	130.0	- 135.0	134.6	-5	307	- 314	310	715	- 729	722
		D	3	104	140.0	- 150.0	144.9	2	296	- 313	303	770	- 921	831
		D	4	22	145.0	- 152.0	149.5	3	302	- 317	311	798	- 1080	878
		D	5	6	140.0	- 145.0	140.8	-1	298	- 309	300	840	- 1044	874
					<b>552</b>	<b>60.0</b>	<b>154.0</b>	<b>135.5</b>				<b>177</b>	<b>336</b>	<b>304</b>
									<b>177</b>	<b>336</b>	<b>304</b>	<b>241</b>	<b>1080</b>	<b>682</b>
<b>Bulls</b>														
0-450		C	2	196	140.0	- 186.0	160.7	N/C	258	- 344	295	396	- 711	555
	RS	C	2	31	178.2	- 181.0	179.6	9	-			398	- 428	413
450-600		C	2	5	140.0	- 140.0	140.0	-8	255	- 255	255	728	- 728	728
600+		B	2	6	160.0	- 165.0	161.5	-3	275	- 279	277	1360	- 1733	1455
		C	2	9	136.0	- 155.0	146.8	-1	247	- 277	263	884	- 1085	956
					<b>247</b>	<b>136.0</b>	<b>186.0</b>	<b>162.2</b>				<b>247</b>	<b>344</b>	<b>292</b>
									<b>247</b>	<b>344</b>	<b>292</b>	<b>396</b>	<b>1733</b>	<b>577</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.