

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba Elders

report date 30 Jul 2012

Yarding Change $\frac{936}{392}$

comparison date 23/07/2012

Numbers continued to rise and overall quality was mixed. Young cattle received very strong support from restockers, feeder operators and the trade. Despite one export processor absent from the buying panel heavy steers, bullocks and cows generally sold to a firm market.

Poor condition lightweight calves sold to restockers at 241.2c with most at 214c/kg. A handful of vealer heifers to local and southern processors averaged 208c with some to butchers at 219.2c/kg. A good selection of lightweight yearling steers generally sold to feeder operators and restockers with most in the early 220c range with some to 234.2c/kg. Medium weight yearling steers to feed averaged from 204c to 220c with some well-bred lines to 231.2c/kg. Heavy weights to the trade averaged close to 200c and made to 221.2c/kg. A good supply of lightweight yearling heifers to feed averaged 200c and slaughter lines were 196c with sales to 206.2c/kg. Medium weights to feed averaged 199c, while a good sample of supplementary fed lines sold to the trade 9c dearer at 211c and up to 219.2c/kg.

Heavy steers to export slaughter averaged 182c and made to 185.2c/kg. Bullocks mostly sold around 182c with sales to 183.2c/kg.

Medium weight 2 score cows averaged 129c and sold to 135.2c, while the 3 scores averaged 137c/kg. Good heavy cows made to 160c with most at 147c/kg. Heavy Bulls made to 147.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	1	10	241.2	- 241.2	241.2	N/Q	-			302	- 302	302
	RS	C	2	41	208.2	- 219.2	214.3	N/Q	-			305	- 406	378
		C	2	8	206.2	- 206.2	206.2	N/Q	389	- 389	389	381	- 381	381
		D	2	7	188.2	- 188.2	188.2	12	355	- 355	355	329	- 329	329
				66	188.2	241.2	214.6		355	389	373	302	406	362
Vealer Steer														
280-330		C	3	11	210.2	- 210.2	210.2	N/Q	382	- 382	382	620	- 620	620
				11	210.2	210.2	210.2		382	382	382	620	620	620
Vealer Heifer														
200-280		C	2	16	205.0	- 212.0	208.6	5	380	- 393	386	461	- 517	494
	FD	C	2	6	207.2	- 207.2	207.2	N/Q	-			487	- 487	487
280-330		C	3	4	219.2	- 219.2	219.2	N/Q	406	- 406	406	647	- 647	647
				26	205.0	219.2	209.9		380	406	390	461	647	516
Yearling Steer														
0-330	FD	C	2	48	203.2	- 230.2	221.0	N/Q	-			541	- 667	608
	RS	C	2	36	203.2	- 234.2	221.7	30	-			473	- 559	520
	RS	D	1	7	115.2	- 129.2	117.2	N/Q	-			271	- 388	287
		D	2	13	194.2	- 195.2	194.9	N/Q	353	- 355	354	439	- 456	444
	FD	D	2	1	170.0	- 170.0	170.0	N/C	-			400	- 400	400
330-400	FD	C	2	35	198.2	- 227.2	204.0	4	-			722	- 829	741
	FD	C	3	22	190.2	- 231.2	220.8	N/Q	-			751	- 867	834
		C	3	1	200.2	- 200.2	200.2	N/Q	364	- 364	364	791	- 791	791
		D	1	10	129.2	- 129.2	129.2	N/Q	235	- 235	235	472	- 472	472
	FD	D	1	2	139.2	- 139.2	139.2	N/Q	-			508	- 508	508

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	D	2	4	175.0	- 186.2	177.8	N/Q	-			639	- 680	649
	FD	C	3	9	179.2	- 190.0	182.8	N/Q	-			762	- 808	787
		C	3	26	190.0	- 221.2	199.9	-11	346	- 402	364	838	- 1045	922
	GF	C	3	9	190.2	- 194.2	192.0	N/Q	346	- 353	349	884	- 903	893
		D	3	2	181.2	- 181.2	181.2	N/Q	330	- 330	330	843	- 843	843
				225	115.2	234.2	202.3		235	402	337	271	1045	668
Yearling Heifer														
0-330	FD	C	2	40	190.0	- 204.2	200.8	20	-			463	- 610	506
		C	2	38	180.2	- 206.2	196.3	3	334	- 382	364	423	- 498	467
		C	3	2	215.0	- 215.0	215.0	N/Q	398	- 398	398	570	- 570	570
		D	2	13	153.2	- 195.2	176.2	N/Q	284	- 362	326	406	- 478	455
330-400	FD	D	2	7	181.2	- 193.2	186.3	N/Q	-			454	- 498	479
	RS	D	2	11	170.2	- 179.2	176.4	N/Q	-			437	- 451	441
		C	2	5	192.2	- 192.2	192.2	1	356	- 356	356	721	- 721	721
	FD	C	3	28	180.0	- 211.2	199.0	N/Q	-			654	- 729	684
		C	3	69	190.0	- 219.2	211.5	9	352	- 406	392	694	- 822	765
		D	2	2	142.2	- 164.2	153.2	N/Q	263	- 304	284	533	- 632	583
		D	3	4	156.2	- 175.0	170.3	N/Q	289	- 324	315	586	- 601	590
	400+	C	3	4	180.2	- 185.6	184.3	-14	334	- 344	341	784	- 789	788
400+	FD	C	3	3	190.2	- 190.2	190.2	N/Q	-			827	- 827	827
	GF	D	3	11	179.2	- 179.2	179.2	N/Q	332	- 332	332	797	- 797	797
		D	3	6	147.2	- 157.2	155.5	N/Q	273	- 291	288	655	- 707	699
					243	142.2	219.2	196.6		263	406	365	406	827
Grown Steer														
400-500	FD	C	3	8	180.0	- 180.0	180.0	-10	-			783	- 783	783
		D	2	1	149.2	- 149.2	149.2	N/Q	271	- 271	271	634	- 634	634
500-600		C	3	1	167.2	- 167.2	167.2	N/Q	304	- 304	304	945	- 945	945
		C	4	19	179.2	- 185.2	182.1	-6	320	- 331	325	1012	- 1060	1040
600-750		C	3	15	150.0	- 173.2	166.5	N/Q	268	- 315	301	1028	- 1273	1101
		C	4	21	181.2	- 183.2	182.1	1	324	- 327	325	1136	- 1347	1191
		C	5	1	170.0	- 170.0	170.0	N/Q	309	- 309	309	1250	- 1250	1250
				66	149.2	185.2	177.4		268	331	317	634	1347	1066
Grown Heifer														
0-540		C	4	1	163.2	- 163.2	163.2	N/Q	308	- 308	308	873	- 873	873
		D	2	6	126.2	- 138.2	134.9	N/Q	263	- 288	281	549	- 601	587
		D	3	6	145.2	- 151.2	146.7	N/Q	274	- 285	278	675	- 809	700
540+		C	4	1	162.2	- 162.2	162.2	N/Q	312	- 312	312	1030	- 1030	1030
					14	126.2	163.2	143.9		263	312	284	549	1030
Cows														
0-400	RS	D	1	3	113.2	- 113.2	113.2	N/Q	-			436	- 436	436
	DA	D	1	2	80.2	- 80.2	80.2	N/Q	223	- 223	223	293	- 293	293
400-520	DA	D	1	18	101.2	- 113.2	109.4	N/Q	281	- 314	304	450	- 534	499
		D	1	11	113.0	- 123.2	117.3	N/Q	281	- 342	309	492	- 530	510
		D	2	25	126.2	- 135.2	129.6	2	276	- 312	301	551	- 642	587
	DA	D	2	5	127.2	- 127.2	127.2	11	303	- 303	303	630	- 630	630

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+		D	3	12	135.2	- 140.0	137.7	N/C	276	- 286	281	611	- 679	630
		D	4	3	140.0	- 145.2	142.1	N/Q	275	- 285	279	635	- 690	663
		D	2	1	129.2	- 129.2	129.2	N/Q	308	- 308	308	691	- 691	691
	DA	D	2	14	123.2	- 130.2	127.6	3	264	- 310	298	653	- 775	723
	DA	D	3	6	134.2	- 135.2	134.7	N/Q	274	- 276	275	798	- 845	822
		D	3	14	132.2	- 140.2	137.6	N/Q	270	- 286	281	701	- 806	768
		D	4	21	141.2	- 160.0	147.0	-7	277	- 314	288	755	- 920	812
		D	5	12	130.0	- 141.2	138.2	N/Q	265	- 288	282	696	- 847	785
				147	80.2	160.0	130.0		223	342	292	293	920	659
Bulls														
0-450	RS	C	2	4	203.2	- 203.2	203.2	N/Q	-	-	-	457	- 457	457
	RS	C	3	1	161.2	- 161.2	161.2	N/Q	-	-	-	645	- 645	645
450-600		C	3	2	149.2	- 172.2	160.7	N/Q	271	- 308	289	649	- 732	690
		D	2	4	199.2	- 199.2	199.2	N/Q	362	- 362	362	408	- 408	408
		C	3	1	155.2	- 155.2	155.2	N/Q	277	- 277	277	722	- 722	722
		D	2	1	130.2	- 130.2	130.2	N/Q	237	- 237	237	644	- 644	644
600+		C	2	1	138.2	- 138.2	138.2	N/Q	251	- 251	251	967	- 967	967
		C	3	1	147.2	- 147.2	147.2	N/Q	263	- 263	263	935	- 935	935
		C	5	1	139.2	- 139.2	139.2	N/Q	253	- 253	253	954	- 954	954
				16	130.2	203.2	175.1		237	362	301	408	967	607

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.