

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 28 Aug 2012

Yarding Change ¹⁰⁶⁴
124

comparison date 21/08/2012

The larger yarding contained a good mix of most classes. A full panel of buyers were present and all were operating. Young cattle varied in price according to quality and restocker activity was not as strong as the previous sale. However well-presented classes to feed and local butchers continued to receive strong demand. Heavy steers and bullocks to export slaughter sold to a market up to 7c/kg dearer. Cows also experienced a dearer trend to improve in price by 2c to 5c/kg.

Calves returning to the paddock made to 220c with most at 199c/kg. Vealer heifers to local butchers made to 232.2c with most from 212c to 216c/kg. Lightweight yearling steers to feed and restockers averaged close to 220c with some to 230.2c/kg. Medium weight yearling steers to feed made to a top of 220c to average 207c/kg. Heavy weights to feed improved 4c to average 195c with some to 201.2c/kg. Wholesalers and supermarkets maintained a strong trend on heavy weight slaughter lines with most at 197c with sales to 207.2c/kg. Lightweight yearling heifers to feed slaughter and restockers averaged in the early 190c/kg range.

Bullocks made to 187.2c to average 185c/kg. Medium weight plain cows averaged 117c and 2 scores 127c with sales to 132.2c/kg. Heavy 3 scores cows averaged 137c and the better condition lines made to 157.2c to average 150c/kg. Heavy Bulls made to 173.6c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	8	190.0	- 209.2	199.3	-5	359	- 395	376	241	- 356	309
		C	2	31	190.0	- 220.2	199.3	-7		-		295	- 407	343
		D	2	3	183.2	- 183.2	183.2	-4	346	- 346	346	266	- 266	266
				42	183.2	220.2	198.1		346	395	368	241	407	331
Vealer Steer														
200-280	FD	C	2	1	200.0	- 200.0	200.0	N/Q		-		470	- 470	470
	RS	C	2	7	196.2	- 205.0	201.2	-6		-		472	- 520	492
	RS	D	2	1	197.2	- 197.2	197.2	N/C		-		463	- 463	463
280-330		C	2	1	214.2	- 214.2	214.2	N/Q	390	- 390	390	632	- 632	632
		C	3	3	212.2	- 219.2	216.2	-14	386	- 399	393	626	- 658	641
330+		C	3	3	216.2	- 216.2	216.2	N/Q	393	- 393	393	789	- 789	789
				16	196.2	219.2	207.3		386	399	393	463	789	581
Vealer Heifer														
0-200	FD	C	2	3	201.2	- 201.2	201.2	N/Q		-		109	- 109	109
200-280	FD	C	2	3	196.2	- 200.0	198.7	N/Q		-		520	- 530	527
		C	2	2	210.2	- 214.2	212.2	N/Q	389	- 397	393	568	- 578	573
		C	3	10	209.2	- 232.2	212.6	-6	387	- 430	394	498	- 639	540
280-330		C	3	16	213.2	- 221.2	216.8	-3	395	- 410	402	610	- 708	644
				34	196.2	232.2	212.3		387	430	398	109	708	552
Yearling Steer														
0-330	FD	C	2	33	215.2	- 225.2	220.4	4		-		507	- 652	558
	RS	C	2	26	203.2	- 230.2	219.1	12		-		457	- 506	494
	RS	D	2	6	174.2	- 195.2	184.7	11		-		517	- 575	546
		D	2	3	171.2	- 171.2	171.2	-9	317	- 317	317	385	- 385	385
	FD	D	2	17	190.0	- 195.0	192.9	N/Q		-		447	- 517	481

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330-400		C	2	5	210.0	- 210.0	210.0	N/Q	382	- 382	382	704	- 704	704	
	FD	C	2	80	194.2	- 220.0	207.2	-14		-		681	- 795	737	
		C	3	6	205.0	- 210.0	208.4	-7	373	- 382	379	698	- 725	708	
	FD	C	3	38	208.0	- 218.2	212.3	-5		-		731	- 821	783	
	FD	D	2	5	183.2	- 190.0	186.1	1		-		617	- 694	654	
400+	FD	C	2	1	197.2	- 197.2	197.2	N/Q		-		818	- 818	818	
	FD	C	3	51	184.2	- 201.2	195.4	4		-		800	- 946	875	
		C	3	59	188.2	- 207.2	196.9	1	342	- 377	358	799	- 1069	920	
	FD	D	3	2	175.0	- 175.0	175.0	N/Q		-		744	- 744	744	
					332	171.2	230.2	204.4		317	382	360	385	1069	737
Yearling Heifer															
0-330		C	2	34	185.0	- 197.2	192.4	N/C	343	- 365	356	435	- 461	448	
	FD	C	2	29	183.2	- 198.2	193.8	3		-		390	- 575	466	
	RS	C	2	29	185.0	- 197.2	192.0	N/C		-		379	- 447	423	
		C	3	8	205.0	- 210.0	207.4	N/Q	380	- 389	384	543	- 620	576	
	FD	D	2	10	169.2	- 175.0	170.9	1		-		411	- 415	414	
		D	2	4	130.0	- 130.0	130.0	-43	241	- 241	241	429	- 429	429	
330-400		C	2	2	183.2	- 183.2	183.2	N/Q	339	- 339	339	632	- 632	632	
	FD	C	2	9	180.0	- 193.2	188.8	5		-		603	- 725	684	
		C	3	14	196.2	- 221.2	205.0	-3	363	- 410	380	727	- 789	762	
	FD	C	3	14	187.2	- 196.2	194.9	2		-		721	- 736	734	
	FD	D	2	28	139.2	- 175.0	152.1	-11		-		508	- 586	539	
	RS	D	2	8	141.2	- 141.2	141.2	-28		-		530	- 530	530	
	FD	D	3	3	175.0	- 175.0	175.0	N/Q		-		656	- 656	656	
		D	3	4	169.2	- 175.2	172.2	N/Q	313	- 324	319	651	- 657	654	
400+	FD	C	2	12	184.2	- 188.2	186.9	N/Q		-		764	- 819	801	
		C	3	20	190.0	- 206.2	197.3	13	352	- 382	365	827	- 862	846	
	FD	C	3	17	188.2	- 195.2	190.3	N/Q		-		819	- 849	828	
		D	2	5	161.2	- 161.2	161.2	13	299	- 299	299	661	- 661	661	
		D	3	2	160.2	- 160.2	160.2	N/Q	297	- 297	297	681	- 681	681	
					252	130.0	221.2	184.3		241	410	353	379	862	591
Grown Steer															
400-500	FD	D	3	7	175.0	- 175.0	175.0	N/Q		-		831	- 831	831	
500-600		C	3	1	175.2	- 175.2	175.2	N/Q	319	- 319	319	937	- 937	937	
		C	4	13	177.2	- 180.0	178.7	-2	316	- 321	319	1001	- 1017	1010	
600-750		C	3	4	171.2	- 175.2	172.2	N/Q	311	- 319	313	1113	- 1130	1126	
		C	4	26	178.0	- 187.2	185.1	7	318	- 334	331	1129	- 1299	1180	
					51	171.2	187.2	180.9		311	334	325	831	1299	1080
Grown Heifer															
0-540		C	3	4	164.2	- 164.2	164.2	6	316	- 316	316	714	- 714	714	
		C	4	4	166.2	- 174.2	168.7	5	314	- 329	318	773	- 932	840	
		D	3	2	154.2	- 167.2	160.7	N/Q	297	- 322	309	655	- 727	691	
540+		C	4	1	169.6	- 169.6	169.6	N/C	320	- 320	320	924	- 924	924	
					11	154.2	174.2	165.7		297	329	316	655	932	775
Manufacturing Steer															

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		D	2	3	142.0	- 142.0	142.0	N/Q	258	- 258	258	937	- 937	937
				3	142.0	142.0	142.0		258	258	258	937	937	937
Cows														
0-400	RS	D	1	1	100.0	- 100.0	100.0	N/Q	-			365	- 365	365
		D	1	9	90.0	- 105.0	94.2	-4	250	- 292	262	329	- 415	351
		D	2	2	125.0	- 125.0	125.0	N/Q	298	- 298	298	494	- 494	494
		E	1	1	80.0	- 80.0	80.0	N/C	222	- 222	222	300	- 300	300
400-520		D	1	23	93.2	- 125.2	117.6	6	259	- 348	327	433	- 597	519
	RS	D	1	7	96.2	- 128.2	119.1	N/Q	-			418	- 570	527
	DA	D	1	10	85.2	- 113.0	92.5	-18	237	- 314	257	371	- 541	422
	RS	D	2	4	120.2	- 120.2	120.2	-5	-			571	- 571	571
		D	2	33	121.2	- 132.2	126.9	2	289	- 315	302	527	- 614	579
		D	3	13	132.0	- 138.2	135.9	2	269	- 282	277	588	- 656	619
		D	4	2	145.2	- 145.2	145.2	N/C	285	- 285	285	653	- 653	653
520+	DA	D	1	1	120.0	- 120.0	120.0	N/Q	333	- 333	333	642	- 642	642
	DA	D	2	3	130.6	- 130.6	130.6	1	311	- 311	311	699	- 699	699
		D	2	6	131.2	- 131.2	131.2	6	312	- 312	312	702	- 702	702
		D	3	39	131.6	- 140.0	137.1	1	269	- 286	280	726	- 805	758
		D	4	25	142.0	- 157.2	150.3	5	278	- 308	295	760	- 1223	854
		D	5	5	116.2	- 132.6	126.8	-9	237	- 271	259	657	- 709	695
				184	80.0	157.2	127.8		222	348	291	300	1223	635
Bulls														
0-450	FD	C	2	3	179.2	- 179.2	179.2	33	-			511	- 511	511
450-600		C	3	2	150.2	- 160.6	155.4	N/Q	268	- 287	278	849	- 940	894
		D	1	1	132.6	- 132.6	132.6	N/Q	241	- 241	241	656	- 656	656
600+		C	2	3	136.2	- 144.2	139.2	9	248	- 262	253	871	- 953	921
		C	3	10	142.2	- 173.6	162.8	7	254	- 310	291	889	- 1598	1195
				19	132.6	179.2	159.4		241	310	279	511	1598	984

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.