

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Pakenham

report date 17 Sep 2012

Yarding Change  $\frac{802}{200}$

comparison date 10/09/2012

There were approximately 200 grown and 600 trade cattle offered. The usual buying group was present to see a plainer quality yarding. Prices were very mixed but stronger on some sales. The greater proportion of plainer young cattle caused the limited numbers of quality trade cattle to be in strong demand. Light weight trade cattle in store condition dominated the selling pens with feeders and restockers able to secure good numbers.

The best trade quality vealer steers sold from 195c to 263.6c and secondary lines to restockers and feeders from 182c to 216c/kg. The best vealer heifers made between 185c and 244c with secondary lines to restockers and feeders from 152c to 170c/kg. The best yearling grass steers made from 193c to 242c with feeder and restocker lines from 150c to 193c/kg. The best yearling grass fed heifers sold from 180c to 222c with feeder and restocker lines from 125c to 175c/kg.

The 4 score grown steers made between 192c and 205c with the secondary 3 score lines from 173c to 198c/kg. A small number of bullocks sold from 177c to 200c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
0-200		C	2	7	178.6	- 199.6	190.9	N/Q	344	- 370	359	269	- 399	369
	FD	C	2	7	215.6	- 215.6	215.6	N/Q	-	-	-	431	- 431	431
	FD	D	2	2	190.6	- 190.6	190.6	N/Q	-	-	-	305	- 305	305
	RS	D	2	26	201.6	- 201.6	201.6	N/Q	-	-	-	403	- 403	403
200-280	RS	C	2	4	192.0	- 198.0	196.5	N/Q	-	-	-	436	- 461	442
		C	2	21	195.0	- 240.0	222.1	16	361	- 436	406	507	- 648	592
	FD	C	2	8	182.0	- 196.2	194.4	1	-	-	-	400	- 530	514
		C	3	1	248.6	- 248.6	248.6	N/Q	452	- 452	452	696	- 696	696
280-330		C	2	4	185.0	- 214.6	199.9	-1	343	- 397	370	592	- 687	620
	FD	C	2	3	192.0	- 200.0	197.3	8	-	-	-	614	- 640	631
		C	3	14	215.0	- 245.0	237.7	12	391	- 446	430	688	- 792	743
330+		B	3	1	263.6	- 263.6	263.6	N/Q	439	- 439	439	923	- 923	923
		C	2	2	192.0	- 212.0	202.0	N/Q	356	- 393	374	653	- 721	687
		C	3	22	215.0	- 245.0	226.8	-4	391	- 446	412	731	- 858	791
				<b>122</b>	<b>178.6</b>	<b>263.6</b>	<b>213.9</b>		<b>343</b>	<b>452</b>	<b>406</b>	<b>269</b>	<b>923</b>	<b>575</b>
<b>Vealer Heifer</b>														
0-200		C	2	7	185.0	- 215.0	208.1	22	356	- 398	387	370	- 430	416
	FD	D	2	3	162.2	- 162.2	162.2	N/Q	-	-	-	324	- 324	324
	RS	D	2	34	151.6	- 170.0	160.3	N/Q	-	-	-	249	- 319	271
		D	2	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	320	- 320	320
200-280		C	2	10	185.0	- 205.6	196.5	1	341	- 380	361	481	- 574	523
		C	3	1	210.0	- 210.0	210.0	N/Q	389	- 389	389	588	- 588	588
	RS	D	2	3	169.6	- 169.6	169.6	N/Q	-	-	-	475	- 475	475
280-330		C	2	4	185.0	- 210.0	198.8	4	343	- 389	368	592	- 672	636
		C	3	8	215.0	- 231.6	227.3	7	398	- 426	416	645	- 764	711
330+		C	2	1	187.6	- 187.6	187.6	N/Q	347	- 347	347	694	- 694	694
		C	3	11	201.6	- 243.6	226.1	-5	373	- 443	413	726	- 901	804

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				<b>83</b>	<b>151.6</b>	<b>243.6</b>	<b>187.1</b>		<b>308</b>	<b>443</b>	<b>389</b>	<b>249</b>	<b>901</b>	<b>463</b>
<b>Yearling Steer</b>														
0-330		C	2	5	190.0	- 205.6	202.5	N/Q	352	- 381	375	570	- 658	640
	FD	C	2	10	175.6	- 192.6	182.6	N/Q	-			457	- 616	524
	FD	D	2	3	155.0	- 169.6	164.7	N/Q	-			310	- 509	443
330-400		C	2	11	173.6	- 195.0	186.8	2	322	- 362	348	639	- 780	708
	FD	C	2	10	182.6	- 192.0	185.9	-9	-			652	- 752	692
	RS	C	2	16	180.6	- 189.6	188.5	-13	-			686	- 720	716
		C	3	26	195.0	- 242.0	214.9	-1	355	- 432	390	759	- 968	830
	RS	D	2	1	173.6	- 173.6	173.6	N/Q	-			608	- 608	608
	FD	D	2	3	155.0	- 165.0	158.3	N/Q	-			558	- 561	559
400+		C	2	11	180.0	- 190.0	187.1	5	333	- 352	347	756	- 925	840
	FD	C	2	5	164.2	- 185.0	179.4	N/Q	-			739	- 781	770
	RS	C	3	2	189.6	- 189.6	189.6	N/Q	-			796	- 796	796
		C	3	36	192.6	- 233.6	210.3	12	350	- 417	379	865	- 1080	969
		C	4	2	201.6	- 201.6	201.6	N/Q	367	- 367	367	1068	- 1068	1068
	FD	D	2	3	150.0	- 168.0	162.0	N/Q	-			690	- 739	723
		D	2	14	162.6	- 177.6	169.5	N/Q	307	- 335	325	683	- 799	729
				<b>158</b>	<b>150.0</b>	<b>242.0</b>	<b>194.1</b>		<b>307</b>	<b>432</b>	<b>368</b>	<b>310</b>	<b>1080</b>	<b>784</b>
<b>Yearling Heifer</b>														
0-330		C	2	3	195.0	- 195.0	195.0	N/Q	361	- 361	361	546	- 546	546
	FD	C	2	1	175.0	- 175.0	175.0	N/C	-			578	- 578	578
	RS	D	1	1	124.6	- 124.6	124.6	N/Q	-			274	- 274	274
	RS	D	2	5	134.6	- 134.6	134.6	-19	-			350	- 350	350
	FD	D	2	5	134.0	- 164.6	158.5	N/Q	-			362	- 412	402
		D	2	2	140.0	- 165.6	152.8	N/Q	269	- 313	291	420	- 530	475
		D	3	3	163.0	- 185.0	177.7	N/Q	314	- 349	337	489	- 500	496
330-400		C	2	20	166.6	- 192.0	186.7	N/Q	314	- 362	351	633	- 749	707
		C	3	15	188.0	- 221.6	195.9	-4	348	- 410	362	714	- 842	744
	FD	D	2	2	167.6	- 167.6	167.6	N/Q	-			603	- 603	603
	RS	D	2	8	168.6	- 168.6	168.6	31	-			641	- 641	641
		D	2	12	139.6	- 163.6	142.4	2	269	- 309	273	476	- 654	507
		D	3	4	156.0	- 165.6	158.4	-4	294	- 307	297	608	- 662	622
	FD	D	3	3	165.0	- 165.0	165.0	N/Q	-			611	- 611	611
400+	FD	C	2	1	173.6	- 173.6	173.6	N/Q	-			729	- 729	729
		C	2	12	167.0	- 188.0	177.5	-5	321	- 355	334	752	- 801	785
		C	3	44	180.0	- 220.0	197.1	9	331	- 400	363	792	- 1056	896
		C	4	6	180.0	- 186.6	181.1	9	333	- 346	335	990	- 1008	993
		D	2	1	145.6	- 145.6	145.6	N/Q	286	- 286	286	670	- 670	670
		D	3	20	155.0	- 180.0	171.1	5	298	- 346	323	713	- 938	797
				<b>168</b>	<b>124.6</b>	<b>221.6</b>	<b>178.7</b>		<b>269</b>	<b>410</b>	<b>340</b>	<b>274</b>	<b>1056</b>	<b>731</b>
<b>Grown Steer</b>														
500-600		C	2	1	162.2	- 162.2	162.2	N/Q	306	- 306	306	892	- 892	892
		C	3	62	172.6	- 197.6	191.2	3	320	- 366	351	944	- 1125	1071

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	4	54	192.0	- 205.0	198.6	-3	349	- 373	361	1056	- 1200	1140
		C	3	17	180.0	- 191.6	185.3	-8	325	- 348	338	1147	- 1274	1186
		C	4	16	176.6	- 200.0	194.0	2	315	- 364	349	1209	- 1287	1250
				<b>150</b>	<b>162.2</b>	<b>205.0</b>	<b>193.3</b>		<b>306</b>	<b>373</b>	<b>352</b>	<b>892</b>	<b>1287</b>	<b>1127</b>
<b>Grown Heifer</b>														
0-540		D	3	2	155.6	- 165.0	160.3	N/C	299	- 317	308	778	- 825	802
540+		C	4	5	170.0	- 176.2	173.5	N/Q	315	- 333	324	935	- 1001	975
		D	3	6	150.0	- 165.0	159.7	1	289	- 317	307	825	- 990	913
		D	4	11	147.6	- 162.0	152.2	-1	284	- 306	292	886	- 1134	928
		D	5	3	155.0	- 155.0	155.0	N/Q	298	- 298	298	1008	- 1008	1008
				<b>27</b>	<b>147.6</b>	<b>176.2</b>	<b>158.7</b>		<b>284</b>	<b>333</b>	<b>303</b>	<b>778</b>	<b>1134</b>	<b>933</b>
<b>Manufacturing Steer</b>														
0-540		D	2	2	142.0	- 152.0	147.0	N/Q	273	- 292	283	568	- 714	641
540+		C	3	4	170.0	- 174.0	173.0	-5	315	- 322	320	952	- 1044	1021
		D	2	3	166.6	- 166.6	166.6	8	314	- 314	314	916	- 916	916
	DA	D	3	5	150.0	- 170.0	166.0	6	283	- 321	313	952	- 975	957
		D	3	4	146.0	- 171.6	163.2	-4	266	- 324	305	941	- 1460	1100
				<b>18</b>	<b>142.0</b>	<b>174.0</b>	<b>164.9</b>		<b>266</b>	<b>324</b>	<b>310</b>	<b>568</b>	<b>1460</b>	<b>961</b>
<b>Cows</b>														
400-520		D	4	1	140.0	- 140.0	140.0	N/Q	280	- 280	280	728	- 728	728
520+		D	3	6	142.0	- 144.6	142.4	N/Q	284	- 301	287	795	- 852	843
				<b>7</b>	<b>140.0</b>	<b>144.6</b>	<b>142.0</b>		<b>280</b>	<b>301</b>	<b>286</b>	<b>728</b>	<b>852</b>	<b>826</b>
<b>Bulls</b>														
0-450		C	2	7	156.0	- 166.2	164.7	16	300	- 308	307	312	- 332	329
600+		C	3	1	162.0	- 162.0	162.0	N/Q	289	- 289	289	1296	- 1296	1296
				<b>8</b>	<b>156.0</b>	<b>166.2</b>	<b>164.4</b>		<b>289</b>	<b>308</b>	<b>305</b>	<b>312</b>	<b>1296</b>	<b>450</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.