

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 25 Oct 2012

Yarding Change 3400
-900

comparison date 18/10/2012

Numbers were back and the quality was very mixed. Vealers were limited as were prime yearlings. Secondary yearlings sold strongly to feeder orders. Heavy grown steers and bullocks were limited and around 350 cows were offered to the usual buyers.

Vealers were cheaper with the better end selling from 155c to 207c/kg. Trade yearling steers were 10c cheaper with medium and heavy weights 167c to 185c/kg. Feeder steers were firm averaging 178c/kg. Trade heifers were 1c to 3c stronger selling from 145c to 180c with light weights up to 190c/kg. Heifers going onto feed were 5c stronger.

Grown steers and bullocks held firm ranging from 168c to 185c/kg. The better covered grown heifers sold between 145c and 160c/kg. Cows were 1c to 4c better with the 3 and 4 scores 123c to 154c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	2	232.0	- 232.0	232.0	N/Q	464	- 464	464	162	- 162	162
80+		C	1	1	188.0	- 188.0	188.0	N/Q	376	- 376	376	160	- 160	160
		D	1	1	181.2	- 181.2	181.2	N/Q	362	- 362	362	154	- 154	154
				4	181.2	232.0	208.3		362	464	417	154	162	160
Vealer Steer														
0-200		D	2	1	207.6	- 207.6	207.6	N/Q	384	- 384	384	384	- 384	384
200-280		C	2	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	466	- 466	466
	RS	C	2	10	162.0	- 205.2	170.6	N/Q	-	-	-	437	- 534	457
	RS	D	1	3	180.2	- 180.2	180.2	N/Q	-	-	-	369	- 369	369
330+		C	3	1	165.0	- 165.0	165.0	N/Q	306	- 306	306	561	- 561	561
				16	162.0	207.6	175.6		306	384	352	369	561	443
Vealer Heifer														
200-280		C	2	22	178.0	- 190.0	179.1	-11	342	- 365	344	445	- 456	446
		D	1	2	134.0	- 150.0	142.0	N/Q	268	- 294	281	315	- 322	318
		D	2	11	149.0	- 190.0	178.1	N/Q	287	- 373	346	387	- 456	433
	RS	D	2	17	100.0	- 192.0	186.6	N/Q	-	-	-	222	- 442	429
280-330		D	3	1	164.2	- 164.2	164.2	N/Q	304	- 304	304	534	- 534	534
330+		C	4	5	155.0	- 155.0	155.0	N/Q	287	- 287	287	527	- 527	527
				58	100.0	192.0	177.5		268	373	334	222	534	443
Yearling Steer														
0-330		C	2	4	163.6	- 180.2	172.6	-3	315	- 360	342	398	- 524	434
	FD	C	2	78	162.0	- 197.0	175.1	-5	-	-	-	494	- 576	546
	RS	C	2	80	159.0	- 193.2	171.9	-8	-	-	-	421	- 559	506
		C	3	5	160.0	- 185.0	175.8	-14	302	- 343	326	465	- 601	538
	FD	D	2	1	114.2	- 114.2	114.2	N/Q	-	-	-	354	- 354	354
		D	2	20	150.2	- 150.2	150.2	N/Q	300	- 300	300	428	- 428	428
	RS	D	2	24	156.6	- 180.0	167.9	-5	-	-	-	423	- 576	531
330-400	RS	C	2	40	160.0	- 185.0	169.6	-17	-	-	-	560	- 648	598

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	2	261	160.0	- 192.2	177.8	-1	-	-	-	559	- 708	644
		C	2	6	162.0	- 185.0	169.7	-12	306	- 343	318	616	- 638	623
		C	3	39	167.2	- 181.2	176.2	-10	310	- 345	331	594	- 689	654
	FD	C	3	15	165.0	- 170.0	168.7	-12	-	-	-	607	- 648	637
	RS	D	2	4	120.0	- 155.0	146.3	36	-	-	-	414	- 527	499
	FD	D	2	3	158.2	- 165.0	160.5	N/Q	-	-	-	561	- 570	567
		D	2	21	155.0	- 162.0	157.0	N/Q	310	- 318	312	527	- 616	552
		D	3	1	155.0	- 155.0	155.0	N/Q	293	- 293	293	535	- 535	535
	FD	C	2	153	165.0	- 186.3	180.3	-1	-	-	-	706	- 842	790
	RS	C	2	51	183.2	- 184.6	183.8	-3	-	-	-	757	- 843	780
	FD	C	3	3	183.0	- 183.0	183.0	N/C	-	-	-	787	- 787	787
	RS	C	3	30	171.2	- 175.0	173.4	-14	-	-	-	788	- 805	797
		C	3	74	160.0	- 185.0	177.6	-11	296	- 343	328	705	- 981	877
		C	4	1	174.0	- 174.0	174.0	N/Q	322	- 322	322	800	- 800	800
	D	2	1	106.2	- 106.2	106.2	N/Q	226	- 226	226	510	- 510	510	
				915	106.2	197.0	175.3		226	360	323	354	981	665
Yearling Heifer														
0-330		C	2	49	152.0	- 190.2	172.6	5	282	- 366	331	419	- 569	497
	FD	C	2	8	150.0	- 150.0	150.0	-14	-	-	-	480	- 480	480
		C	3	8	165.0	- 170.0	165.6	-13	306	- 315	307	476	- 528	522
	RS	D	1	4	100.0	- 110.0	102.5	-21	-	-	-	260	- 347	282
	RS	D	2	104	123.0	- 189.2	165.0	15	-	-	-	312	- 492	463
		D	2	63	105.6	- 158.0	134.5	-6	207	- 304	271	275	- 490	379
		D	3	7	150.0	- 152.2	150.9	N/Q	278	- 293	284	465	- 487	474
330-400	FD	C	2	51	155.0	- 179.6	165.1	9	-	-	-	535	- 629	579
	RS	C	2	32	160.0	- 162.0	161.3	1	-	-	-	555	- 608	573
		C	3	59	161.2	- 180.0	165.9	5	299	- 333	307	596	- 684	627
	RS	C	3	1	150.0	- 150.0	150.0	N/Q	-	-	-	510	- 510	510
		D	2	44	120.0	- 150.0	135.4	15	250	- 289	267	436	- 573	496
	RS	D	2	30	141.2	- 155.0	153.4	10	-	-	-	480	- 575	532
	FD	D	2	20	142.0	- 149.0	146.9	1	-	-	-	476	- 514	503
	RS	D	3	14	145.0	- 145.0	145.0	N/Q	-	-	-	551	- 551	551
	FD	D	3	21	159.2	- 176.2	169.7	24	-	-	-	599	- 605	601
		D	3	70	135.0	- 161.2	153.1	5	255	- 306	292	493	- 629	570
400+	FD	C	2	6	157.2	- 157.2	157.2	N/Q	-	-	-	660	- 660	660
		C	3	1	154.2	- 154.2	154.2	N/Q	286	- 286	286	648	- 648	648
		D	1	6	95.0	- 95.0	95.0	N/Q	198	- 198	198	470	- 470	470
		D	2	7	161.2	- 161.2	161.2	21	310	- 310	310	661	- 661	661
		D	3	41	148.0	- 170.0	162.6	23	285	- 321	311	622	- 765	731
		D	4	9	148.0	- 148.0	148.0	8	285	- 285	285	636	- 636	636
				655	95.0	190.2	156.0		198	366	294	260	765	534
Grown Steer														
0-400	FD	C	2	1	150.0	- 150.0	150.0	N/Q	-	-	-	540	- 540	540
	RS	C	2	1	140.0	- 140.0	140.0	N/Q	-	-	-	455	- 455	455
400-500	RS	C	2	12	177.6	- 177.6	177.6	20	-	-	-	781	- 781	781

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
500-600	FD	C	2	23	155.0	- 168.2	162.0	-15	-			698	- 786	728	
		C	3	3	152.0	- 160.0	154.7	-19	287	- 302	292	688	- 730	716	
		C	3	92	168.0	- 184.2	176.9	1	311	- 363	329	867	- 1056	945	
		C	4	29	182.0	- 185.0	183.0	N/Q	337	- 343	339	962	- 1063	1041	
600-750		D	3	4	180.0	- 180.0	180.0	N/Q	333	- 333	333	1008	- 1008	1008	
		C	3	41	165.6	- 174.0	170.4	-6	301	- 322	311	1060	- 1101	1087	
		C	4	58	168.0	- 185.0	175.5	N/Q	313	- 336	326	1075	- 1240	1126	
				264	140.0	185.0	174.5		287	363	326	455	1240	986	
Grown Heifer															
0-540	FD	C	2	2	152.2	- 152.2	152.2	N/Q	-			670	- 670	670	
		C	3	1	142.0	- 142.0	142.0	N/Q	268	- 268	268	639	- 639	639	
		D	2	19	118.0	- 138.0	125.7	4	246	- 271	257	496	- 662	523	
		D	3	34	145.0	- 155.0	148.6	21	279	- 298	286	659	- 783	707	
		D	4	1	144.0	- 144.0	144.0	N/Q	277	- 277	277	778	- 778	778	
		E	1	1	20.0	- 20.0	20.0	N/Q	46	- 46	46	56	- 56	56	
540+		D	3	3	147.2	- 152.0	150.4	N/Q	283	- 292	289	882	- 927	897	
		D	4	20	150.0	- 160.0	154.5	N/Q	289	- 308	295	840	- 975	894	
				81	20.0	160.0	143.1		46	308	278	56	975	708	
Manufacturing Steer															
0-540		C	2	1	140.0	- 140.0	140.0	N/Q	269	- 269	269	714	- 714	714	
				1	140.0	140.0	140.0		269	269	269	714	714	714	
Cows															
0-400		D	1	12	95.0	- 95.0	95.0	N/Q	211	- 211	211	361	- 361	361	
		D	2	6	114.0	- 114.0	114.0	N/Q	238	- 238	238	80	- 80	80	
400-520		C	3	10	154.2	- 154.2	154.2	N/Q	297	- 297	297	802	- 802	802	
		D	1	11	85.0	- 100.0	94.2	N/Q	177	- 208	199	366	- 480	421	
		D	2	49	105.0	- 134.0	122.6	3	219	- 279	255	484	- 683	593	
520+	FD	D	3	9	152.6	- 152.6	152.6	N/Q	-			794	- 794	794	
		D	3	34	116.8	- 140.0	128.3	3	234	- 280	255	549	- 728	650	
		E	1	11	75.0	- 75.0	75.0	N/Q	167	- 167	167	315	- 315	315	
		C	2	1	145.0	- 145.0	145.0	N/Q	290	- 290	290	1131	- 1131	1131	
		DA	D	1	2	75.0	- 75.0	75.0	N/Q	160	- 160	160	510	- 510	510
		D	2	6	115.0	- 121.0	116.0	N/Q	240	- 252	242	610	- 641	615	
		D	3	77	123.0	- 149.2	138.3	4	246	- 293	272	699	- 934	809	
		D	4	42	135.0	- 148.0	143.2	1	265	- 290	279	770	- 1021	901	
		D	5	4	135.2	- 135.2	135.2	5	260	- 260	260	906	- 906	906	
				274	75.0	154.2	128.3		160	297	256	80	1131	689	
Bulls															
0-450	RS	C	2	3	156.2	- 156.2	156.2	-16	-			422	- 422	422	
		C	2	126	132.0	- 191.0	147.1	-8	244	- 367	275	459	- 622	565	
		C	3	2	136.0	- 136.0	136.0	N/Q	247	- 247	247	612	- 612	612	
		D	2	27	117.0	- 149.2	134.8	N/Q	225	- 282	258	358	- 567	460	
	450-600		C	2	81	128.2	- 158.2	151.6	6	237	- 293	281	672	- 870	771
			C	3	1	150.2	- 150.2	150.2	N/Q	278	- 278	278	691	- 691	691
		D	1	1	80.0	- 80.0	80.0	N/Q	160	- 160	160	416	- 416	416	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+	B	2	2	2	165.0	- 167.2	166.1	N/C	285	- 288	286	1568	- 1588	1578
	C	2	15	15	156.2	- 161.2	160.9	14	279	- 288	287	1048	- 1328	1066
	C	3	4	4	166.2	- 169.2	168.5	N/Q	302	- 308	306	1413	- 1438	1432
	D	2	4	4	136.0	- 143.0	141.3	N/Q	257	- 260	259	887	- 898	889
	D	4	8	8	140.0	- 140.0	140.0	N/Q	275	- 275	275	882	- 882	882
				274	80.0	191.0	147.9		160	367	275	358	1588	676

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.