

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 08 Nov 2012

Yarding Change 2175
-825

comparison date 01/11/2012

Numbers were back and the quality was average with prime trade cattle limited. Yearlings made up the majority offered with strong competition from feeders and backgrounders. Good weighted grown steers were also in short supply and there was only a limited supply of heavy and extra heavy bullocks. Around 400 cows were also offered to the usual buyers in a mostly dearer market.

Vealers sold 5c to 10c stronger ranging from 171c to 207c for the better trade lines and restockers paid up to 215c/kg. Medium weight trade yearling steers sold 12c stronger but supply was limited. Heavy weights firm to 2c/kg cheaper. Trade steers ranged from 165c to 197c with B muscles reaching 209c/kg. Feeder steers lifted 5c selling from 160c to 201c/kg. Trade heifers gained 11c again on a limited supply making from 160c to 197c/kg.

Grown steers gained 2c to 6c but the heavy bullocks eased 6c/kg. Prices ranged from 160c to 185c/kg. The extra heavy bullocks made 130c/kg. Medium weight cows were stronger but heavy weights remained firm. The 3 and 4 scores ranged from 122c to 150c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	1	10	176.0	- 176.0	176.0	-32	-	-	-	132	- 132	132
	RS	D	1	15	150.0	- 186.0	169.2	N/Q	-	-	-	75	- 112	88
80+		C	1	2	230.2	- 230.2	230.2	N/Q	460	- 460	460	196	- 196	196
		C	2	16	190.0	- 195.2	193.1	N/Q	358	- 390	385	181	- 232	186
				43	150.0	230.2	182.5		358	460	393	75	232	140
Vealer Steer														
0-200		C	2	2	180.0	- 194.2	187.1	N/Q	340	- 360	350	315	- 350	332
	RS	C	2	23	199.2	- 215.2	206.0	N/Q	-	-	-	339	- 391	365
	RS	D	1	1	149.2	- 149.2	149.2	N/Q	-	-	-	209	- 209	209
	RS	D	2	1	179.2	- 179.2	179.2	N/Q	-	-	-	323	- 323	323
		D	2	1	173.2	- 173.2	173.2	N/Q	327	- 327	327	312	- 312	312
200-280		B	2	1	204.0	- 204.0	204.0	N/Q	371	- 371	371	500	- 500	500
		C	2	2	175.0	- 179.0	177.0	N/Q	324	- 338	331	368	- 376	372
	RS	C	2	41	202.2	- 209.2	206.1	24	-	-	-	433	- 526	502
280-330		C	2	1	171.2	- 171.2	171.2	N/Q	311	- 311	311	486	- 486	486
		C	3	1	187.2	- 187.2	187.2	N/Q	347	- 347	347	599	- 599	599
				74	149.2	215.2	202.4		311	371	340	209	599	444
Vealer Heifer														
0-200		C	2	8	178.2	- 180.0	179.3	5	330	- 333	332	306	- 321	312
	RS	D	1	2	140.0	- 140.0	140.0	N/Q	-	-	-	168	- 168	168
	RS	D	2	3	180.2	- 180.2	180.2	N/Q	-	-	-	252	- 252	252
200-280	RS	C	2	11	178.2	- 178.2	178.2	12	-	-	-	374	- 374	374
		C	2	7	153.0	- 193.6	167.2	-10	289	- 359	314	361	- 503	427
		C	3	16	195.0	- 207.2	204.0	N/Q	355	- 382	376	527	- 539	534
		D	2	4	170.0	- 170.0	170.0	N/Q	327	- 327	327	417	- 417	417
		D	3	1	155.0	- 155.0	155.0	N/Q	287	- 287	287	403	- 403	403

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	C	2	1	182.2	- 182.2	182.2	N/Q	-			592	- 592	592
		C	3	14	190.2	- 207.2	195.4	13	352	- 384	362	571	- 663	602
330+		C	3	12	185.0	- 187.2	186.5	N/Q	343	- 347	345	666	- 674	671
		79	140.0	207.2	185.3	287	384	349	168	674	486			
Yearling Steer														
0-330		C	2	5	179.2	- 193.0	190.2	30	338	- 364	359	521	- 556	528
		FD	C	2	13	175.0	- 188.2	184.6	15	-		543	- 604	589
		RS	C	2	49	181.0	- 185.2	184.1	4	-		550	- 611	594
		RS	C	3	16	186.2	- 186.2	186.2	N/Q	-		614	- 614	614
		C	3	1	200.0	- 200.0	200.0	N/Q	370	- 370	370	650	- 650	650
		FD	D	2	1	152.0	- 152.0	152.0	N/Q	-		486	- 486	486
		RS	D	2	7	160.0	- 193.2	182.0	26	-		396	- 512	477
330-400		B	2	3	185.0	- 185.0	185.0	N/Q	336	- 336	336	703	- 703	703
		B	3	2	209.2	- 209.2	209.2	N/Q	374	- 374	374	826	- 826	826
		C	2	4	170.0	- 170.0	170.0	-7	321	- 321	321	646	- 646	646
		RS	C	2	77	174.2	- 199.2	185.8	14	-		595	- 757	692
		FD	C	2	144	170.0	- 190.2	180.9	5	-		595	- 696	658
		FD	C	3	11	185.2	- 185.6	185.5	17	-		705	- 732	710
		C	3	9	175.0	- 197.2	189.9	12	324	- 365	350	639	- 732	688
400+		FD	D	2	9	130.2	- 176.6	171.4	N/Q	-		475	- 618	602
		RS	D	2	6	150.0	- 171.2	153.5	N/Q	-		525	- 574	558
		FD	C	2	69	170.0	- 188.4	181.3	2	-		722	- 837	774
		RS	C	2	40	177.2	- 186.2	184.9	25	-		744	- 782	777
		FD	C	3	36	160.0	- 201.2	183.5	7	-		688	- 845	789
		C	3	19	165.0	- 185.2	172.6	-3	311	- 337	321	731	- 880	811
		D	1	4	110.0	- 110.0	110.0	N/Q	234	- 234	234	523	- 523	523
	D	2	7	119.2	- 140.0	122.2	N/Q	248	- 269	251	566	- 602	571	
532	110.0	209.2	181.0	234	374	318	396	880	687					
Yearling Heifer														
0-330		RS	C	2	6	161.0	- 180.0	167.6	17	-		491	- 576	532
		C	2	2	160.0	- 170.0	165.0	N/Q	302	- 327	314	392	- 485	438
		FD	C	2	10	158.0	- 158.0	158.0	4	-		506	- 506	506
		C	3	3	183.2	- 183.2	183.2	19	339	- 339	339	586	- 586	586
		RS	D	1	3	142.2	- 149.2	146.9	38	-		336	- 341	338
		RS	D	2	17	130.0	- 157.0	151.6	15	-		394	- 500	465
		D	2	17	115.2	- 166.0	153.2	22	226	- 344	302	323	- 440	400
		FD	D	2	1	157.0	- 157.0	157.0	N/Q	-		502	- 502	502
		RS	D	3	7	155.0	- 155.0	155.0	N/Q	-		504	- 504	504
330-400		D	3	9	150.0	- 162.0	160.7	16	283	- 306	303	480	- 535	529
		FD	C	2	17	174.0	- 184.2	181.8	30	-		600	- 645	634
		RS	C	2	7	158.2	- 168.2	166.8	14	-		580	- 585	581
		FD	C	3	3	167.0	- 167.0	167.0	22	-		660	- 660	660
		C	3	15	160.0	- 197.2	172.1	11	296	- 365	321	552	- 690	621
		D	2	15	120.0	- 128.2	126.4	N/Q	240	- 267	255	436	- 463	456
		FD	D	2	38	138.0	- 162.0	150.4	N/Q	-		469	- 599	510

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	D	2	4	155.0	- 155.0	155.0	25	-			519	- 527	521
	RS	D	3	4	165.0	- 165.0	165.0	N/Q	-			627	- 627	627
		D	3	37	140.0	- 164.2	157.8	N/Q	264	- 310	300	532	- 585	574
		E	2	1	90.0	- 90.0	90.0	N/Q	192	- 192	192	306	- 306	306
	FD	C	2	21	162.2	- 162.2	162.2	N/Q	-			681	- 681	681
		C	2	1	163.6	- 163.6	163.6	N/Q	303	- 303	303	753	- 753	753
		C	3	2	160.2	- 169.2	164.7	N/Q	297	- 319	308	737	- 897	817
		D	2	1	120.0	- 120.0	120.0	N/Q	240	- 240	240	624	- 624	624
	D	3	33	132.0	- 162.0	135.3	N/Q	264	- 312	267	686	- 766	733	
				274	90.0	197.2	154.8		192	365	290	306	897	567
Grown Steer														
0-400	RS	D	2	6	138.2	- 168.2	143.8	N/Q	-			497	- 612	523
400-500	FD	C	2	5	140.0	- 177.2	168.0	-1	-			644	- 744	720
		C	2	1	154.2	- 154.2	154.2	N/Q	291	- 291	291	748	- 748	748
	FD	C	3	36	160.0	- 187.6	174.8	N/Q	-			672	- 845	809
		C	3	1	155.0	- 155.0	155.0	N/Q	287	- 287	287	682	- 682	682
		D	2	2	123.2	- 145.0	134.1	N/Q	246	- 274	260	505	- 624	564
		D	3	8	156.6	- 156.6	156.6	N/Q	296	- 296	296	760	- 760	760
500-600		C	3	17	172.0	- 185.0	177.3	8	319	- 343	328	894	- 987	972
		C	4	16	160.0	- 184.2	179.8	2	296	- 335	328	864	- 1068	994
600-750		C	3	11	176.0	- 176.0	176.0	10	326	- 326	326	1091	- 1091	1091
		C	4	40	160.0	- 168.0	163.4	-11	291	- 317	301	1021	- 1110	1076
750+		C	4	5	150.0	- 150.0	150.0	N/Q	278	- 278	278	1140	- 1140	1140
		C	5	32	130.0	- 130.0	130.0	N/Q	241	- 241	241	1125	- 1125	1125
				180	123.2	187.6	161.7		241	343	293	497	1140	965
Grown Heifer														
0-540		D	2	20	110.0	- 145.0	124.3	10	236	- 302	256	374	- 667	502
	RS	D	3	4	150.0	- 150.0	150.0	N/Q	-			630	- 630	630
		D	3	14	125.0	- 145.2	138.3	8	245	- 279	268	494	- 754	631
		D	4	1	145.0	- 145.0	145.0	N/Q	279	- 279	279	758	- 758	758
540+		D	5	1	150.0	- 150.0	150.0	N/Q	289	- 289	289	863	- 863	863
				40	110.0	150.0	132.9		236	302	262	374	863	575
Cows														
0-400		E	1	9	30.0	- 90.0	43.3	-27	65	- 196	94	114	- 347	166
400-520		C	4	11	138.0	- 138.0	138.0	N/Q	276	- 276	276	649	- 649	649
	RS	D	1	64	110.6	- 124.6	120.7	N/Q	-			498	- 573	553
		D	1	17	100.0	- 115.0	111.1	N/Q	213	- 245	236	430	- 477	469
		D	2	52	107.2	- 122.0	117.2	7	223	- 250	243	493	- 622	559
		D	3	118	122.0	- 139.2	131.3	9	244	- 278	263	561	- 695	656
		E	1	1	40.0	- 40.0	40.0	N/Q	87	- 87	87	184	- 184	184
520+		C	3	16	145.2	- 148.0	147.5	N/Q	279	- 285	284	770	- 844	830
		C	4	4	150.0	- 150.0	150.0	N/Q	289	- 289	289	930	- 930	930
		D	3	18	122.0	- 149.2	127.4	N/C	244	- 298	255	647	- 836	679
		D	4	75	130.0	- 142.0	139.2	1	260	- 284	277	710	- 952	764

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	5	2	136.0	- 136.0	136.0	N/Q	267	- 267	267	911	- 911	911
				387	30.0	150.0	126.9		65	298	258	114	952	638
Bulls														
0-450	RS	C	2	2	173.2	- 173.2	173.2	N/Q		-		424	- 424	424
		C	2	8	134.0	- 155.6	139.0	-9	248	- 288	257	420	- 578	446
		C	3	11	170.0	- 170.0	170.0	10	309	- 309	309	646	- 646	646
		D	2	1	120.0	- 120.0	120.0	N/Q	222	- 222	222	516	- 516	516
450-600		C	2	62	120.0	- 152.2	145.5	1	222	- 277	266	558	- 840	775
		D	2	1	125.0	- 125.0	125.0	N/Q	232	- 232	232	688	- 688	688
600+		B	2	2	155.0	- 156.0	155.5	N/Q	272	- 279	275	1326	- 1426	1376
		B	3	1	155.0	- 155.0	155.0	N/Q	277	- 277	277	1364	- 1364	1364
		C	1	1	125.0	- 125.0	125.0	N/Q	232	- 232	232	975	- 975	975
		C	2	77	150.0	- 165.2	153.1	-3	268	- 295	276	975	- 1239	1096
		D	2	1	148.0	- 148.0	148.0	N/Q	279	- 279	279	947	- 947	947
				167	120.0	173.2	150.4		222	309	273	420	1426	906

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.