

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 22 Nov 2012

Yarding Change 3470
-40

comparison date 15/11/2012

Consignments remained steady and quality was mixed. Yearlings were well supplied with the majority suitable for restocker and feeder orders. Fair numbers of grown steers and heifers were penned with some carrying plenty of weight. There were around 570 cows penned and the usual buyers competed in an overall cheaper market.

Light and medium weight yearling steers to lot feeder and restocker orders lost 6c to 10c to sell from 166c to 180c/kg depending on breed. Heavy weights to feed remained firm for the better popular breeds, however on average lost 3c as the best reached 190c/kg. Yearling heifers to restockers and feeder orders slipped 4c as heavy weights to the butchers sold at similar prices to range from 158c to 169c/kg.

Medium weight grown steers to lot feeders and Queensland orders slipped 4c to 9c/kg. Heavy weight steers and bullocks to slaughter eased 3c to 6c to range from 158c to 180c/kg. The heifer portion remained steady as the best reached 161c/kg. Cows continue to sell well to remain around firm in prices. The plainer 2 scores averaged 124c as the better finished 3 and 4 scores sold from 130c to 155c/kg. Heavy bulls overall lost quality, however sold to solid competition to range from 155c to 170c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	1	210.0	- 210.0	210.0	N/Q	404	- 404	404	84	- 84	84
	RS	C	1	9	230.0	- 230.0	230.0	N/Q	-	-	-	150	- 150	150
	RS	C	2	10	226.0	- 226.0	226.0	23	-	-	-	136	- 136	136
		C	2	8	236.0	- 250.0	244.8	N/Q	454	- 481	471	142	- 150	147
	RS	D	1	7	150.0	- 152.0	150.9	N/Q	-	-	-	53	- 57	55
80+	RS	C	1	1	212.0	- 212.0	212.0	N/Q	-	-	-	191	- 191	191
	RS	C	2	26	212.0	- 226.0	219.5	N/Q	-	-	-	226	- 233	229
		C	2	9	199.2	- 199.2	199.2	N/Q	383	- 383	383	279	- 279	279
				71	150.0	250.0	215.0		383	481	423	53	279	183
Vealer Steer														
0-200		D	2	2	196.6	- 196.6	196.6	N/Q	378	- 378	378	354	- 354	354
200-280		C	2	4	198.0	- 208.6	200.7	17	374	- 394	382	438	- 515	466
	FD	C	2	10	184.0	- 184.0	184.0	19	-	-	-	488	- 488	488
	RS	C	2	11	208.0	- 208.0	208.0	29	-	-	-	541	- 541	541
280-330		B	2	1	197.0	- 197.0	197.0	N/Q	365	- 365	365	591	- 591	591
	RS	C	2	6	176.0	- 190.0	180.7	-8	-	-	-	502	- 542	515
		C	3	12	190.0	- 195.0	193.2	-14	352	- 361	358	566	- 618	571
330+		C	3	3	191.2	- 199.2	193.9	N/Q	348	- 362	353	677	- 736	717
				49	176.0	208.6	194.0		348	394	364	354	736	532
Vealer Heifer														
0-200	RS	D	1	1	118.0	- 118.0	118.0	N/Q	-	-	-	212	- 212	212
200-280		C	2	28	170.0	- 204.0	193.4	6	327	- 392	372	374	- 495	462
		D	2	8	145.0	- 162.2	147.2	-12	290	- 324	294	348	- 406	355
280-330		C	2	23	188.2	- 188.6	188.4	9	356	- 362	360	536	- 566	548
	FD	C	2	18	157.2	- 157.2	157.2	N/Q	-	-	-	448	- 448	448
		C	3	1	186.0	- 186.0	186.0	N/Q	344	- 344	344	558	- 558	558

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+		C	3	1	186.0	- 186.0	186.0	N/Q	344	- 344	344	651	- 651	651
				80	118.0	204.0	178.1		290	392	356	212	651	473
Yearling Steer														
0-330	FD	C	2	11	170.0	- 170.0	170.0	-15	-	-	-	510	- 544	516
	RS	C	2	83	166.0	- 176.0	172.2	-6	-	-	-	498	- 557	538
	RS	D	2	24	140.0	- 164.0	154.8	8	-	-	-	392	- 500	446
		D	2	8	120.0	- 140.0	126.3	-20	261	- 280	267	312	- 364	328
	DA	E	1	1	90.0	- 90.0	90.0	N/Q	205	- 205	205	284	- 284	284
330-400	RS	C	2	134	165.0	- 180.2	172.0	-12	-	-	-	553	- 669	616
	FD	C	2	89	167.2	- 177.0	171.8	-14	-	-	-	578	- 620	606
		C	3	2	180.0	- 185.0	182.5	N/Q	333	- 343	338	684	- 703	694
	RS	D	2	1	135.0	- 135.0	135.0	N/Q	-	-	-	452	- 452	452
400+	FD	C	2	114	172.0	- 190.2	183.7	-3	-	-	-	705	- 799	772
		C	2	7	165.0	- 170.0	167.9	N/Q	317	- 327	323	677	- 697	688
	FD	C	3	22	168.0	- 185.2	178.7	-2	-	-	-	722	- 759	746
		C	3	16	169.2	- 184.0	175.2	3	313	- 335	323	731	- 808	774
	RS	C	3	76	165.0	- 181.2	172.0	-8	-	-	-	677	- 766	744
				588	90.0	190.2	173.0		205	343	307	284	808	647
Yearling Heifer														
0-330		C	2	57	156.6	- 164.0	158.9	-1	301	- 315	309	447	- 512	468
	RS	C	2	58	152.0	- 158.0	154.3	-3	-	-	-	410	- 506	447
	RS	D	2	72	138.0	- 148.0	144.4	1	-	-	-	386	- 444	420
	FD	D	2	17	134.6	- 149.2	141.5	-9	-	-	-	350	- 477	410
		D	2	14	140.0	- 145.0	141.1	-4	280	- 290	283	364	- 399	375
		D	3	2	145.0	- 145.0	145.0	N/Q	290	- 290	290	464	- 464	464
330-400		C	2	43	153.0	- 160.0	158.5	3	294	- 308	305	520	- 560	547
	FD	C	2	47	153.2	- 160.0	157.7	N/Q	-	-	-	536	- 576	564
	RS	C	2	2	150.0	- 150.0	150.0	N/Q	-	-	-	503	- 503	503
		C	3	24	155.0	- 170.0	162.7	-11	298	- 321	310	544	- 629	585
	FD	C	3	37	168.0	- 168.2	168.1	N/Q	-	-	-	563	- 639	614
	FD	D	2	13	135.0	- 140.0	138.1	-12	-	-	-	459	- 476	469
		D	2	1	142.0	- 142.0	142.0	N/Q	284	- 284	284	497	- 497	497
400+		C	3	22	158.0	- 169.0	161.3	3	304	- 313	306	664	- 744	687
				409	134.6	170.0	154.6		280	321	305	350	744	502
Grown Steer														
0-400	FD	C	2	3	163.0	- 163.0	163.0	-9	-	-	-	571	- 571	571
	FD	D	2	2	137.2	- 137.2	137.2	N/Q	-	-	-	466	- 466	466
		D	2	8	140.0	- 140.0	140.0	12	292	- 292	292	420	- 420	420
	RS	D	2	7	140.0	- 142.2	141.6	2	-	-	-	448	- 469	463
400-500	RS	C	2	70	154.0	- 170.2	164.2	-13	-	-	-	631	- 761	736
	FD	C	2	43	170.0	- 175.0	171.3	-4	-	-	-	714	- 805	776
		C	2	11	140.0	- 162.0	146.3	-9	269	- 312	281	602	- 745	644
		C	3	20	165.0	- 168.0	166.3	-2	306	- 311	308	700	- 726	710
	RS	C	3	24	162.0	- 170.2	166.9	N/Q	-	-	-	729	- 783	761
	FD	C	3	11	169.0	- 169.0	169.0	-6	-	-	-	744	- 744	744

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	FD	D	2	1	130.0	- 130.0	130.0	N/Q	-			533	- 533	533
		B	3	1	180.0	- 180.0	180.0	N/Q	316	- 316	316	990	- 990	990
		C	2	27	140.0	- 158.0	156.0	-11	269	- 304	300	714	- 853	816
600-750	FD	C	2	31	155.0	- 160.0	156.8	N/Q	-			791	- 808	797
	RS	C	2	18	169.2	- 169.2	169.2	N/Q	-			863	- 863	863
		C	3	167	162.0	- 176.0	169.5	-6	300	- 322	312	858	- 1021	947
750+		C	3	103	158.0	- 176.6	170.1	-3	293	- 324	312	992	- 1148	1075
		C	4	12	175.0	- 175.0	175.0	2	318	- 318	318	1068	- 1068	1068
		C	3	3	155.0	- 155.0	155.0	N/Q	287	- 287	287	1318	- 1318	1318
				562	130.0	180.0	166.1		269	324	309	420	1318	874
Grown Heifer														
0-540		C	2	18	140.0	- 145.0	141.7	-6	292	- 302	295	551	- 616	594
	FD	C	2	25	150.2	- 150.2	150.2	-3	-			511	- 511	511
		C	3	122	150.0	- 161.2	155.0	3	300	- 322	310	667	- 854	721
	FD	D	2	7	126.0	- 135.0	129.0	4	-			397	- 500	431
	RS	D	2	4	121.0	- 121.0	121.0	-22	-			411	- 411	411
		D	2	8	130.0	- 130.0	130.0	N/Q	289	- 289	289	455	- 533	504
		D	3	27	130.0	- 142.0	134.8	-10	270	- 296	280	621	- 729	646
540+		C	3	19	157.0	- 168.0	166.8	N/Q	314	- 323	322	879	- 1025	1009
				230	121.0	168.0	149.8		270	323	305	397	1025	681
Manufacturing Steer														
540+		C	3	7	157.0	- 157.0	157.0	-11	291	- 291	291	958	- 958	958
				7	157.0	157.0	157.0		291	291	291	958	958	958
Cows														
0-400		D	1	12	105.2	- 112.0	110.3	5	277	- 295	290	368	- 392	386
		D	2	10	112.0	- 112.0	112.0	4	273	- 273	273	392	- 392	392
		E	1	1	72.0	- 72.0	72.0	N/Q	206	- 206	206	245	- 245	245
400-520		D	1	20	100.0	- 117.0	110.3	-1	263	- 308	290	420	- 538	486
		D	2	99	112.0	- 132.0	124.1	-2	273	- 310	296	479	- 634	560
		D	3	52	130.0	- 134.0	132.6	-2	277	- 285	282	601	- 683	638
		E	1	1	80.0	- 80.0	80.0	N/Q	229	- 229	229	344	- 344	344
520+		C	3	18	145.0	- 155.0	150.7	6	290	- 310	296	841	- 1216	1072
		C	4	36	142.0	- 148.0	144.0	-6	284	- 296	288	909	- 1154	991
		D	2	3	138.0	- 138.0	138.0	N/Q	314	- 314	314	759	- 759	759
		D	3	123	135.0	- 142.0	138.5	-1	281	- 296	289	729	- 897	830
		D	4	135	135.0	- 145.0	142.9	8	281	- 302	298	756	- 987	918
		D	5	8	134.0	- 134.0	134.0	-1	291	- 291	291	911	- 911	911
		D	6	5	130.0	- 130.0	130.0	N/Q	289	- 289	289	962	- 962	962
				523	72.0	155.0	134.5		206	314	292	245	1216	770
Bulls														
0-450	RS	C	2	13	160.0	- 160.0	160.0	-15	-			400	- 400	400
		C	2	147	122.0	- 158.2	147.5	5	230	- 293	273	350	- 686	527
450-600		B	2	2	155.0	- 155.0	155.0	N/Q	272	- 272	272	822	- 853	837
		C	2	13	153.0	- 153.0	153.0	-6	273	- 273	273	842	- 842	842
600+		B	2	12	155.0	- 170.2	163.0	-4	267	- 293	281	1004	- 2015	1325

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	1	5	133.0	- 133.0	133.0	N/Q	246	- 246	246	878	- 878	878
		C	2	1	142.0	- 142.0	142.0	N/Q	258	- 258	258	909	- 909	909
				193	122.0	170.2	149.3		230	293	273	350	2015	603

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.