

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 27 Nov 2012

Yarding Change 3510  
990

comparison date 20/11/2012

With the supply area remaining dry numbers increased and quality was fair to good. Younger cattle together with the grown steers and bullocks were well supplied as around 600 cows were penned. The usual buyers competed however all categories still sold at cheaper values.

Medium weight vealer heifers selling to trade order lost 8c/kg. Yearling steers to lot feeder and restocker orders slipped back on average from 6c to 10c however the better bred pens still topped at 183.2c/kg. Yearling heifers eased 9c to 12c as the best to the lot feeders reached 159c and up to 184c/kg to trade orders.

Medium weight grown steers to feeder and northern restockers eased 3c as the better finished heavy weights to slaughter lost 2c to 5c to reach 180c/kg. The heifer portion slipped back 7c to range from 142c to 158c/kg. Cows also sold to a cheaper trend to ease from 4c to 6c/kg. The plainer 2 scores averaged 120c as the better covered 3 and 4 scores sold from 122c to 148c/kg. Heavy bull struggled in the competition and slipped 8c as the best reached 162c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	1	1	187.0	- 187.0	187.0	N/Q	374	- 374	374	84	- 84	84
	RS	C	1	6	180.0	- 180.0	180.0	N/Q		-		108	- 108	108
80+		C	2	2	194.0	- 202.0	198.0	N/Q	373	- 389	381	310	- 424	367
				<b>9</b>	<b>180.0</b>	<b>202.0</b>	<b>184.8</b>		<b>373</b>	<b>389</b>	<b>379</b>	<b>84</b>	<b>424</b>	<b>163</b>
<b>Vealer Steer</b>														
200-280	RS	C	2	7	198.0	- 198.0	198.0	17		-		475	- 475	475
280-330	RS	C	2	4	178.0	- 178.0	178.0	N/Q		-		534	- 534	534
		D	2	3	137.6	- 137.6	137.6	N/Q	265	- 265	265	392	- 392	392
330+	FD	C	3	1	184.2	- 184.2	184.2	N/Q		-		626	- 626	626
				<b>15</b>	<b>137.6</b>	<b>198.0</b>	<b>179.7</b>		<b>265</b>	<b>265</b>	<b>265</b>	<b>392</b>	<b>626</b>	<b>484</b>
<b>Vealer Heifer</b>														
0-200	RS	C	2	9	151.6	- 151.6	151.6	N/Q		-		258	- 258	258
		E	1	1	80.0	- 80.0	80.0	N/Q	191	- 191	191	136	- 136	136
200-280	FD	C	2	48	139.0	- 166.4	159.8	N/Q		-		361	- 416	406
		C	2	113	135.0	- 190.2	163.9	N/Q	270	- 366	316	341	- 445	399
	RS	C	2	8	145.0	- 145.0	145.0	-29		-		406	- 406	406
		C	3	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	432	- 432	432
	RS	D	2	4	120.0	- 120.0	120.0	-7		-		324	- 336	333
280-330		C	2	2	147.6	- 155.0	151.3	N/Q	289	- 298	294	443	- 465	454
	FD	C	2	1	149.6	- 149.6	149.6	N/Q		-		449	- 449	449
		C	3	6	160.0	- 187.6	178.7	N/Q	308	- 354	338	496	- 563	539
	RS	D	2	1	130.0	- 130.0	130.0	N/Q		-		390	- 390	390
				<b>194</b>	<b>80.0</b>	<b>190.2</b>	<b>160.3</b>		<b>191</b>	<b>366</b>	<b>315</b>	<b>136</b>	<b>563</b>	<b>397</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	6	186.0	- 186.0	186.0	N/C		-		595	- 595	595
	RS	C	2	16	145.0	- 183.6	166.7	-19		-		413	- 588	520
	RS	D	2	1	132.0	- 132.0	132.0	N/Q		-		422	- 422	422

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	53	165.0	- 184.6	175.8	-6	-			561	- 639	605
	RS	C	2	40	157.0	- 173.0	170.4	-13	-			565	- 612	600
		C	3	1	181.0	- 181.0	181.0	N/Q	329	- 329	329	688	- 688	688
	RS	C	3	3	185.6	- 185.6	185.6	N/Q	-			650	- 650	650
	RS	D	2	1	140.0	- 140.0	140.0	N/Q	-			476	- 476	476
400+	FD	C	2	197	165.0	- 183.2	175.4	-6	-			681	- 808	766
	RS	C	2	52	160.0	- 174.0	171.1	-11	-			688	- 789	753
		C	3	6	165.0	- 178.6	169.2	-9	306	- 325	312	693	- 822	753
	FD	C	3	88	170.0	- 177.0	173.6	-10	-			725	- 791	759
	RS	C	3	36	165.2	- 171.2	170.5	N/Q	-			731	- 770	760
				<b>500</b>	<b>132.0</b>	<b>186.0</b>	<b>173.6</b>		<b>306</b>	<b>329</b>	<b>315</b>	<b>413</b>	<b>822</b>	<b>720</b>
<b>Yearling Heifer</b>														
0-330	FD	C	2	13	135.0	- 145.0	139.6	-16	-			432	- 450	446
	RS	C	2	19	132.6	- 135.0	133.1	-28	-			371	- 419	381
		C	2	12	130.0	- 169.6	141.2	-9	260	- 326	276	390	- 543	439
		D	2	3	110.0	- 135.0	118.3	-9	229	- 270	243	319	- 365	334
330-400		C	2	3	142.0	- 142.0	142.0	-14	278	- 278	278	483	- 483	483
	RS	C	2	62	130.0	- 146.8	142.8	N/Q	-			481	- 528	506
	FD	C	2	64	130.0	- 159.8	146.2	-12	-			443	- 559	507
	RS	C	3	29	146.0	- 158.6	157.3	N/Q	-			555	- 579	576
	C	3	50	149.6	- 184.0	152.3	-17	288	- 347	292	524	- 662	559	
400+	FD	C	2	2	147.2	- 147.2	147.2	N/Q	-			604	- 604	604
	RS	C	2	12	149.0	- 149.0	149.0	N/Q	-			611	- 611	611
	RS	C	3	12	155.0	- 157.0	156.8	N/Q	-			651	- 691	687
		C	3	23	140.0	- 160.0	145.9	-12	269	- 302	280	574	- 656	618
	FD	C	3	17	144.6	- 144.6	144.6	-10	-			622	- 622	622
		D	3	1	115.0	- 115.0	115.0	N/Q	256	- 256	256	483	- 483	483
				<b>322</b>	<b>110.0</b>	<b>184.0</b>	<b>146.3</b>		<b>229</b>	<b>347</b>	<b>285</b>	<b>319</b>	<b>691</b>	<b>532</b>
<b>Grown Steer</b>														
400-500		C	2	23	130.0	- 158.0	150.7	-16	250	- 304	290	554	- 711	679
	FD	C	2	65	165.0	- 179.4	175.5	3	-			739	- 817	790
	RS	C	2	54	138.6	- 173.6	165.5	N/C	-			638	- 789	754
	RS	C	3	9	168.0	- 173.0	169.7	N/Q	-			709	- 773	752
		C	3	11	156.0	- 165.0	164.2	-7	289	- 306	304	733	- 759	757
500-600		C	2	13	145.0	- 158.0	152.6	-14	279	- 304	294	754	- 814	790
	RS	C	2	20	169.0	- 169.0	169.0	N/Q	-			862	- 862	862
	FD	C	3	26	170.2	- 171.6	170.4	N/Q	-			868	- 875	869
	RS	C	3	4	162.0	- 167.0	163.3	N/Q	-			812	- 852	822
		C	3	182	160.0	- 180.0	170.8	-5	296	- 321	313	858	- 1006	943
	C	4	55	164.0	- 180.0	173.5	-4	298	- 327	316	918	- 1044	987	
600-750		C	3	26	164.0	- 172.0	167.9	-2	303	- 313	308	1016	- 1066	1047
		C	4	44	166.0	- 178.0	173.5	N/Q	302	- 324	316	1052	- 1179	1112
				<b>532</b>	<b>130.0</b>	<b>180.0</b>	<b>169.6</b>		<b>250</b>	<b>327</b>	<b>311</b>	<b>554</b>	<b>1179</b>	<b>899</b>
<b>Grown Heifer</b>														
0-540		C	2	38	128.0	- 135.0	131.3	-12	267	- 281	274	461	- 594	535

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	FD	C	2	82	135.0	- 150.0	139.4	-16	-			547	- 675	604
		C	3	118	142.0	- 158.2	149.6	-8	284	- 316	299	595	- 806	677
		C	4	1	148.0	- 148.0	148.0	N/Q	296	- 296	296	770	- 770	770
		D	1	12	118.0	- 118.0	118.0	18	281	- 281	281	413	- 413	413
		D	2	48	90.0	- 135.0	116.0	-11	205	- 300	258	324	- 574	447
		D	3	1	130.0	- 130.0	130.0	N/Q	271	- 271	271	598	- 598	598
		C	3	1	146.6	- 146.6	146.6	N/Q	293	- 293	293	850	- 850	850
		C	4	1	157.0	- 157.0	157.0	N/Q	314	- 314	314	973	- 973	973
		D	4	1	135.0	- 135.0	135.0	N/Q	270	- 270	270	851	- 851	851
				<b>303</b>	<b>90.0</b>	<b>158.2</b>	<b>137.9</b>		<b>205</b>	<b>316</b>	<b>285</b>	<b>324</b>	<b>973</b>	<b>595</b>
<b>Manufacturing Steer</b>														
0-540		E	1	1	80.0	- 80.0	80.0	N/Q	191	- 191	191	296	- 296	296
				<b>1</b>	<b>80.0</b>	<b>80.0</b>	<b>80.0</b>		<b>191</b>	<b>191</b>	<b>190</b>	<b>296</b>	<b>296</b>	<b>296</b>
<b>Cows</b>														
0-400		D	1	42	103.0	- 116.0	111.0	N/Q	271	- 305	292	361	- 406	389
		E	1	2	42.0	- 42.0	42.0	N/Q	131	- 131	131	160	- 160	160
400-520		D	2	102	110.0	- 128.0	120.4	-3	268	- 298	287	462	- 581	546
		D	3	55	122.0	- 132.0	126.2	-5	260	- 281	268	561	- 660	626
	DA	E	2	1	100.0	- 100.0	100.0	N/Q	256	- 256	256	430	- 430	430
520+		C	3	6	140.0	- 140.0	140.0	-4	280	- 280	280	854	- 854	854
		C	4	61	138.0	- 148.0	138.9	-8	276	- 296	278	890	- 1181	924
		D	2	7	130.0	- 130.0	130.0	-7	296	- 296	296	689	- 689	689
		D	3	120	128.0	- 138.0	134.3	-4	271	- 288	280	678	- 884	802
		D	4	129	130.0	- 140.0	136.3	-4	271	- 292	284	721	- 1043	872
		D	5	16	122.0	- 130.0	125.2	-3	260	- 277	266	715	- 875	746
				<b>541</b>	<b>42.0</b>	<b>148.0</b>	<b>129.4</b>		<b>131</b>	<b>305</b>	<b>281</b>	<b>160</b>	<b>1181</b>	<b>729</b>
<b>Bulls</b>														
0-450		C	2	20	125.0	- 147.0	141.2	-3	232	- 277	263	425	- 611	487
	RS	C	2	19	123.0	- 140.0	125.7	-21	-			351	- 476	370
		D	2	2	115.0	- 115.0	115.0	N/Q	213	- 213	213	483	- 483	483
450-600		B	2	1	152.0	- 152.0	152.0	N/Q	262	- 262	262	851	- 851	851
		C	2	5	142.0	- 152.0	148.6	-1	258	- 273	269	690	- 851	760
		D	2	2	115.0	- 115.0	115.0	N/Q	213	- 213	213	541	- 541	541
600+		B	2	15	150.0	- 162.0	155.2	-10	259	- 279	268	1120	- 1596	1345
		C	1	1	122.0	- 122.0	122.0	N/Q	230	- 230	230	781	- 781	781
		C	2	12	142.0	- 152.0	148.5	-1	254	- 271	265	943	- 1338	1148
				<b>77</b>	<b>115.0</b>	<b>162.0</b>	<b>140.2</b>		<b>213</b>	<b>279</b>	<b>261</b>	<b>351</b>	<b>1596</b>	<b>756</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.