

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 11 Dec 2012

Yarding Change ³¹⁶⁶
404

comparison date 04/12/2012

Numbers lifted and quality was mixed with mostly yearlings penned. Most of the yearlings went to feeder and restocking orders and trade cattle were limited in supply. Vealers were in good numbers with a few large drafts yarded. Grown steers and bullocks were in similar numbers and there were around 450 cows offered to the usual buyers in a firm to cheaper market with the exception of the yearling heifers which sold dearer.

Light vealers sold from 163c to 201c/kg for the better muscled. Heavy weights to butchers made to 208c/kg. Yearling steers to feed on were firm to 4c cheaper selling between 150c and 191c/kg. The few trade steers sold from 166c to 190c losing 2c/kg on average. Medium weight heifers to feed gained 10c ranging from 146c to 163c/kg. Trade heifers were cheaper on a very limited supply and sold from 147c to 182c/kg.

Grown steers and bullocks were 1c to 4c cheaper ranging from 160c to 176c/kg. Heavy cows were back 2c to 4c with the 3 and 4 score cows ranging from 122c to 136c with a pen of C muscle reaching 142c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	RS	D	1	125	100.0	- 188.2	153.7	N/Q	-			80	- 267	193
	RS	D	2	79	155.0	- 201.2	194.4	N/Q	-			241	- 341	292
	FD	D	2	1	173.2	- 173.2	173.2	N/Q	-			286	- 286	286
		D	2	5	189.6	- 189.6	189.6	N/Q	365	- 365	365	303	- 303	303
200-280		C	2	5	150.0	- 190.0	178.0	N/Q	289	- 352	337	330	- 504	440
	RS	C	2	4	180.2	- 180.2	180.2	N/Q	-			460	- 460	460
	FD	D	2	2	166.6	- 166.6	166.6	N/Q	-			350	- 350	350
280-330		C	3	2	200.0	- 200.0	200.0	N/Q	370	- 370	370	646	- 646	646
330+		C	2	2	190.0	- 190.0	190.0	N/Q	352	- 352	352	665	- 665	665
	RS	C	2	1	170.0	- 170.0	170.0	N/Q	-			612	- 612	612
	FD	C	3	2	195.0	- 195.0	195.0	N/Q	-			673	- 673	673
		C	3	2	186.2	- 208.4	197.3	N/Q	345	- 386	365	670	- 713	692
				230	100.0	208.4	171.2		289	386	355	80	713	259
Vealer Heifer														
0-200		D	1	4	173.2	- 173.2	173.2	N/Q	333	- 333	333	251	- 251	251
	RS	D	1	32	120.0	- 172.0	159.6	-10	-			144	- 267	208
		D	2	50	135.0	- 185.0	171.9	N/Q	260	- 349	327	203	- 324	259
		D	3	1	199.2	- 199.2	199.2	N/Q	369	- 369	369	359	- 359	359
200-280		C	2	29	160.0	- 198.4	172.3	2	302	- 361	330	392	- 516	446
		C	3	5	196.2	- 205.0	201.5	20	363	- 380	373	432	- 543	499
		D	2	1	185.0	- 185.0	185.0	N/Q	336	- 336	336	389	- 389	389
	FD	D	2	6	155.2	- 155.2	155.2	12	-			411	- 411	411
280-330		C	2	4	160.0	- 160.0	160.0	-2	308	- 314	309	472	- 512	502
		C	3	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	520	- 520	520
	FD	D	2	1	130.0	- 130.0	130.0	N/Q	-			410	- 410	410
330+		B	3	2	203.2	- 203.2	203.2	N/Q	376	- 376	376	681	- 681	681
				136	120.0	205.0	169.5		260	380	331	144	681	320

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-330	FD	C	2	43	170.0	- 190.2	183.0	12	-			490	- 609	570
	RS	C	2	31	160.2	- 187.8	181.1	-4	-			425	- 601	528
		C	3	3	196.6	- 196.6	196.6	15	364	- 364	364	629	- 629	629
		D	2	1	140.0	- 140.0	140.0	N/Q	275	- 275	275	343	- 343	343
	FD	D	2	2	140.0	- 140.0	140.0	N/Q	-			339	- 339	339
	RS	D	2	9	130.0	- 145.0	141.3	-7	-			182	- 355	312
330-400	FD	C	2	132	150.0	- 191.2	179.9	-4	-			546	- 716	644
	RS	C	2	96	165.0	- 190.2	184.2	-2	-			565	- 704	666
		C	2	2	185.0	- 185.0	185.0	N/Q	349	- 349	349	648	- 648	648
		C	3	6	176.6	- 190.2	184.3	17	333	- 365	345	623	- 732	681
	FD	C	3	14	170.0	- 173.4	172.2	-1	-			638	- 668	657
	RS	C	3	23	170.0	- 170.0	170.0	N/Q	-			646	- 646	646
		C	4	1	172.4	- 172.4	172.4	N/Q	314	- 314	314	664	- 664	664
	FD	D	2	1	140.0	- 140.0	140.0	N/C	-			524	- 524	524
400+	RS	D	2	3	120.0	- 140.0	126.7	N/C	-			414	- 483	437
	B	3	3	176.0	- 176.0	176.0	N/Q	326	- 326	326	792	- 792	792	
		FD	C	2	119	164.2	- 184.2	175.8	-1	-			690	- 823
	RS	C	2	69	159.0	- 188.6	177.8	4	-			668	- 811	766
	FD	C	3	158	169.6	- 184.6	174.7	-2	-			727	- 882	766
	RS	C	3	44	175.2	- 183.8	182.0	12	-			736	- 763	757
		C	3	37	166.0	- 175.0	173.3	-2	307	- 323	320	697	- 866	818
					797	120.0	196.6	177.4		275	365	326	182	882
	Yearling Heifer													
	0-330	RS	C	2	5	161.2	- 161.2	161.2	N/Q	-			459	- 459
C			2	5	174.0	- 175.0	174.2	20	328	- 337	330	429	- 452	448
FD		C	2	8	153.6	- 155.0	153.8	1	-			426	- 499	490
		C	3	1	165.0	- 165.0	165.0	N/Q	306	- 306	306	470	- 470	470
		D	1	3	100.0	- 140.0	126.7	57	208	- 292	264	260	- 294	283
RS		D	2	6	121.2	- 145.2	131.9	-1	-			341	- 424	388
		D	2	9	100.0	- 138.0	127.6	-13	200	- 281	259	310	- 432	382
FD		D	2	56	129.6	- 158.0	137.4	-2	-			350	- 477	399
FD		D	3	8	158.2	- 170.0	161.2	N/Q	-			442	- 506	490
		D	3	1	150.0	- 150.0	150.0	N/Q	289	- 289	289	390	- 390	390
330-400	B	2	2	182.2	- 182.2	182.2	N/Q	337	- 337	337	701	- 701	701	
	FD	C	2	162	146.2	- 163.2	157.0	8	-			511	- 636	559
		RS	C	2	26	159.2	- 160.2	159.5	7	-			553	- 629
	FD	C	3	13	150.0	- 162.2	161.3	N/Q	-			578	- 624	621
		C	3	18	147.2	- 170.0	152.9	-15	278	- 309	285	518	- 587	539
	D	1	2	114.0	- 114.0	114.0	N/Q	238	- 238	238	405	- 405	405	
		FD	D	2	30	125.0	- 150.0	136.0	-1	-			456	- 540
	D	2	2	138.0	- 138.0	138.0	N/Q	271	- 271	271	472	- 472	472	
		FD	D	3	39	136.0	- 157.6	143.9	-9	-			469	- 558
	D	3	1	130.0	- 130.0	130.0	N/Q	250	- 250	250	488	- 488	488	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		B	3	1	165.0	- 165.0	165.0	N/Q	300	- 300	300	726	- 726	726
	FD	C	2	33	156.0	- 162.0	159.5	N/Q		-		655	- 664	660
		C	3	11	150.0	- 180.0	169.9	14	278	- 333	315	645	- 756	715
		C	4	2	170.0	- 170.0	170.0	N/Q	315	- 315	315	723	- 723	723
		D	2	2	140.0	- 140.0	140.0	N/Q	280	- 280	280	574	- 574	574
	FD	D	3	11	140.0	- 143.0	142.7	N/Q		-		588	- 601	599
		D	3	20	130.0	- 150.0	147.0	9	250	- 289	283	572	- 690	661
		D	4	2	130.0	- 130.0	130.0	N/Q	241	- 245	243	559	- 559	559
				479	100.0	182.2	151.0		200	337	287	260	756	542
Grown Steer														
0-400	FD	C	2	19	161.0	- 167.8	167.4	15		-		604	- 638	636
400-500	FD	C	2	15	140.0	- 171.2	157.3	-6		-		658	- 839	757
		C	2	8	163.2	- 163.2	163.2	33	314	- 314	314	767	- 767	767
	RS	C	2	7	150.0	- 178.2	174.2	1		-		630	- 820	793
	RS	C	3	1	160.2	- 160.2	160.2	N/Q		-		713	- 713	713
		C	3	8	170.0	- 176.0	171.5	-1	315	- 326	318	808	- 836	815
500-600		C	3	51	160.0	- 174.2	170.0	-1	302	- 323	313	873	- 961	911
		C	4	85	160.0	- 176.6	171.2	-1	296	- 327	316	832	- 1024	973
600-750		C	4	69	159.0	- 174.0	167.3	-3	294	- 324	316	986	- 1102	1062
				263	140.0	178.2	168.7		294	327	315	604	1102	931
Grown Heifer														
0-540		D	2	4	110.0	- 115.6	113.4	1	220	- 238	232	445	- 581	517
	FD	D	2	3	125.0	- 125.0	125.0	N/Q		-		463	- 463	463
	FD	D	3	6	133.6	- 133.6	133.6	9		-		508	- 508	508
		D	3	51	140.0	- 156.6	154.0	8	275	- 298	292	658	- 744	708
		D	4	23	152.0	- 155.0	154.1	-5	292	- 298	296	722	- 798	776
540+		C	3	5	154.0	- 154.0	154.0	N/Q	285	- 285	285	862	- 862	862
		D	4	9	148.6	- 157.0	151.9	2	283	- 297	294	840	- 949	875
				101	110.0	157.0	150.2		220	298	290	445	949	719
Manufacturing Steer														
0-540		C	3	7	160.0	- 160.0	160.0	-2	302	- 302	302	832	- 832	832
	DA	D	1	4	115.0	- 115.0	115.0	N/Q	240	- 240	240	483	- 483	483
		D	2	5	147.2	- 147.2	147.2	N/Q	307	- 307	307	618	- 618	618
540+	DA	C	2	2	130.0	- 130.0	130.0	N/Q	250	- 250	250	936	- 936	936
		C	4	7	160.2	- 160.2	160.2	N/Q	297	- 297	297	905	- 905	905
		D	3	1	150.2	- 150.2	150.2	N/Q	289	- 289	289	826	- 826	826
				26	115.0	160.2	148.0		240	307	287	483	936	765
Cows														
0-400		D	1	14	85.0	- 100.0	97.9	-12	185	- 213	209	323	- 385	376
		D	2	1	105.0	- 105.0	105.0	N/Q	223	- 223	223	50	- 50	50
		E	1	1	80.0	- 80.0	80.0	N/Q	182	- 182	182	296	- 296	296
400-520	DA	D	1	1	106.0	- 106.0	106.0	N/Q	236	- 236	236	456	- 456	456
		D	1	5	100.0	- 105.0	103.4	-4	213	- 223	220	414	- 450	431
	DA	D	2	6	114.0	- 114.0	114.0	N/Q	243	- 243	243	479	- 479	479
		D	2	17	100.0	- 118.2	111.8	-4	208	- 246	233	460	- 609	534

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+		D	3	104	110.2	- 136.0	127.4	-2	225	- 272	255	496	- 707	650
		D	4	1	128.2	- 128.2	128.2	N/Q	256	- 256	256	667	- 667	667
		C	4	8	142.0	- 142.0	142.0	N/Q	263	- 263	263	1207	- 1207	1207
	DA	D	1	1	100.0	- 100.0	100.0	N/Q	208	- 208	208	545	- 545	545
	DA	D	2	8	129.2	- 129.2	129.2	14	269	- 269	269	704	- 704	704
		D	2	19	102.0	- 114.0	112.6	-9	213	- 233	227	556	- 741	716
		D	3	43	112.0	- 135.0	128.4	-2	224	- 270	257	605	- 769	713
		D	4	159	116.6	- 136.6	129.8	-2	233	- 273	260	661	- 838	746
		D	5	23	112.0	- 128.0	120.1	-7	224	- 256	240	588	- 845	695
	D	6	1	80.0	- 80.0	80.0	N/Q	160	- 160	160	544	- 544	544	
				412	80.0	142.0	125.1		160	273	252	50	1207	689
Bulls														
0-450		C	2	10	125.0	- 131.6	126.2	N/Q	240	- 244	241	474	- 546	482
450-600		C	1	1	110.0	- 110.0	110.0	N/Q	204	- 204	204	616	- 616	616
		C	2	22	112.0	- 161.6	151.5	20	204	- 289	271	515	- 867	802
600+		D	1	1	95.0	- 95.0	95.0	N/Q	179	- 179	179	532	- 532	532
		D	2	1	100.0	- 100.0	100.0	N/Q	189	- 189	189	520	- 520	520
		B	2	14	150.0	- 160.2	156.0	-3	262	- 281	272	1008	- 1672	1320
		C	2	13	120.0	- 152.0	137.4	-4	214	- 271	247	814	- 1144	968
		D	2	6	110.0	- 120.0	112.7	43	196	- 222	207	752	- 864	804
				68	95.0	161.6	140.4		179	289	253	474	1672	883

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.