

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 29 Jan 2013

Yarding Change 2610
-600

comparison date 22/01/2013

Substantial rainfall around the supply area reduced numbers and quality remained mixed. Vealers were limited in supply as good runs of yearlings were penned. Older steers were mainly suitable for lot feeder purchases and around 450 cows were offered. The usual orders competed and competition was stronger as most categories sold 10c to 20c/kg dearer.

Lightweight vealer steers to restockers ranged from 190c to 207c/kg. Medium and heavy weight yearling steers to lot feeders and restockers improved 12c to sell from 168c to 190.6c as the few heavy weights to the trade topped at 182c/kg. Yearling heifers to feeder orders gained 14c selling from 136c to 167c as those heavy weights to the butchers lifted 18c/kg.

Heavy grown steers to slaughter gained 4c to 8c/kg as greater gains were recorded for the lighter weights to feeder orders. The heifer portion improved 9c as the best topped at 161c/kg. Cows continued the dearer trend to gain 10c to 12c/kg. Plainer 2 scores averaged 115c as the better covered 3 and 4 scores sold from 122c to 140c/kg. The best heavy weight bull reached 158c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	7	182.0	- 182.0	182.0	N/Q	364	- 364	364	118	- 118	118
80+		C	2	5	150.0	- 150.0	150.0	N/Q	300	- 300	300	180	- 180	180
	RS	C	2	12	147.2	- 181.2	169.9	N/Q	-	-	-	147	- 217	194
				24	147.2	182.0	169.3		300	364	337	118	217	169
Vealer Steer														
0-200	RS	C	2	47	190.2	- 207.6	202.8	25	-	-	-	304	- 311	309
200-280	RS	C	2	7	191.0	- 191.0	191.0	20	-	-	-	497	- 497	497
	FD	C	2	9	186.2	- 186.2	186.2	N/Q	-	-	-	484	- 484	484
330+		C	3	16	187.0	- 190.0	189.8	N/Q	340	- 346	345	703	- 722	714
				79	186.2	207.6	197.2		340	346	345	304	722	428
Vealer Heifer														
0-200		C	2	24	175.2	- 175.2	175.2	35	337	- 337	337	298	- 298	298
200-280		C	2	5	165.0	- 165.0	165.0	11	317	- 317	317	413	- 413	413
280-330		C	2	29	153.6	- 177.2	163.3	N/Q	295	- 341	314	465	- 505	482
		C	3	1	193.0	- 193.0	193.0	N/Q	357	- 357	357	579	- 579	579
330+		C	3	11	179.0	- 179.0	179.0	N/Q	338	- 338	338	627	- 627	627
				70	153.6	193.0	170.4		295	357	326	298	627	438
Yearling Steer														
0-330	FD	C	2	17	162.0	- 176.0	167.8	-2	-	-	-	486	- 510	496
	RS	C	2	80	172.6	- 190.6	186.8	25	-	-	-	552	- 618	603
	RS	D	2	9	150.0	- 166.6	164.8	35	-	-	-	398	- 433	429
	FD	D	2	6	160.6	- 160.6	160.6	31	-	-	-	482	- 482	482
330-400	FD	C	2	136	168.0	- 190.6	182.1	12	-	-	-	627	- 712	673
	RS	C	2	40	180.0	- 190.2	186.8	19	-	-	-	666	- 711	684
	FD	C	3	8	185.6	- 185.6	185.6	N/Q	-	-	-	687	- 687	687
	FD	D	2	13	164.2	- 164.2	164.2	N/Q	-	-	-	608	- 608	608
	RS	D	2	17	130.0	- 140.0	137.8	16	-	-	-	455	- 518	503

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		B	2	4	184.0	- 184.0	184.0	N/Q	341	- 341	341	773	- 773	773	
		B	3	2	187.0	- 187.0	187.0	N/Q	334	- 334	334	842	- 842	842	
		C	2	1	183.0	- 183.0	183.0	N/Q	339	- 339	339	769	- 769	769	
		FD	C	2	135	168.0	- 186.2	180.3	12	-	-	706	- 822	768	
		RS	C	3	2	170.0	- 170.0	170.0	N/Q	-	-	765	- 765	765	
			C	3	3	166.0	- 182.0	176.7	13	307	- 337	327	697	- 801	766
		FD	C	3	17	179.2	- 179.2	179.2	13	-	-	806	- 806	806	
		D	2	1	132.8	- 132.8	132.8	N/Q	266	- 266	266	551	- 551	551	
				491	130.0	190.6	179.5		266	341	329	398	842	675	
Yearling Heifer															
0-330	FD	C	2	19	145.0	- 162.6	153.8	15	-	-	471	- 496	485		
	RS	C	2	18	150.0	- 159.0	155.5	8	-	-	450	- 477	467		
		D	2	3	115.0	- 115.0	115.0	-14	235	- 235	235	322	- 322	322	
		RS	D	2	27	137.6	- 153.6	143.7	-5	-	-	392	- 449	419	
330-400	RS	C	2	39	155.0	- 164.6	161.5	14	-	-	527	- 609	567		
	FD	C	2	221	136.6	- 167.0	160.0	14	-	-	458	- 623	576		
		C	3	17	171.6	- 193.6	176.5	17	328	- 359	334	590	- 716	660	
400+	FD	C	3	11	174.2	- 174.2	174.2	N/Q	-	-	592	- 592	592		
		C	2	42	150.0	- 162.2	157.7	14	-	-	630	- 660	649		
		C	2	1	150.0	- 150.0	150.0	N/Q	300	- 300	300	630	- 630	630	
		C	3	29	164.0	- 173.0	170.2	18	309	- 327	323	677	- 727	706	
	RS	C	3	11	158.0	- 162.0	158.4	13	-	-	711	- 729	713		
				438	115.0	193.6	159.8		235	359	321	322	729	578	
Grown Steer															
0-400	RS	D	2	12	136.6	- 136.6	136.6	17	-	-	369	- 369	369		
400-500	FD	C	2	154	160.0	- 180.4	173.9	18	-	-	672	- 845	788		
		C	2	15	156.0	- 156.0	156.0	6	312	- 312	312	640	- 640	640	
		FD	C	3	7	179.6	- 179.6	179.6	N/Q	-	-	826	- 826	826	
500-600	FD	C	2	80	156.0	- 177.6	172.6	N/Q	-	-	811	- 924	887		
		C	2	7	154.0	- 164.0	162.6	13	296	- 315	313	801	- 828	824	
		C	3	41	152.0	- 173.2	169.2	4	282	- 319	310	836	- 958	918	
		FD	C	3	29	164.4	- 174.2	170.8	N/Q	-	-	838	- 953	921	
			C	4	12	179.6	- 179.6	179.6	12	327	- 327	327	934	- 934	934
				357	136.6	180.4	170.9		282	327	313	369	958	822	
Grown Heifer															
0-540	FD	C	2	15	142.0	- 160.0	152.8	N/Q	-	-	611	- 656	638		
		C	2	3	135.0	- 135.0	135.0	N/Q	281	- 281	281	554	- 554	554	
		C	3	34	152.2	- 161.2	157.6	9	304	- 318	311	673	- 791	699	
		D	1	2	105.0	- 105.0	105.0	N/Q	256	- 263	259	389	- 431	410	
		D	2	12	125.0	- 125.0	125.0	30	278	- 278	278	400	- 400	400	
		FD	D	2	2	114.0	- 114.0	114.0	N/Q	-	-	388	- 388	388	
				68	105.0	161.2	147.0		256	318	299	388	791	609	
Manufacturing Steer															
540+	DA	D	2	24	120.0	- 147.6	140.7	N/Q	250	- 308	293	660	- 945	873	
				24	120.0	147.6	140.7		250	308	293	660	945	874	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Cows														
0-400		D	1	26	95.0	- 106.2	103.1	7	250	- 280	271	323	- 393	365
400-520		C	2	22	125.0	- 126.2	125.9	N/Q	263	- 278	266	538	- 581	571
	RS	D	1	15	118.0	- 118.0	118.0	N/Q	-			484	- 484	484
		D	1	12	96.0	- 105.0	101.3	11	253	- 276	266	421	- 441	434
		D	2	85	110.0	- 122.0	115.8	10	262	- 281	274	467	- 537	503
	RS	D	2	22	125.2	- 125.2	125.2	17	-			576	- 576	576
		D	3	87	122.6	- 131.2	126.0	12	261	- 279	269	533	- 656	575
520+		C	3	42	132.0	- 140.0	136.8	15	264	- 280	274	747	- 924	806
	DA	D	2	3	122.0	- 122.0	122.0	N/Q	291	- 291	291	732	- 732	732
		D	2	14	125.0	- 125.0	125.0	N/Q	284	- 284	284	656	- 656	656
		D	3	32	128.2	- 134.8	132.4	13	271	- 281	276	679	- 761	750
		D	4	50	128.2	- 134.2	131.7	11	271	- 280	275	705	- 813	793
		D	5	2	120.2	- 126.0	123.1	N/Q	256	- 268	262	756	- 817	787
				412	95.0	140.0	123.6		250	291	272	323	924	608
Bulls														
0-450		C	2	10	125.0	- 148.0	133.8	4	232	- 269	247	442	- 653	521
		D	2	1	110.0	- 110.0	110.0	N/Q	212	- 212	212	352	- 352	352
450-600		B	2	1	147.6	- 147.6	147.6	N/Q	259	- 259	259	856	- 856	856
		C	2	3	150.0	- 150.0	150.0	17	268	- 268	268	810	- 825	815
600+		B	2	7	150.0	- 158.0	154.4	2	259	- 272	266	1008	- 1470	1297
		C	1	1	115.0	- 115.0	115.0	N/Q	213	- 213	213	748	- 748	748
		C	2	11	125.6	- 152.0	140.7	1	224	- 271	253	856	- 1362	1037
		C	3	1	142.0	- 142.0	142.0	N/Q	254	- 254	254	1207	- 1207	1207
				35	110.0	158.0	140.9		212	272	253	352	1470	894

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.