

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 07 Feb 2013

Yarding Change $\frac{4405}{728}$

comparison date 31/01/2013

Consignments climbed higher, however quality eased as greater percentages of Bos Indicus and crossbreds were penned. Younger cattle were well supplied with fair runs of heavy weight steers yarded. Cows were well represented as around 700 were penned and the usual orders competed, however competition was weaker for the feeder and restocker steers.

The best prime vealers to the trade reached 197c/kg. Light and medium weight yearling steers to restockers and lot feeders lost 8c to 11c with breed and quality contributing in places as prices ranged from 164c to 189c/kg. Heavy weights to the same orders slipped 5c/kg. Yearling heifers remained firm to 5c cheaper as good quality lots to restockers topped at 170c/kg. Heavy weights to the butchers eased in quality and prices slipped 8c/kg.

Heavy grown steers to slaughter remained firm to 2c dearer to sell from 160c to 181c/kg. The heifer portion lost 4c as the best topped at 165c/kg. The best cows continue to sell well, however the plainer lines slipped 8c/kg. Medium weight 2 scores averaged 119c as the better finished 3 and 4 scores ranged from 125c to 151.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Calves																
0-80	RS	C	1	13	160.0	- 160.0	160.0	-17	-	-	-	96	-	96	96	
		C	2	2	198.0	- 198.0	198.0	N/Q	381	-	381	381	139	-	139	139
80+		C	2	8	170.0	- 172.0	170.8	N/Q	333	-	344	337	146	-	153	150
	RS	C	2	14	153.8	- 191.2	177.8	N/Q	-	-	-	191	-	208	197	
	RS	D	1	15	155.0	- 155.0	155.0	N/Q	-	-	-	186	-	186	186	
				52	153.8	198.0	166.5		333	381	346	96	208	159		
Vealer Steer																
0-200	RS	C	2	25	182.0	- 188.6	183.8	-10	-	-	-	302	-	328	320	
200-280	RS	C	2	56	170.0	- 201.2	183.4	-5	-	-	-	365	-	473	409	
		C	2	1	150.0	- 150.0	150.0	N/Q	294	-	294	294	308	-	308	308
	FD	C	2	17	176.2	- 190.2	181.1	N/Q	-	-	-	493	-	514	500	
		D	2	1	145.0	- 145.0	145.0	N/Q	290	-	290	290	297	-	297	297
330+		C	3	5	187.6	- 187.6	187.6	N/Q	341	-	341	341	657	-	657	657
				105	145.0	201.2	182.6		290	341	327	297	657	413		
Vealer Heifer																
0-200		C	2	6	160.0	- 160.0	160.0	13	320	-	320	320	240	-	240	240
	RS	C	2	29	141.0	- 166.0	151.3	-26	-	-	-	226	-	282	249	
	RS	D	2	28	115.0	- 132.0	130.2	N/Q	-	-	-	219	-	224	224	
200-280		C	2	35	150.0	- 192.2	166.4	-3	289	-	356	320	370	-	538	403
	RS	C	2	26	158.2	- 158.2	158.2	-5	-	-	-	411	-	411	411	
		C	3	4	180.0	- 190.0	182.5	N/Q	340	-	359	344	504	-	513	506
	RS	D	2	21	134.2	- 140.0	139.7	N/Q	-	-	-	282	-	308	307	
280-330		C	2	5	171.2	- 171.2	171.2	N/Q	329	-	329	329	548	-	548	548
	FD	C	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	481	-	481	481	
	FD	C	3	5	163.0	- 163.0	163.0	N/Q	-	-	-	489	-	489	489	
		C	3	2	182.0	- 196.2	189.1	N/Q	343	-	363	353	546	-	608	577
330+		C	3	2	185.0	- 197.0	191.0	N/Q	349	-	358	354	629	-	670	649

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					164	115.0	197.0	153.5		289	363	325	219	670	343
Yearling Steer															
0-330	RS	C	1	18	180.0	- 180.0	180.0	10	-				504	- 504	504
	RS	C	2	176	161.0	- 194.2	177.6	-10	-				396	- 621	515
		C	2	7	145.0	- 145.0	145.0	N/Q	279	- 279	279		450	- 450	450
	FD	C	2	44	170.0	- 188.2	185.9	-8	-				544	- 602	597
	FD	D	2	7	155.0	- 155.0	155.0	-9	-				512	- 512	512
	RS	D	2	56	130.0	- 159.6	148.2	-4	-				388	- 471	403
330-400	RS	C	2	63	164.0	- 189.0	178.1	-13	-				580	- 639	622
		C	2	5	168.0	- 168.0	168.0	N/Q	323	- 323	323		638	- 638	638
	FD	C	2	119	162.0	- 186.0	175.4	-14	-				558	- 685	625
	FD	C	3	9	187.2	- 187.2	187.2	N/Q	-				636	- 636	636
		C	3	2	199.2	- 199.2	199.2	N/Q	362	- 362	362		717	- 717	717
	FD	D	2	9	147.0	- 159.2	153.8	N/Q	-				529	- 605	571
400+		B	3	1	200.0	- 200.0	200.0	N/Q	351	- 351	351		900	- 900	900
	FD	C	2	125	168.2	- 183.0	171.4	-5	-				681	- 771	717
	RS	C	2	45	169.0	- 171.2	170.6	-7	-				701	- 719	710
	FD	C	3	53	172.0	- 180.5	175.9	-3	-				740	- 826	762
		C	3	14	163.8	- 180.0	172.2	-10	303	- 333	319		663	- 825	733
					753	130.0	200.0	173.3		279	362	314	388	900	608
Yearling Heifer															
0-330	RS	C	1	29	140.0	- 140.0	140.0	N/Q	-				378	- 378	378
	RS	C	2	30	138.0	- 145.0	141.6	-16	-				393	- 471	436
		C	2	25	136.6	- 157.0	144.0	-6	269	- 302	284		355	- 502	416
	FD	C	2	7	163.0	- 163.0	163.0	9	-				489	- 489	489
	RS	D	2	30	129.0	- 140.0	138.2	-1	-				335	- 364	359
		D	2	48	120.0	- 148.0	138.7	N/C	250	- 296	279		276	- 416	385
330-400	FD	C	2	56	145.0	- 155.0	150.6	-9	-				511	- 574	546
		C	2	12	153.2	- 162.0	157.6	4	295	- 312	303		551	- 552	551
	RS	C	2	224	140.0	- 170.2	153.7	N/C	-				483	- 596	528
		C	3	53	160.0	- 185.0	167.9	-7	302	- 349	319		560	- 712	599
		D	2	7	128.0	- 128.0	128.0	N/Q	256	- 256	256		429	- 429	429
400+	FD	C	2	44	154.0	- 156.0	155.0	-5	-				647	- 655	651
	RS	C	3	10	154.0	- 154.0	154.0	N/Q	-				624	- 624	624
		C	3	39	152.0	- 175.0	158.3	-15	292	- 330	303		623	- 718	653
					614	120.0	185.0	151.4		250	349	297	276	718	518
Grown Steer															
400-500		C	2	95	140.0	- 165.0	160.6	22	269	- 317	309		588	- 792	738
	FD	C	2	28	155.0	- 165.0	156.1	-15	-				651	- 729	709
	FD	C	3	7	165.0	- 165.0	165.0	-13	-				710	- 710	710
		C	3	33	158.0	- 164.2	162.0	7	293	- 304	300		727	- 739	734
		D	2	8	130.0	- 130.0	130.0	N/Q	260	- 260	260		546	- 546	546
500-600		C	2	26	152.0	- 165.0	162.7	-1	292	- 317	313		790	- 908	873
	FD	C	2	11	169.2	- 170.0	169.6	N/Q	-				863	- 867	865

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	176	160.6	- 181.0	175.7	3	297	- 325	319	859	- 995	961
		C	4	23	172.0	- 177.6	173.4	-2	313	- 323	315	980	- 1030	993
600-750		C	3	23	162.0	- 176.0	169.7	-4	300	- 320	311	988	- 1074	1031
		C	4	21	169.0	- 179.2	178.7	N/Q	307	- 326	325	1031	- 1093	1090
				451	130.0	181.0	168.1		260	326	313	546	1093	874
Grown Heifer														
0-540		C	2	11	140.0	- 140.0	140.0	-11	292	- 292	292	532	- 532	532
	FD	C	2	4	145.0	- 145.0	145.0	-6		-		537	- 537	537
		C	3	100	152.0	- 165.0	157.6	-6	304	- 330	315	640	- 864	759
		C	4	9	165.0	- 165.0	165.0	-2	330	- 330	330	858	- 858	858
	RS	D	2	3	120.0	- 120.0	120.0	-11		-		408	- 408	408
	FD	D	2	24	137.0	- 137.0	137.0	7		-		480	- 480	480
		D	2	21	115.0	- 140.0	131.0	-4	256	- 311	291	378	- 486	456
540+		D	4	1	140.0	- 140.0	140.0	N/Q	292	- 292	292	574	- 574	574
		C	3	3	153.0	- 153.0	153.0	-16	306	- 306	306	842	- 842	842
		C	4	1	148.0	- 148.0	148.0	N/Q	296	- 296	296	858	- 858	858
				177	115.0	165.0	149.8		256	330	310	378	864	666
Manufacturing Steer														
0-540	DA	D	2	67	118.0	- 135.4	125.3	N/Q	251	- 282	263	413	- 691	524
		D	2	5	120.0	- 120.0	120.0	N/Q	255	- 255	255	432	- 432	432
540+		C	3	7	160.0	- 160.0	160.0	-6	296	- 296	296	976	- 976	976
		C	4	3	158.0	- 158.0	158.0	N/Q	293	- 293	293	1027	- 1027	1027
		C	5	1	120.0	- 120.0	120.0	N/Q	222	- 222	222	1020	- 1020	1020
	DA	D	2	10	125.0	- 125.0	125.0	-19	260	- 260	260	775	- 775	775
				93	118.0	160.0	128.6		222	296	265	413	1027	601
Cows														
0-400		D	1	75	87.2	- 105.0	92.0	-17	230	- 276	242	306	- 368	321
		D	2	9	113.2	- 113.2	113.2	1	276	- 276	276	396	- 396	396
		E	1	9	60.0	- 80.0	64.4	-20	171	- 250	189	192	- 224	199
400-520		D	1	22	90.0	- 102.0	99.6	-11	237	- 268	262	369	- 434	419
		D	2	125	105.0	- 128.2	119.3	2	256	- 291	281	431	- 610	535
	RS	D	2	45	123.0	- 123.0	123.0	N/Q		-		504	- 504	504
		D	3	35	125.0	- 130.0	126.0	-9	266	- 277	268	575	- 611	580
520+		C	2	3	135.0	- 135.0	135.0	N/Q	281	- 281	281	743	- 743	743
		C	3	10	150.0	- 150.2	150.2	5	300	- 300	300	990	- 1081	1063
		C	4	24	146.5	- 151.2	147.9	3	293	- 302	296	923	- 998	945
		D	3	207	132.0	- 142.0	136.5	N/C	277	- 296	285	718	- 923	783
		D	4	82	134.0	- 143.0	140.0	1	279	- 298	291	724	- 915	865
		D	5	6	130.0	- 133.0	132.5	N/Q	283	- 289	288	811	- 975	839
				652	60.0	151.2	125.1		171	302	277	192	1081	647
Bulls														
0-450		C	2	32	114.0	- 145.0	136.1	-4	219	- 274	256	386	- 550	441
450-600		C	2	1	132.0	- 132.0	132.0	N/Q	244	- 244	244	700	- 700	700
		D	1	1	115.0	- 115.0	115.0	N/Q	217	- 217	217	633	- 633	633
600+		B	2	2	158.0	- 165.0	161.5	N/Q	272	- 285	278	1169	- 1238	1203

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	2	12	140.0	- 154.0	149.1	N/C	255	- 280	271	882	- 970	940
				48	114.0	165.0	139.9		217	285	259	386	1238	607

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.