

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 12 Mar 2013

Yarding Change 2830
1100

comparison date 05/03/2013

Consignments lifted and quality remained mixed with vealers scarce in the pens as good runs of yearlings were offered. Prime conditioned grown steers were limited in supply as around 650 plainer quality cows were yarded. The usual orders competed, however competition was weaker throughout most categories.

Medium weight yearling steers to lot feeder orders lost 6c to range from 178c to 198c/kg. Heavy weights to the same orders eased 5c, however prime conditioned pens sold at a premium to reach 197c before averaging 191c/kg. Yearling heifers struggled in the competition and lost 10c to the lot feeders and 4c/kg to butcher orders.

Medium weight steers to lot feeders improved 5c/kg. Heavy weights to slaughter slipped 4c, however prime younger bullocks reached 182c/kg. The heifer portion eased 2c to average 162c/kg. Cows continued the cheaper trend to slip 5c to 6c/kg. The plainer 2 scores averaged 115c as the better covered 3 and 4 scores ranged from 115c to 155c/kg. Heavy bulls lost quality and yield compared to the previous market as the best reached 170c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
0-80	RS	C	1	5	180.0	- 180.0	180.0	N/Q	360	- 360	360	117	- 117	117	
		D	1	1	115.2	- 115.2	115.2	N/Q		-		75	- 75	75	
80+		C	2	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	170	- 170	170	
					7	115.2	180.0	169.3		327	360	355	75	170	119
Vealer Steer															
200-280	FD	C	2	1	170.0	- 170.0	170.0	N/Q		-		459	- 459	459	
	RS	C	2	25	170.0	- 205.0	184.4	-13		-		408	- 533	450	
		D	2	1	140.0	- 140.0	140.0	N/Q	280	- 280	280	350	- 350	350	
280-330	FD	C	2	7	187.2	- 187.2	187.2	N/Q		-		562	- 562	562	
	RS	C	3	15	214.0	- 214.0	214.0	N/Q		-		610	- 610	610	
		C	3	10	190.0	- 211.0	208.9	9	352	- 391	387	608	- 633	631	
330+		C	3	2	197.8	- 197.8	197.8	N/Q	366	- 366	366	673	- 673	673	
					61	140.0	214.0	195.5		280	391	376	350	673	537
Vealer Heifer															
200-280		C	2	36	155.0	- 186.2	171.5	-43	310	- 351	331	326	- 503	410	
	FD	C	2	1	164.2	- 164.2	164.2	N/Q		-		460	- 460	460	
	RS	C	2	24	150.0	- 170.0	163.3	N/Q		-		330	- 357	348	
		D	2	2	110.0	- 110.0	110.0	N/Q	225	- 229	227	264	- 264	264	
280-330		C	3	9	205.0	- 212.2	206.7	17	380	- 393	388	585	- 679	614	
330+		C	3	1	209.2	- 209.2	209.2	N/Q	387	- 387	387	743	- 743	743	
					73	110.0	212.2	171.9		225	393	339	264	743	416
Yearling Steer															
0-330	FD	C	2	10	180.0	- 203.2	200.9	27		-		540	- 650	639	
	RS	C	2	47	176.2	- 200.2	188.0	N/Q		-		502	- 621	566	
	RS	D	2	4	145.0	- 160.0	148.8	-3		-		435	- 448	438	
	FD	D	2	2	110.0	- 110.0	110.0	N/Q		-		330	- 330	330	
		D	2	3	115.0	- 115.0	115.0	N/Q	240	- 240	240	345	- 345	345	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400		C	2	2	170.0	- 170.0	170.0	N/Q	327	- 327	327	655	- 655	655
	FD	C	2	94	178.0	- 198.0	190.5	-6		-		630	- 719	700
	RS	C	2	3	200.0	- 200.0	200.0	N/C		-		680	- 680	680
	DA	D	2	4	113.0	- 113.0	113.0	N/Q	235	- 235	235	429	- 429	429
	FD	D	2	2	152.0	- 152.0	152.0	N/Q		-		532	- 532	532
		D	2	2	110.0	- 110.0	110.0	N/Q	220	- 220	220	407	- 407	407
400+		C	2	8	170.0	- 170.0	170.0	-5	327	- 327	327	714	- 714	714
	FD	C	2	205	170.0	- 190.2	180.8	-5		-		697	- 836	767
	RS	C	2	1	175.0	- 175.0	175.0	N/Q		-		744	- 744	744
	FD	C	3	102	182.0	- 197.2	191.1	11		-		768	- 858	831
		C	3	9	175.0	- 202.0	187.7	N/C	324	- 367	346	735	- 818	781
		D	2	4	110.0	- 120.0	117.5	-24	220	- 240	235	451	- 504	491
	RS	D	2	1	120.0	- 120.0	120.0	N/Q		-		492	- 492	492
					503	110.0	203.2	183.3	220	367	295	330	858	730
Yearling Heifer														
0-330	FD	C	2	23	142.0	- 150.0	143.0	-23		-		426	- 480	433
		C	3	1	175.0	- 175.0	175.0	N/Q	337	- 337	337	551	- 551	551
		D	2	7	100.0	- 130.0	119.3	N/Q	200	- 260	243	310	- 390	364
	FD	D	2	5	135.0	- 135.0	135.0	19		-		432	- 432	432
	RS	D	2	8	135.0	- 135.0	135.0	N/Q		-		378	- 378	378
330-400	FD	C	2	188	140.0	- 175.2	166.4	-10		-		489	- 635	604
		C	2	11	150.0	- 150.0	150.0	-9	300	- 300	300	570	- 570	570
		C	3	10	175.0	- 201.0	180.1	3	330	- 377	339	648	- 764	670
		D	2	3	100.0	- 100.0	100.0	N/Q	217	- 217	217	335	- 335	335
	FD	D	2	3	143.0	- 143.0	143.0	13		-		515	- 515	515
	RS	D	2	8	110.0	- 110.0	110.0	N/Q		-		374	- 374	374
400+	FD	C	2	19	168.0	- 174.0	172.7	3		-		680	- 698	694
		C	2	1	155.0	- 155.0	155.0	N/Q	298	- 298	298	667	- 667	667
		C	3	84	150.0	- 205.2	170.2	-4	298	- 380	323	615	- 831	726
	FD	C	3	3	169.0	- 169.0	169.0	N/Q		-		710	- 710	710
					374	100.0	205.2	162.1	200	380	315	310	831	607
Grown Steer														
400-500		C	2	33	130.0	- 165.0	155.7	4	255	- 317	300	540	- 759	687
	FD	C	2	64	160.0	- 182.0	171.4	12		-		672	- 819	749
		C	3	2	150.0	- 165.0	157.5	N/Q	278	- 306	292	660	- 743	701
500-600	FD	C	2	41	171.4	- 179.8	176.1	6		-		874	- 935	908
		C	2	1	168.0	- 168.0	168.0	N/Q	323	- 323	323	857	- 857	857
	FD	C	3	5	183.6	- 183.6	183.6	N/Q		-		955	- 955	955
		C	3	65	168.0	- 180.0	174.4	-5	311	- 327	320	874	- 1008	966
		D	4	1	155.0	- 155.0	155.0	N/Q	293	- 293	293	853	- 853	853
600-750		C	3	21	165.0	- 172.0	166.7	-4	306	- 319	309	1007	- 1066	1021
		C	4	45	182.0	- 182.0	182.0	6	325	- 325	325	1110	- 1110	1110
					278	130.0	183.6	172.3	255	327	316	540	1110	899
Grown Heifer														
0-540	FD	C	2	7	140.0	- 140.0	140.0	-21		-		539	- 588	567

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	2	6	130.0	- 158.0	146.7	-7	277	- 329	308	533	- 711	630
		C	3	107	155.0	- 170.0	162.6	-2	310	- 340	325	695	- 884	773
	FD	D	2	5	110.0	- 110.0	110.0	N/Q		-		418	- 418	418
		D	2	6	110.0	- 130.0	123.3	13	244	- 289	274	462	- 494	483
		D	3	4	140.0	- 140.0	140.0	-2	292	- 292	292	581	- 581	581
		D	5	1	110.0	- 110.0	110.0	N/Q	229	- 229	229	495	- 495	495
				136	110.0	170.0	156.0		229	340	320	418	884	723
Manufacturing Steer														
540+		C	3	4	160.0	- 160.0	160.0	N/C	296	- 296	296	1008	- 1008	1008
				4	160.0	160.0	160.0		296	296	296	1008	1008	1008
Cows														
0-400		D	1	64	80.0	- 106.0	97.9	-7	216	- 279	259	272	- 403	353
		D	2	11	104.0	- 104.0	104.0	-11	254	- 254	254	374	- 374	374
		E	1	17	70.0	- 70.0	70.0	-3	200	- 200	200	231	- 252	234
400-520		D	1	12	103.0	- 103.0	103.0	-5	271	- 271	271	422	- 422	422
		D	2	246	104.0	- 128.0	115.0	-6	254	- 298	274	437	- 603	511
	DA	D	2	1	126.0	- 126.0	126.0	N/Q	293	- 293	293	630	- 630	630
		D	3	22	115.0	- 134.0	126.6	-8	250	- 285	270	495	- 670	594
520+		C	3	2	135.0	- 155.0	145.0	N/Q	270	- 310	290	729	- 899	814
		C	4	1	138.0	- 138.0	138.0	N/Q	276	- 276	276	966	- 966	966
		D	2	15	122.0	- 125.6	125.4	-7	284	- 292	292	659	- 666	665
		D	3	129	128.0	- 138.0	134.0	-8	270	- 288	280	678	- 816	731
		D	4	11	134.0	- 138.0	135.8	-6	279	- 288	283	842	- 871	858
		D	5	8	116.2	- 116.2	116.2	-17	253	- 253	253	697	- 697	697
		D	6	1	115.0	- 115.0	115.0	N/Q	256	- 256	256	633	- 633	633
				540	70.0	155.0	117.0		200	310	271	231	966	551
Bulls														
0-450		B	2	1	189.2	- 189.2	189.2	N/Q	326	- 326	326	795	- 795	795
		C	2	81	110.0	- 155.0	135.5	-10	212	- 279	250	390	- 698	513
		D	1	1	80.0	- 80.0	80.0	N/Q	160	- 160	160	280	- 280	280
		D	2	12	90.0	- 122.0	95.9	-4	173	- 230	184	317	- 537	342
450-600		C	2	6	140.0	- 150.0	143.6	-4	255	- 273	261	770	- 840	809
600+		B	2	13	152.0	- 170.0	159.0	-6	267	- 290	275	1024	- 1628	1344
		C	2	11	135.0	- 158.0	147.1	7	246	- 282	264	878	- 1277	1053
		D	2	1	110.0	- 110.0	110.0	N/Q	220	- 220	220	715	- 715	715
				126	80.0	189.2	135.3		160	326	248	280	1628	645

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.