

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Forbes

report date 06 May 2013

Yarding Change ¹⁷⁸⁹
195

comparison date 29/04/2013

There was a slight increase in numbers and quality continues to be plain for the majority of the yarding. Yearlings made up most of the offering and there was an increase in the number of cows. Grown steers and heifers were limited and there were only a hand full of vealers. Plainer cattle eased in price while the supplementary fed lines of well-finished trade cattle lifted in price.

Vealers reached 224.6c for one heavy weight and most of the medium weights ranged between 140c and 165c/kg and returned to the paddock. Feeders picked up most of the plainer yearlings and the steer portion eased 6c/kg. Prices ranged from 140c to 172c to average 160c/kg. Heifers to feed lifted 8c, averaging 145c/kg. Trade steers were 10c dearer with the medium and heavy weights ranging between 165c and 208c with B muscled Europeans to 215.6c/kg. Heifers also followed the dearer trend selling from 150c to 212c/kg.

Grown steers were in limited numbers and too few to quote but sold from 140c to 165c/kg for the 500kg to 600kg. Cows remained firm with the light D1 and 2 score ranging from 72c to 98c and the heavy 3 and 4 score cows from 105c to 117c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200		C	2	5	152.6	- 152.6	152.6	N/Q	294	- 294	294	275	- 275	275
	RS	D	2	6	140.0	- 140.0	140.0	N/Q	-			252	- 252	252
200-280	RS	C	2	9	154.6	- 160.0	158.2	N/Q	-			387	- 416	406
	FD	D	2	7	142.0	- 142.0	142.0	N/Q	-			369	- 369	369
280-330		C	3	1	224.6	- 224.6	224.6	N/Q	416	- 416	416	640	- 640	640
				28	140.0	224.6	151.6		294	416	314	252	640	349
Vealer Heifer														
0-200		C	2	3	130.0	- 130.0	130.0	N/Q	250	- 250	250	202	- 202	202
	RS	D	1	3	120.0	- 120.0	120.0	N/Q	-			192	- 192	192
200-280		C	2	3	142.0	- 142.0	142.0	N/Q	273	- 273	273	369	- 369	369
		C	3	4	165.0	- 165.0	165.0	N/Q	306	- 306	306	446	- 446	446
280-330		C	3	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	480	- 480	480
				14	120.0	165.0	142.6		250	306	281	192	480	325
Yearling Steer														
0-330	FD	C	2	68	138.2	- 167.6	156.0	-13	-			360	- 536	455
	RS	C	2	92	153.6	- 165.0	160.9	3	-			399	- 496	426
		C	3	6	159.6	- 209.6	190.3	40	296	- 388	352	431	- 681	580
	RS	D	2	29	122.6	- 159.0	155.2	14	-			294	- 429	409
	FD	D	2	28	120.0	- 160.0	151.6	N/Q	-			324	- 512	426
		D	2	1	150.0	- 150.0	150.0	N/Q	294	- 294	294	480	- 480	480
330-400		B	3	3	213.6	- 213.6	213.6	N/Q	388	- 388	388	812	- 812	812
		C	2	5	141.0	- 168.6	155.9	N/Q	271	- 312	292	494	- 641	552
	FD	C	2	209	140.0	- 172.6	159.1	-6	-			529	- 619	567
	RS	C	2	7	164.0	- 164.0	164.0	N/Q	-			566	- 566	566
		C	3	31	175.0	- 208.6	190.7	2	324	- 386	355	630	- 721	692
	RS	D	2	8	147.2	- 147.2	147.2	N/Q	-			559	- 559	559
	FD	D	2	4	134.0	- 150.0	144.8	N/C	-			456	- 510	494

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		B	3	8	202.6	- 215.6	205.9	N/Q	368	- 392	374	851	- 906	865
		C	2	3	157.6	- 187.8	177.7	N/Q	303	- 348	333	670	- 789	749
	FD	C	2	27	155.0	- 168.6	161.8	-16		-		659	- 792	729
	FD	C	3	2	165.0	- 165.0	165.0	N/Q		-		693	- 693	693
		C	3	70	165.0	- 192.8	185.2	10	306	- 356	340	693	- 912	846
				601	120.0	215.6	164.4		271	392	345	294	912	571
Yearling Heifer														
0-330		C	2	5	140.0	- 140.0	140.0	N/C	269	- 269	269	364	- 364	364
	FD	C	2	32	120.0	- 129.6	120.3	-13		-		288	- 421	299
	RS	C	2	8	140.0	- 140.0	140.0	N/Q		-		336	- 336	336
		C	3	1	192.0	- 192.0	192.0	N/Q	356	- 356	356	605	- 605	605
	RS	D	1	4	50.0	- 50.0	50.0	N/Q		-		120	- 120	120
	FD	D	1	1	73.0	- 73.0	73.0	N/Q		-		175	- 175	175
	FD	D	2	47	110.0	- 135.0	123.2	-1		-		286	- 413	340
	RS	D	2	10	110.0	- 129.6	126.0	11		-		297	- 345	336
		D	2	7	130.0	- 130.6	130.5	N/Q	250	- 261	260	300	- 338	306
		D	3	1	130.0	- 130.0	130.0	N/Q	250	- 250	250	390	- 390	390
330-400	FD	C	2	37	138.0	- 159.6	145.2	8		-		496	- 543	521
		C	2	2	150.0	- 150.0	150.0	N/Q	289	- 289	289	540	- 540	540
		C	3	47	150.0	- 200.0	186.7	27	278	- 370	345	548	- 736	674
		C	4	3	212.2	- 212.2	212.2	N/Q	393	- 393	393	732	- 732	732
	FD	D	1	6	90.0	- 90.0	90.0	N/Q		-		311	- 311	311
		D	1	1	106.0	- 106.0	106.0	N/Q	221	- 221	221	376	- 376	376
		D	2	8	130.0	- 135.0	133.8	N/Q	260	- 260	260	466	- 500	475
	FD	D	2	14	110.0	- 137.0	128.3	7		-		396	- 466	445
	RS	D	2	2	148.0	- 148.0	148.0	N/Q		-		525	- 525	525
		D	3	3	165.6	- 165.6	165.6	N/Q	307	- 307	307	629	- 629	629
400+		C	3	4	184.6	- 184.6	184.6	32	342	- 342	342	775	- 775	775
		C	4	2	145.0	- 168.0	156.5	N/Q	269	- 311	290	740	- 907	823
		D	3	10	163.2	- 163.2	163.2	N/Q	308	- 308	308	783	- 783	783
				255	50.0	212.2	142.4		221	393	319	120	907	468
Grown Steer														
0-400	FD	C	2	1	105.2	- 105.2	105.2	N/Q		-		373	- 373	373
		D	1	1	40.0	- 40.0	40.0	N/Q	83	- 83	83	98	- 98	98
	FD	D	2	15	78.6	- 78.6	78.6	N/Q		-		271	- 271	271
400-500		C	2	2	82.0	- 144.6	113.3	N/Q	158	- 278	218	369	- 651	510
500-600		C	2	6	140.0	- 155.0	145.0	N/Q	269	- 293	277	728	- 806	754
		C	3	6	140.0	- 165.0	154.2	N/Q	264	- 306	288	795	- 842	824
600-750		C	3	1	142.0	- 142.0	142.0	N/Q	263	- 263	263	895	- 895	895
		C	4	2	155.0	- 155.0	155.0	N/Q	287	- 287	287	992	- 992	992
				34	40.0	165.0	111.7		83	306	264	98	992	527
Grown Heifer														
0-540		D	1	11	81.6	- 81.6	81.6	N/Q	177	- 177	177	277	- 277	277
	FD	D	1	12	50.0	- 50.0	50.0	N/Q		-		170	- 170	170

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	FD	D	2	3	110.0	- 110.0	110.0	N/Q	-			462	- 462	462
		D	2	15	82.0	- 105.0	86.3	N/Q	158	- 213	172	345	- 483	374
		D	3	15	115.0	- 130.0	121.0	N/Q	229	- 255	235	587	- 676	633
		D	3	2	110.6	- 110.6	110.6	N/Q	221	- 221	221	603	- 603	603
				58	50.0	130.0	88.9		158	255	198	170	676	393
Manufacturing Steer														
0-540	DA	C	2	2	120.0	- 120.0	120.0	N/Q	240	- 240	240	552	- 552	552
		E	1	5	20.0	- 20.0	20.0	N/Q	43	- 43	43	44	- 44	44
				7	20.0	120.0	48.6		43	240	99	44	552	189
Cows														
0-400		D	1	23	40.0	- 75.0	70.2	N/Q	89	- 160	150	140	- 255	242
	RS	D	1	39	61.0	- 75.0	71.3	N/Q	-			214	- 278	262
		D	2	12	83.0	- 96.6	88.6	24	177	- 204	188	315	- 365	333
		E	1	19	50.0	- 50.0	50.0	N/Q	111	- 111	111	170	- 180	171
400-520	DA	E	1	1	50.0	- 50.0	50.0	N/Q	114	- 114	114	180	- 180	180
		D	1	32	72.0	- 82.6	74.2	N/Q	158	- 180	162	294	- 343	305
	DA	D	2	8	104.2	- 104.2	104.2	N/Q	222	- 222	222	531	- 531	531
		D	2	127	79.6	- 98.2	91.4	1	166	- 205	191	326	- 464	409
		D	3	83	102.0	- 115.6	109.0	1	194	- 231	219	469	- 590	542
520+		D	4	3	109.6	- 114.6	111.4	N/Q	219	- 229	223	550	- 596	572
		C	3	1	108.6	- 108.6	108.6	N/Q	217	- 217	217	608	- 608	608
		C	5	2	117.0	- 117.0	117.0	N/Q	229	- 229	229	913	- 913	913
		D	3	11	105.0	- 114.2	113.0	-1	219	- 228	227	588	- 650	612
		D	4	31	113.0	- 117.0	115.9	N/Q	226	- 234	232	604	- 662	641
				392	40.0	117.0	91.4		89	234	194	140	913	421
Bulls														
0-450		C	2	3	118.0	- 150.0	139.3	7	219	- 283	262	330	- 454	371
	DA	D	1	17	80.0	- 113.2	107.3	N/Q	160	- 226	215	304	- 475	445
450-600		C	1	1	118.6	- 118.6	118.6	N/Q	220	- 220	220	688	- 688	688
		C	2	4	126.6	- 140.0	134.2	-1	234	- 259	247	709	- 812	760
	DA	D	2	10	106.2	- 126.2	122.2	N/Q	212	- 238	233	542	- 606	593
		D	2	1	120.0	- 120.0	120.0	N/Q	231	- 231	231	576	- 576	576
600+		B	2	4	150.0	- 160.0	155.1	N/Q	267	- 286	274	1140	- 1248	1217
		C	1	1	125.2	- 125.2	125.2	N/Q	232	- 232	232	814	- 814	814
		C	2	12	128.2	- 145.0	139.9	-8	233	- 264	255	851	- 1094	918
				53	80.0	160.0	125.7		160	286	238	304	1248	672

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.