

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 14 May 2013

Yarding Change 2850
-1070

comparison date 07/05/2013

Numbers were reduced and the quality of the young cattle was good with a large number of fresh milk vealers available. Yearlings were also well supplied and there were plenty of plainer grown cattle with well finished steers in short supply. Cow numbers almost doubled as all the usual buyers competed.

Vealers were dearer by 12c on the medium weights but there were fewer heavy weight steers and they eased 8c to 10c/kg. The best price was 205c with the majority selling between 150c and 170c/kg. Medium weight feeder steers and restocking lines lifted 8c ranging from 140c to 170c averaging 156c/kg. Trade steers gained 8c making to a top of 203c to average 172c/kg. Trade heifers were firm to 3c easier ranging between 140c and 170c/kg.

The grown steers were 2c dearer making 162c/kg. Cows were 4c to 6c cheaper with the medium weights making between 62c and 104c, and the heavy 3 and 4 scores 92c to 112c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	1	1	117.6	- 117.6	117.6	N/Q	235	- 235	235	165	- 165	165
	RS	D	2	2	120.0	- 120.0	120.0	N/Q	-			102	- 102	102
				3	117.6	120.0	119.3		235	235	235	102	165	123
Vealer Steer														
0-200	FD	C	2	1	148.0	- 148.0	148.0	N/Q	-			266	- 266	266
200-280	FD	C	2	43	142.0	- 158.2	147.0	-3	-			334	- 410	381
	RS	C	2	34	140.0	- 161.0	153.3	-14	-			374	- 435	390
		C	2	1	162.6	- 162.6	162.6	N/Q	313	- 313	313	423	- 423	423
		C	3	14	151.6	- 185.6	171.8	N/Q	281	- 344	316	379	- 501	467
	FD	D	2	4	110.0	- 145.0	135.0	N/Q	-			242	- 392	337
280-330		B	3	12	185.0	- 200.0	195.8	N/Q	330	- 364	355	602	- 640	628
	FD	C	2	18	139.0	- 150.0	144.9	-5	-			413	- 480	443
		C	3	53	148.0	- 205.0	174.1	12	274	- 380	321	466	- 636	533
330+		C	2	1	165.0	- 165.0	165.0	N/Q	306	- 306	306	635	- 635	635
	FD	C	2	1	125.0	- 125.0	125.0	N/Q	-			469	- 469	469
		C	3	12	162.0	- 185.0	179.1	-12	300	- 343	330	559	- 666	634
				194	110.0	205.0	161.9		274	380	326	242	666	468
Vealer Heifer														
0-200	RS	D	1	1	50.0	- 50.0	50.0	N/Q	-			88	- 88	88
	RS	D	2	23	136.0	- 136.0	136.0	N/Q	-			245	- 245	245
200-280	RS	C	2	11	137.2	- 145.0	137.9	N/Q	-			302	- 377	309
		C	2	116	125.0	- 165.0	141.5	13	236	- 311	265	275	- 454	363
	FD	C	2	11	130.0	- 136.2	135.6	-4	-			351	- 354	354
		C	3	10	140.0	- 175.2	152.7	N/Q	264	- 324	286	338	- 420	387
	FD	D	2	4	115.0	- 130.0	122.5	N/Q	-			253	- 338	296
		D	2	38	125.0	- 145.0	140.0	30	240	- 284	273	269	- 334	316
280-330		B	3	4	188.0	- 188.0	188.0	N/Q	342	- 342	342	545	- 602	573

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330+	FD	C	2	8	130.0	- 130.0	130.0	-9	-				371	- 371	371
		C	2	7	152.0	- 152.0	152.0	21	287	- 287	287	471	- 471	471	
		C	3	57	150.0	- 180.0	157.8	-3	273	- 333	291	450	- 576	482	
	FD	D	2	7	139.0	- 139.0	139.0	N/Q	-			417	- 417	417	
		C	3	9	155.0	- 190.2	177.9	-1	287	- 352	329	519	- 685	633	
					306	50.0	190.2	145.0		236	352	278	88	685	382
Yearling Steer															
0-330		C	2	1	170.0	- 170.0	170.0	N/Q	315	- 315	315	476	- 476	476	
	FD	C	2	80	130.0	- 165.0	150.4	-1	-			379	- 498	474	
		C	3	3	165.0	- 170.0	166.7	N/Q	306	- 315	309	536	- 544	539	
330-400	RS	D	2	3	90.0	- 114.2	98.1	N/Q	-			234	- 365	278	
		D	2	5	124.0	- 124.0	124.0	N/Q	248	- 248	248	372	- 372	372	
	FD	D	2	20	110.0	- 139.2	132.4	N/Q	-			286	- 362	349	
	FD	C	2	76	140.0	- 163.2	156.3	10	-			483	- 628	560	
	RS	C	2	27	155.0	- 155.2	155.1	9	-			589	- 590	589	
		C	2	6	145.0	- 145.0	145.0	N/Q	279	- 279	279	522	- 551	541	
		C	3	48	145.0	- 177.2	168.9	N/Q	274	- 328	313	553	- 673	630	
	FD	D	1	1	60.0	- 60.0	60.0	N/Q	-			204	- 204	204	
	FD	D	2	1	130.0	- 130.0	130.0	N/Q	-			436	- 436	436	
	RS	D	2	2	100.0	- 105.2	102.6	N/Q	-			340	- 363	351	
400+	FD	C	2	72	140.0	- 170.0	145.6	-13	-			582	- 748	651	
	RS	C	2	21	157.2	- 158.2	157.9	4	-			645	- 696	679	
		C	2	8	138.0	- 145.0	139.8	N/Q	265	- 279	269	580	- 609	587	
	C	3	102	160.0	- 203.0	174.8	4	296	- 376	324	672	- 926	808		
	D	3	2	130.0	- 130.0	130.0	N/Q	245	- 245	245	540	- 540	540		
				478	60.0	203.0	156.3		245	376	313	204	926	611	
Yearling Heifer															
0-330		C	2	11	125.0	- 130.0	125.9	6	236	- 255	239	325	- 358	331	
	FD	C	2	30	124.2	- 150.0	136.8	7	-			376	- 465	416	
		C	3	1	150.0	- 150.0	150.0	N/Q	278	- 278	278	480	- 480	480	
330-400	FD	D	1	2	125.0	- 125.0	125.0	N/Q	-			400	- 400	400	
	FD	D	2	29	100.0	- 138.2	124.3	12	-			250	- 394	358	
		D	2	12	90.0	- 125.0	106.5	7	177	- 250	211	234	- 381	280	
	RS	D	2	5	123.6	- 123.6	123.6	N/Q	-			334	- 334	334	
	FD	C	2	26	130.0	- 136.0	134.9	-7	-			449	- 517	478	
		C	3	17	145.0	- 170.0	151.7	N/C	269	- 315	282	486	- 612	534	
	FD	D	2	34	116.0	- 130.0	125.8	N/Q	-			400	- 494	460	
		D	2	7	105.0	- 105.0	105.0	N/Q	210	- 210	210	399	- 399	399	
400+		D	3	3	120.0	- 155.0	131.7	N/Q	231	- 293	251	426	- 589	480	
		C	2	36	140.0	- 150.0	145.0	17	259	- 294	278	597	- 660	629	
		C	3	39	135.0	- 156.0	146.5	-3	255	- 289	272	594	- 728	641	
		D	2	10	115.0	- 129.2	123.5	N/Q	230	- 258	247	483	- 543	519	
		D	3	27	130.0	- 155.0	143.6	N/Q	245	- 293	275	572	- 721	635	
			289	90.0	170.0	134.7		177	315	264	234	728	499		
Grown Steer															

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-400	FD	C	2	16	100.0	- 130.0	124.4	N/Q	-			380	- 494	473
	RS	D	2	5	90.0	- 90.0	90.0	N/Q	-			342	- 342	342
		D	2	1	70.0	- 70.0	70.0	N/Q	140	- 140	140	259	- 259	259
400-500	FD	C	2	45	145.0	- 150.0	147.0	N/C	-			609	- 666	626
		C	2	7	118.0	- 118.0	118.0	N/Q	227	- 227	227	531	- 531	531
		C	3	8	175.0	- 175.0	175.0	18	324	- 324	324	840	- 840	840
500-600		B	2	2	160.0	- 160.0	160.0	N/Q	296	- 296	296	832	- 832	832
		B	3	8	172.0	- 182.0	180.8	N/Q	313	- 331	329	998	- 1056	1048
		C	3	137	150.0	- 178.0	171.6	2	289	- 330	318	765	- 998	946
		C	4	25	168.0	- 172.0	171.7	2	311	- 319	318	890	- 980	973
600-750		B	3	13	179.2	- 179.2	179.2	N/Q	326	- 326	326	1111	- 1111	1111
		C	3	4	168.2	- 170.0	169.1	11	312	- 315	313	1043	- 1054	1048
					271	70.0	182.0	162.1	140	331	315	259	1111	851
Grown Heifer														
0-540		C	2	20	148.0	- 148.0	148.0	14	279	- 279	279	651	- 651	651
		C	3	10	130.0	- 148.0	145.9	-2	250	- 279	276	624	- 755	730
		C	4	4	125.0	- 125.0	125.0	N/Q	236	- 236	236	675	- 675	675
		D	2	17	70.0	- 125.0	80.3	-26	149	- 245	162	268	- 513	333
	FD	D	2	20	50.0	- 83.6	73.7	-36	-			183	- 318	292
		D	3	49	110.0	- 150.0	129.9	N/Q	212	- 289	251	513	- 780	631
		D	4	2	135.0	- 135.0	135.0	N/Q	260	- 260	260	702	- 702	702
		D	4	1	118.0	- 118.0	118.0	N/Q	227	- 227	227	684	- 684	684
540+		D	5	1	115.0	- 115.0	115.0	N/Q	226	- 226	226	644	- 644	644
					124	50.0	150.0	118.0	149	289	243	183	780	550
Manufacturing Steer														
0-540	FD	C	2	2	140.0	- 140.0	140.0	N/Q	-			644	- 644	644
		D	2	3	112.0	- 120.0	114.7	N/Q	224	- 231	226	515	- 636	555
540+		C	3	6	120.0	- 120.0	120.0	N/Q	222	- 222	222	768	- 768	768
					11	112.0	140.0	122.2	222	231	224	515	768	687
Cows														
0-400		D	1	15	50.0	- 65.0	58.0	18	109	- 141	126	170	- 247	218
400-520		D	1	82	50.0	- 75.0	62.2	22	109	- 160	133	201	- 336	263
	RS	D	2	1	60.0	- 60.0	60.0	N/Q	-			252	- 252	252
		D	2	180	56.0	- 104.0	80.4	-6	119	- 217	169	258	- 478	356
		D	3	198	62.0	- 103.0	92.6	-1	129	- 206	186	260	- 530	449
		D	4	1	85.0	- 85.0	85.0	N/Q	170	- 170	170	412	- 412	412
520+		C	3	6	112.0	- 112.0	112.0	3	220	- 220	220	610	- 610	610
		D	3	114	80.0	- 103.2	95.0	-6	160	- 206	190	424	- 608	529
		D	4	71	92.0	- 107.2	99.8	-4	180	- 210	197	515	- 693	608
		D	5	21	85.0	- 105.0	90.8	N/Q	170	- 210	181	515	- 714	617
		D	6	1	50.0	- 50.0	50.0	N/Q	98	- 98	98	360	- 360	360
					690	50.0	112.0	86.2	98	220	176	170	714	433
Bulls														
0-450		C	2	6	85.0	- 100.0	92.2	-54	157	- 185	171	374	- 380	376
		C	3	1	140.0	- 140.0	140.0	N/Q	255	- 255	255	602	- 602	602

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600		D	1	3	50.0	- 80.0	60.0	-20	96	- 151	114	190	- 332	237
		D	2	7	80.0	- 90.0	88.6	N/Q	154	- 173	170	328	- 378	371
		B	2	2	140.0	- 140.0	140.0	N/Q	255	- 255	255	728	- 728	728
		C	2	9	110.0	- 140.0	123.2	-12	204	- 259	227	506	- 725	641
600+		D	2	8	115.0	- 115.0	115.0	N/Q	217	- 217	217	558	- 558	558
		B	2	8	136.0	- 166.6	147.6	-7	247	- 292	262	966	- 1433	1179
		B	3	1	145.0	- 145.0	145.0	N/Q	264	- 264	264	1044	- 1044	1044
		C	2	4	115.0	- 138.6	126.7	-13	213	- 248	231	759	- 1134	901
				49	50.0	166.6	115.0		96	292	212	190	1433	652

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.