

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 16 May 2013

Yarding Change 2860
-1990

comparison date 09/05/2013

Cheaper prices and the hope of some follow up rain reduced numbers considerably. It was generally a plain quality yarding with very limited numbers of prime trade weight cattle and grown steers. Cows were well supplied as were young cattle lacking finish.

Young cattle to kill were firm to 4c dearer with prime vealers selling from 165c to 190c/kg. Steer yearlings to the trade sold from 155c to 208.2c while the heifer yearlings to kill sold from 140c to 191.4c/kg. Young cattle to the restockers and feeders were 9c to 13c/kg dearer due to the presence of some additional southern orders. Steer yearlings to the restockers and feeders sold from 100c to 167c while the heifer portion sold from 80c to 157c with the better quality types averaging 124c/kg.

Limited numbers of grown steers were up to 4c dearer with the 3 and 4 score medium and heavy weights selling from 133c to 165c. Grown heifers sold to 155c/kg. Light and medium weight cows were 4c to 7c cheaper while heavy weight cows were 2c/kg easier. The better conditioned medium and heavy weight cows sold from 75c to 110c and the best bull sold for 150c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		D	2	1	227.6	- 227.6	227.6	N/Q	429	- 429	429	171	- 171	171
	RS	D	2	1	230.0	- 230.0	230.0	N/Q	-	-	-	127	- 127	127
				2	227.6	230.0	229.0		429	429	429	127	171	149
Vealer Steer														
0-200	RS	C	2	57	142.2	- 179.2	159.3	13	-	-	-	210	- 340	284
	RS	D	2	5	140.0	- 140.0	140.0	N/Q	-	-	-	231	- 231	231
200-280	RS	C	2	54	148.2	- 165.2	156.9	7	-	-	-	321	- 398	356
280-330	RS	C	2	14	135.0	- 145.0	140.7	11	-	-	-	413	- 419	416
		C	3	1	165.0	- 165.0	165.0	N/Q	295	- 295	295	512	- 512	512
330+		C	3	1	170.6	- 170.6	170.6	N/Q	310	- 310	310	606	- 606	606
				132	135.0	179.2	155.8		295	310	303	210	606	329
Vealer Heifer														
0-200		C	2	20	139.2	- 190.0	148.1	7	268	- 365	285	230	- 295	267
	RS	C	2	22	148.2	- 154.2	151.4	30	-	-	-	239	- 285	260
200-280	RS	C	2	38	137.2	- 140.0	139.0	N/Q	-	-	-	288	- 294	292
		C	2	5	130.0	- 142.0	132.4	-4	250	- 268	254	280	- 376	299
280-330		B	2	1	170.0	- 170.0	170.0	N/Q	304	- 304	304	493	- 493	493
		C	3	2	176.6	- 176.6	176.6	N/Q	321	- 321	321	574	- 574	574
	FD	C	3	3	130.0	- 130.0	130.0	N/Q	-	-	-	377	- 377	377
330+		C	3	10	170.0	- 183.2	176.1	7	315	- 333	321	582	- 697	608
				101	130.0	190.0	147.6		250	365	293	230	697	322
Yearling Steer														
0-330	FD	C	2	41	138.0	- 157.2	150.9	4	-	-	-	366	- 485	423
	RS	C	2	157	100.6	- 167.2	154.4	9	-	-	-	287	- 488	403
		C	3	1	164.2	- 164.2	164.2	N/Q	310	- 310	310	534	- 534	534
	RS	D	2	10	114.2	- 120.0	117.1	-22	-	-	-	318	- 337	327
	RS	D	3	16	116.0	- 116.0	116.0	-18	-	-	-	342	- 342	342
330-400	RS	C	2	9	160.0	- 160.0	160.0	15	-	-	-	616	- 616	616

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+	FD	C	2	70	130.0	- 157.2	146.6	6	-	-	-	483	- 590	545	
		C	2	3	155.6	- 155.6	155.6	18	288	- 288	288	591	- 591	591	
	FD	C	3	9	163.2	- 163.2	163.2	22	-	-	-	636	- 636	636	
	RS	C	3	9	160.0	- 160.0	160.0	19	-	-	-	616	- 616	616	
		C	3	14	158.6	- 208.2	170.7	11	283	- 372	308	611	- 791	666	
	FD	C	2	43	145.2	- 160.6	152.4	22	-	-	-	603	- 706	643	
	RS	C	2	24	153.2	- 159.2	156.2	9	-	-	-	636	- 661	648	
	FD	C	3	14	140.0	- 153.6	149.3	-6	-	-	-	623	- 653	642	
	C	3	68	155.0	- 185.6	170.5	3	282	- 333	312	664	- 1017	759		
				488	100.6	208.2	153.8		282	372	310	287	1017	532	
Yearling Heifer															
0-330	RS	C	2	184	100.0	- 146.0	124.4	13	-	-	-	236	- 384	300	
		C	2	47	120.0	- 130.0	126.6	-2	226	- 246	241	301	- 390	332	
	FD	C	2	57	110.0	- 126.0	121.6	9	-	-	-	264	- 410	353	
	FD	C	3	42	145.2	- 157.2	152.3	N/Q	-	-	-	465	- 511	492	
	RS	D	2	24	80.2	- 100.0	90.8	-4	-	-	-	188	- 293	243	
	RS	D	3	5	100.0	- 100.0	100.0	-10	-	-	-	265	- 265	265	
330-400		D	3	6	118.2	- 118.2	118.2	18	227	- 227	227	349	- 349	349	
	FD	C	2	24	120.0	- 134.6	123.1	3	-	-	-	428	- 518	449	
		C	2	3	116.2	- 116.2	116.2	N/C	219	- 219	219	459	- 459	459	
	RS	C	2	25	135.0	- 135.0	135.0	22	-	-	-	466	- 466	466	
		C	3	17	173.6	- 191.4	182.0	17	310	- 348	328	668	- 679	674	
	RS	D	3	4	91.2	- 91.2	91.2	N/Q	-	-	-	351	- 351	351	
400+	FD	C	2	7	120.0	- 120.0	120.0	10	-	-	-	510	- 510	510	
	FD	C	3	3	158.0	- 158.0	158.0	7	-	-	-	664	- 664	664	
		C	3	26	140.0	- 166.2	150.6	6	264	- 308	281	637	- 806	692	
				474	80.2	191.4	128.5		219	348	265	188	806	382	
Grown Steer															
0-400	RS	C	2	16	132.0	- 132.0	132.0	N/Q	-	-	-	508	- 508	508	
		C	3	8	153.2	- 153.2	153.2	N/Q	295	- 295	295	590	- 590	590	
	RS	D	2	16	148.2	- 148.2	148.2	N/Q	-	-	-	408	- 408	408	
400-500		C	2	31	130.0	- 135.2	132.9	-4	250	- 260	256	561	- 605	583	
	RS	C	2	12	110.0	- 148.2	129.1	4	-	-	-	457	- 719	588	
	FD	C	2	21	135.2	- 135.2	135.2	5	-	-	-	629	- 629	629	
	FD	C	3	6	161.2	- 161.2	161.2	N/Q	-	-	-	766	- 766	766	
		C	3	30	124.2	- 158.0	138.3	5	239	- 293	262	528	- 766	626	
		C	4	1	165.0	- 165.0	165.0	N/Q	306	- 306	306	767	- 767	767	
500-600		D	2	1	128.0	- 128.0	128.0	N/Q	246	- 246	246	531	- 531	531	
		D	3	2	134.0	- 134.0	134.0	N/Q	253	- 253	253	650	- 650	650	
		C	3	24	133.2	- 172.2	147.1	15	247	- 325	273	699	- 902	803	
		D	3	7	120.0	- 135.0	124.3	20	231	- 246	235	630	- 709	653	
					175	110.0	172.2	138.8		231	325	263	408	902	614
	Grown Heifer														
0-540		C	3	10	140.0	- 155.0	149.4	9	269	- 293	280	697	- 798	714	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	1	131.2	- 131.2	131.2	N/Q	-			505	- 505	505
		C	4	2	142.0	- 142.0	142.0	N/Q	268	- 268	268	746	- 746	746
	RS	D	2	2	50.0	- 50.0	50.0	N/Q	-			178	- 178	178
	FD	D	3	9	111.2	- 111.2	111.2	N/Q	-			361	- 361	361
	RS	D	3	19	94.2	- 100.0	98.8	-5	-			425	- 429	426
		D	3	21	92.0	- 115.2	101.9	22	180	- 226	200	391	- 490	433
		D	4	6	88.0	- 88.0	88.0	N/Q	173	- 173	173	418	- 418	418
540+		C	3	2	135.0	- 140.0	137.5	N/Q	260	- 264	262	736	- 763	749
		C	4	5	138.6	- 162.0	157.3	24	257	- 306	296	866	- 883	880
				77	50.0	162.0	111.9		173	306	230	178	883	498
Manufacturing Steer														
0-540		D	3	2	130.0	- 130.0	130.0	N/Q	250	- 250	250	683	- 683	683
				2	130.0	130.0	130.0		250	250	250	683	683	683
Cows														
0-400		D	1	4	40.0	- 40.0	40.0	N/Q	95	- 95	95	154	- 154	154
		D	2	4	40.0	- 50.0	45.0	-9	100	- 125	113	130	- 160	145
400-520		D	2	31	55.0	- 79.2	66.7	-9	125	- 169	149	234	- 329	287
	RS	D	2	20	77.2	- 78.2	77.8	17	-			328	- 367	344
	RS	D	3	34	73.0	- 91.2	85.3	-17	-			307	- 459	383
		D	3	139	75.0	- 91.2	87.1	-4	160	- 194	186	326	- 459	405
		D	4	61	88.2	- 99.6	94.5	-7	176	- 204	190	408	- 505	472
	RS	D	4	6	89.2	- 89.2	89.2	N/Q	-			433	- 433	433
520+		D	4	124	88.0	- 110.0	99.4	-2	176	- 216	196	462	- 644	550
		D	5	5	85.0	- 85.0	85.0	N/Q	170	- 170	170	497	- 497	497
				428	40.0	110.0	88.8		95	216	185	130	644	440
Bulls														
450-600		C	2	5	115.0	- 115.0	115.0	-14	217	- 221	218	638	- 673	666
600+		C	2	16	105.0	- 145.2	124.4	-4	202	- 268	235	754	- 1241	927
		C	3	4	140.0	- 150.0	144.5	-13	250	- 278	264	1237	- 1428	1337
				25	105.0	150.0	125.7		202	278	236	638	1428	940

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.