

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 27 May 2013

Yarding Change 1252
-268

comparison date 20/05/2013

There were approximately 700 young and 550 grown cattle penned. The usual field of buyers attended a generally firm market, although many categories actually lifted a few cents. Quality was hard to find, however there were several pens of grain assisted yearling grass cattle which attracted strong interest, selling to a top of 222c/kg. Most of the vealers and yearling grass cattle were in store condition. Good bullocks were limited but enquiry on all grades was a little stronger.

A few good C3 vealers to the trade sold from 192c to 220c, lifting 6c to 9c, with the secondary lines from 130c to 200c lifting 11c/kg on most. The best C3 and B3 yearling grass steers made between 182c and 222c, lifting 10c/kg with quality contributing. The secondary lines sold mostly between 145c and 178c/kg to mixed results. Trade quality C3 yearling grass heifers made from 190c to 208c, lifting 10c with quality contributing while most sold from 122c to 182c/kg.

The C muscle grown steers made between 180c and 196c, lifting 4c/kg. C muscle bullocks sold between 180c and 187c, lifting 1c to 2c/kg. Plainer shaped D muscle well-bred grown steers and bullocks made from 160c to 180c, lifting 3c to 6c/kg. Heavy weight Friesian manufacturing steers sold from 115c to 139c, lifting 7c/kg. Heavy weight crossbred manufacturing steers made between 137c and 178c, lifting 3c/kg. Grown empty 3 score heifers sold between 118c and 160c lifting 2c to 5c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	5	145.6	- 169.6	159.0	N/Q	265	- 308	289	398	- 475	432
	RS	C	2	6	168.6	- 168.6	168.6	12		-		472	- 472	472
	FD	C	2	6	138.2	- 146.2	143.0	-18		-		304	- 409	373
		D	2	1	132.2	- 132.2	132.2	N/Q	245	- 245	245	291	- 291	291
280-330		C	2	7	145.0	- 190.0	179.3	-1	269	- 346	327	435	- 627	577
	FD	C	2	5	142.6	- 162.0	148.6	-19		-		439	- 486	454
	RS	C	2	3	167.6	- 167.6	167.6	5		-		503	- 503	503
		C	3	2	204.6	- 210.0	207.3	N/Q	372	- 382	377	655	- 693	674
	FD	D	2	2	143.6	- 143.6	143.6	N/Q		-		460	- 460	460
330+		C	2	25	160.0	- 199.6	186.6	11	291	- 363	339	560	- 719	664
	RS	C	2	5	186.6	- 186.6	186.6	27		-		700	- 700	700
	FD	C	2	12	158.0	- 164.6	161.6	7		-		567	- 617	596
		C	3	26	191.6	- 219.6	202.1	6	348	- 392	367	699	- 854	752
	FD	D	2	1	146.2	- 146.2	146.2	N/Q		-		512	- 512	512
				106	132.2	219.6	178.7		245	392	345	291	854	613
Vealer Heifer														
0-200		C	2	8	130.0	- 133.6	132.3	N/Q	241	- 247	245	260	- 267	265
200-280		C	2	28	130.0	- 156.0	138.3	-17	236	- 284	254	312	- 421	330
	FD	C	2	2	142.0	- 142.0	142.0	N/Q		-		383	- 383	383
280-330	FD	C	2	1	144.2	- 144.2	144.2	N/Q		-		461	- 461	461
		C	2	10	140.0	- 166.0	151.8	2	255	- 302	276	420	- 548	482
		C	3	2	205.0	- 205.0	205.0	N/Q	373	- 373	373	656	- 656	656
330+		C	2	30	145.0	- 185.0	175.6	11	264	- 336	320	508	- 740	643
	FD	C	2	5	156.2	- 156.2	156.2	N/Q		-		578	- 578	578
		C	3	10	195.0	- 205.0	200.3	9	355	- 373	364	683	- 718	701

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				96	130.0	205.0	159.8		236	373	293	260	740	499
Yearling Steer														
0-330	RS	C	2	3	128.2	- 128.2	128.2	N/Q	-			385	- 385	385
330-400		B	3	12	221.6	- 221.6	221.6	N/Q	369	- 369	369	886	- 886	886
	FD	C	2	15	134.6	- 166.6	154.4	-6	-			485	- 666	604
		C	2	6	155.0	- 178.0	159.2	N/Q	282	- 324	293	584	- 712	611
		C	3	13	196.6	- 208.0	199.6	12	353	- 365	358	733	- 832	792
		D	2	8	130.0	- 130.0	130.0	-5	241	- 241	241	442	- 442	442
	FD	D	2	13	124.2	- 142.0	129.3	-4	-			438	- 568	480
	FD	D	3	1	142.0	- 142.0	142.0	N/Q	-			568	- 568	568
		D	3	1	145.0	- 145.0	145.0	N/Q	269	- 269	269	551	- 551	551
400+		B	3	12	219.2	- 219.2	219.2	1	365	- 365	365	921	- 921	921
		C	2	16	145.0	- 172.0	163.8	-9	269	- 313	298	651	- 826	767
	FD	C	2	22	145.0	- 163.6	151.8	-5	-			687	- 722	701
	RS	C	2	40	147.6	- 170.2	161.9	20	-			708	- 766	745
		C	3	38	182.6	- 211.2	199.9	10	332	- 364	350	767	- 1053	912
		C	4	20	185.0	- 192.6	190.7	N/Q	330	- 350	345	999	- 1107	1080
	FD	D	2	6	124.2	- 145.0	141.5	3	-			546	- 609	599
		D	3	13	165.0	- 174.0	167.6	2	300	- 316	305	765	- 827	800
				239	124.2	221.6	173.3		241	369	334	385	1107	772
Yearling Heifer														
0-330	RS	D	2	11	127.6	- 127.6	127.6	N/Q	-			408	- 408	408
	FD	D	2	38	124.2	- 127.6	125.5	N/Q	-			397	- 421	406
		D	2	8	125.0	- 138.2	135.3	N/Q	240	- 266	260	413	- 451	436
330-400		D	2	10	130.0	- 145.6	141.6	18	250	- 280	270	504	- 553	538
	FD	D	2	16	122.0	- 136.6	129.5	-6	-			439	- 533	482
	RS	D	2	3	140.6	- 140.6	140.6	26	-			506	- 506	506
		D	3	20	165.0	- 182.0	176.2	7	306	- 333	325	630	- 728	670
400+		C	3	14	190.0	- 207.6	198.8	10	339	- 364	351	808	- 939	890
		D	2	6	134.6	- 155.0	145.2	17	259	- 298	278	592	- 775	650
		D	3	31	148.6	- 190.0	166.9	-4	275	- 346	308	632	- 990	773
				157	122.0	207.6	149.8		240	364	308	397	990	584
Grown Steer														
400-500		C	3	3	179.6	- 179.6	179.6	N/Q	327	- 327	327	898	- 898	898
		D	3	10	157.6	- 176.0	165.0	-3	287	- 320	300	749	- 836	784
500-600		C	3	61	180.0	- 195.6	187.1	4	327	- 356	339	1007	- 1080	1039
		C	4	7	190.0	- 190.0	190.0	5	346	- 346	346	1140	- 1140	1140
		D	3	38	162.0	- 179.2	174.5	6	298	- 326	318	866	- 1057	998
600-750		C	3	13	180.0	- 187.0	184.8	1	327	- 335	333	1116	- 1251	1188
		C	4	32	182.0	- 186.2	183.9	2	325	- 333	328	1138	- 1303	1210
		D	3	74	160.0	- 180.0	171.6	3	296	- 327	314	992	- 1215	1092
		D	4	9	178.0	- 178.0	178.0	N/Q	318	- 318	318	1139	- 1139	1139
				247	157.6	195.6	178.7		287	356	324	749	1303	1073
Grown Heifer														
0-540		D	1	2	104.6	- 104.6	104.6	N/Q	214	- 214	214	445	- 445	445

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	DA	D	2	10	113.2	- 131.6	121.7	5	226	- 263	245	543	- 658	599
		D	3	25	118.6	- 160.0	148.1	5	228	- 308	285	617	- 840	751
		D	2	1	111.6	- 111.6	111.6	N/Q	223	- 223	223	614	- 614	614
		D	3	29	126.6	- 152.6	146.5	2	244	- 290	280	715	- 906	869
		D	4	2	130.0	- 137.6	133.8	N/Q	250	- 265	257	771	- 780	775
				69	104.6	160.0	141.4		214	308	273	445	906	769
Manufacturing Steer														
0-540	RS	D	1	7	98.6	- 115.6	101.0	N/Q	-	-	-	414	- 428	416
	DA	D	1	2	122.2	- 122.2	122.2	N/Q	240	- 240	240	660	- 660	660
540+	DA	D	2	7	127.6	- 138.6	132.0	N/C	245	- 257	250	638	- 658	644
		D	2	11	126.6	- 137.2	131.2	N/Q	244	- 259	251	633	- 741	695
		D	3	5	141.2	- 177.6	158.4	-9	263	- 329	294	706	- 888	792
	DA	D	1	8	116.0	- 116.0	116.0	N/Q	223	- 223	223	719	- 719	719
		D	2	1	140.6	- 140.6	140.6	N/Q	265	- 265	265	872	- 872	872
		D	2	24	115.0	- 138.6	132.8	7	221	- 262	252	690	- 882	831
		D	3	66	137.2	- 178.0	163.4	3	254	- 327	302	773	- 1210	1076
DA	D	3	1	147.6	- 147.6	147.6	N/Q	279	- 279	279	923	- 923	923	
	D	4	3	141.6	- 141.6	141.6	12	262	- 262	262	1090	- 1090	1090	
				135	98.6	178.0	146.1		221	329	278	414	1210	904
Bulls														
0-450	FD	C	2	2	172.0	- 172.0	172.0	N/Q	-	-	-	516	- 585	550
		D	2	1	126.6	- 126.6	126.6	N/Q	239	- 239	239	475	- 475	475
				3	126.6	172.0	157.0		239	239	239	475	585	525

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.