

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 04 Jun 2013

Yarding Change 3046  
-539

comparison date 28/05/2013

Cattle numbers decreased and quality varied. Vealers were still in reasonable numbers but there was an increase in the number of light plainer weaner steers. Yearlings continue to be well supplied and there were more plainer steers with 2 or more teeth. Finished grown steers and heifers were in good numbers and there were plenty of medium weight cows. Not all the usual buying orders were operating in a mainly dearer market.

Vealers remained firm for the heavy and medium weights to the trade selling from 160c to 211.6c/kg. The trade yearling steers and heifers gained 1c to 4c with the steers ranging from 165c to 195.2c averaging 184c/kg. The heifers sold between 142c and 174c/kg. Feeder steers went against the dearer trend easing 3c on the heavy weights and 10c on the medium weights. Prices ranged from 150c to 178c averaging 165c/kg.

The better finished grown steers were firm selling from 160c to 186.2c averaging 180c/kg. Lighter weights to feed made from 150c to 178c/kg. Cows were 3c to 4c stronger with the 2 scores 70c to 100c and the 3 and 4 scores 90c to 128c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	1	1	194.6	- 194.6	194.6	N/Q	389	- 389	389	156	- 156	156
				<b>1</b>	<b>194.6</b>	<b>194.6</b>	<b>195.0</b>		<b>389</b>	<b>389</b>	<b>389</b>	<b>156</b>	<b>156</b>	<b>156</b>
<b>Vealer Steer</b>														
200-280		C	2	2	155.0	- 155.0	155.0	N/Q	298	- 298	298	419	- 419	419
	RS	C	2	24	160.0	- 177.8	173.0	23	-	-	-	396	- 462	449
		C	3	7	200.0	- 200.0	200.0	-10	370	- 370	370	550	- 550	550
	RS	D	2	20	145.2	- 189.0	155.3	9	-	-	-	327	- 454	364
280-330		C	2	16	170.0	- 170.0	170.0	22	315	- 321	320	536	- 544	537
	RS	C	2	4	160.0	- 160.0	160.0	N/Q	-	-	-	480	- 480	480
	FD	C	2	10	166.0	- 178.2	169.7	-7	-	-	-	531	- 535	532
		C	3	4	175.0	- 209.2	200.7	3	337	- 387	375	551	- 669	640
330+		C	2	9	176.0	- 186.0	178.6	N/Q	333	- 344	339	612	- 666	635
	RS	C	2	6	168.2	- 168.2	168.2	N/Q	-	-	-	572	- 572	572
		C	3	36	180.0	- 200.0	192.9	1	327	- 370	357	628	- 720	667
		C	4	2	209.6	- 211.6	210.6	N/Q	381	- 385	383	815	- 817	816
				<b>140</b>	<b>145.2</b>	<b>211.6</b>	<b>177.2</b>		<b>298</b>	<b>387</b>	<b>348</b>	<b>327</b>	<b>817</b>	<b>542</b>
<b>Vealer Heifer</b>														
0-200	RS	D	1	13	138.6	- 138.6	138.6	N/Q	-	-	-	256	- 256	256
200-280		B	2	7	155.0	- 155.0	155.0	N/Q	293	- 293	293	419	- 419	419
		C	2	46	130.0	- 185.0	154.2	-1	245	- 356	291	338	- 481	399
	RS	C	2	36	150.0	- 161.6	156.5	-5	-	-	-	384	- 390	388
		C	3	6	175.0	- 186.0	178.7	10	324	- 344	331	455	- 502	471
	RS	D	2	4	127.2	- 127.2	127.2	1	-	-	-	299	- 299	299
		D	2	25	138.0	- 150.0	145.0	10	269	- 289	279	305	- 399	342
280-330		C	2	13	160.0	- 165.0	163.1	-10	296	- 306	304	464	- 545	509
	RS	C	2	11	152.0	- 160.2	158.0	N/Q	-	-	-	456	- 457	456
		C	3	15	160.0	- 190.0	176.7	-1	296	- 352	327	512	- 611	566

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+	FD	D	2	9	142.0	- 142.0	142.0	N/Q	-			454	- 454	454
		D	2	4	143.0	- 143.0	143.0	N/Q	270	- 270	270	429	- 429	429
	FD	C	2	7	140.0	- 140.0	140.0	N/Q	-			476	- 483	477
		C	3	7	180.0	- 195.0	185.6	3	327	- 361	341	649	- 663	654
		D	3	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	544	- 544	544
				<b>204</b>	<b>127.2</b>	<b>195.0</b>	<b>155.0</b>		<b>245</b>	<b>361</b>	<b>298</b>	<b>256</b>	<b>663</b>	<b>419</b>
<b>Yearling Steer</b>														
0-330		B	2	2	175.0	- 175.0	175.0	N/Q	324	- 324	324	560	- 560	560
	FD	C	2	156	152.0	- 180.0	169.6	-10	-			404	- 576	524
	RS	C	2	75	142.0	- 187.6	174.5	-13	-			369	- 577	503
		C	3	7	175.0	- 175.0	175.0	5	324	- 324	324	560	- 560	560
	RS	D	1	5	130.0	- 130.0	130.0	N/Q	-			325	- 325	325
	RS	D	2	27	129.2	- 166.6	150.2	N/C	-			325	- 496	415
330-400	FD	D	2	8	90.0	- 159.2	117.3	-8	-			288	- 494	374
		C	2	3	175.0	- 175.0	175.0	N/Q	330	- 330	330	621	- 621	621
	FD	C	2	130	140.0	- 187.0	164.2	-11	-			469	- 711	574
	RS	C	2	5	167.2	- 167.2	167.2	-10	-			585	- 602	592
		C	3	98	170.0	- 195.2	188.0	5	315	- 362	349	612	- 742	706
		C	4	6	185.0	- 185.0	185.0	N/Q	343	- 343	343	703	- 703	703
400+	FD	D	2	9	133.6	- 140.0	134.3	N/Q	-			454	- 504	460
	RS	D	2	10	125.0	- 125.0	125.0	-28	-			419	- 419	419
	RS	D	3	3	132.0	- 132.0	132.0	N/Q	-			455	- 455	455
		B	3	19	182.0	- 182.0	182.0	N/Q	337	- 337	337	946	- 946	946
		C	2	3	145.0	- 145.0	145.0	-18	274	- 274	274	638	- 638	638
	FD	C	2	102	150.0	- 176.0	167.6	-3	-			636	- 800	713
	RS	C	2	33	183.2	- 183.6	183.4	12	-			769	- 826	795
	FD	C	3	8	169.2	- 169.2	169.2	-6	-			711	- 711	711
		C	3	125	165.0	- 189.2	183.7	7	306	- 350	340	697	- 1003	876
		C	4	27	180.2	- 185.6	184.5	1	334	- 344	342	757	- 994	914
				<b>861</b>	<b>90.0</b>	<b>195.2</b>	<b>172.1</b>		<b>274</b>	<b>362</b>	<b>342</b>	<b>288</b>	<b>1003</b>	<b>652</b>
<b>Yearling Heifer</b>														
0-330	RS	C	2	29	139.0	- 163.8	162.9	N/Q	-			445	- 524	521
		C	2	6	145.0	- 145.0	145.0	-20	279	- 279	279	392	- 392	392
	FD	C	2	26	151.6	- 152.6	152.0	-1	-			458	- 470	465
		D	2	18	146.0	- 146.0	146.0	5	276	- 276	276	394	- 394	394
	FD	D	2	23	82.6	- 82.6	82.6	-52	-			256	- 256	256
	RS	D	2	42	60.0	- 140.0	132.2	N/Q	-			147	- 357	339
		D	3	1	120.0	- 120.0	120.0	N/Q	231	- 231	231	288	- 288	288
330-400		C	2	11	150.0	- 150.0	150.0	-10	289	- 289	289	540	- 540	540
	FD	C	2	109	143.6	- 169.6	158.3	-3	-			518	- 653	570
		C	3	37	160.0	- 174.2	165.5	-2	296	- 323	307	584	- 662	609
		C	4	1	190.2	- 190.2	190.2	N/Q	352	- 352	352	685	- 685	685
	FD	D	2	14	85.2	- 145.0	98.6	-40	-			302	- 493	348
		D	3	16	140.0	- 156.2	152.0	N/Q	269	- 300	292	490	- 570	557

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	2	24	162.0	- 165.0	162.5	14	306	- 312	311	680	- 693	683
	FD	C	2	9	155.0	- 155.0	155.0	4		-		667	- 667	667
		C	3	41	142.0	- 167.4	162.2	4	263	- 310	302	653	- 899	781
	FD	C	3	8	171.2	- 171.2	171.2	16		-		830	- 830	830
	RS	D	3	15	114.2	- 114.2	114.2	N/Q		-		548	- 548	548
		D	3	4	132.0	- 145.0	141.8	-14	254	- 279	273	581	- 624	613
				<b>434</b>	<b>60.0</b>	<b>190.2</b>	<b>148.3</b>		<b>231</b>	<b>352</b>	<b>298</b>	<b>147</b>	<b>899</b>	<b>539</b>
<b>Grown Steer</b>														
0-400		C	2	1	157.6	- 157.6	157.6	N/Q	303	- 303	303	583	- 583	583
	FD	C	2	7	150.6	- 160.0	151.9	-12		-		542	- 568	546
	RS	C	2	10	173.6	- 173.6	173.6	9		-		660	- 660	660
		C	3	2	170.0	- 170.0	170.0	N/Q	321	- 321	321	638	- 638	638
400-500		B	2	1	173.2	- 173.2	173.2	N/Q	333	- 333	333	745	- 745	745
	RS	C	2	19	176.6	- 176.6	176.6	9		-		742	- 742	742
	FD	C	2	40	150.0	- 178.0	165.2	-8		-		638	- 806	723
		C	2	25	140.0	- 170.0	151.8	10	264	- 321	290	616	- 799	699
		C	3	20	148.0	- 180.2	164.3	-6	274	- 347	306	659	- 859	753
		C	4	11	182.0	- 182.0	182.0	8	337	- 337	337	883	- 883	883
		D	3	8	117.6	- 117.6	117.6	N/Q	226	- 226	226	517	- 517	517
500-600		C	3	15	160.0	- 186.2	179.9	10	296	- 345	333	832	- 987	950
		C	4	98	175.0	- 186.0	182.0	1	324	- 344	337	927	- 1032	957
600-750		C	4	2	160.0	- 175.0	167.5	N/C	296	- 324	310	992	- 1085	1039
				<b>259</b>	<b>117.6</b>	<b>186.2</b>	<b>171.1</b>		<b>226</b>	<b>347</b>	<b>321</b>	<b>517</b>	<b>1085</b>	<b>820</b>
<b>Grown Heifer</b>														
0-540		C	2	16	135.0	- 164.0	150.5	N/Q	260	- 309	289	547	- 754	572
	FD	C	2	19	148.0	- 148.0	148.0	8		-		577	- 577	577
		C	3	19	148.0	- 174.6	158.2	-1	285	- 329	301	678	- 858	802
		C	4	1	155.0	- 155.0	155.0	N/Q	287	- 287	287	713	- 713	713
	RS	D	2	16	78.2	- 120.0	82.1	N/Q		-		270	- 432	296
		D	2	11	70.0	- 120.0	115.5	14	149	- 240	228	249	- 444	423
		D	3	72	110.0	- 160.2	143.7	3	220	- 302	276	418	- 817	661
		D	4	23	130.0	- 136.0	132.9	-13	250	- 272	258	585	- 721	663
540+		D	3	1	125.0	- 125.0	125.0	N/Q	236	- 236	236	681	- 681	681
		D	4	3	146.0	- 146.0	146.0	11	281	- 281	281	847	- 847	847
				<b>181</b>	<b>70.0</b>	<b>174.6</b>	<b>137.7</b>		<b>149</b>	<b>329</b>	<b>274</b>	<b>249</b>	<b>858</b>	<b>616</b>
<b>Manufacturing Steer</b>														
0-540		D	2	24	115.0	- 138.8	129.9	N/Q	226	- 272	255	483	- 583	545
	DA	D	2	11	108.2	- 108.2	108.2	-2	216	- 216	216	498	- 498	498
		D	3	1	138.2	- 138.2	138.2	N/Q	266	- 266	266	732	- 732	732
				<b>36</b>	<b>108.2</b>	<b>138.8</b>	<b>123.5</b>		<b>216</b>	<b>272</b>	<b>243</b>	<b>483</b>	<b>732</b>	<b>536</b>
<b>Cows</b>														
0-400		D	1	2	60.0	- 70.0	65.0	N/Q	128	- 140	134	228	- 266	247
		D	2	1	55.0	- 55.0	55.0	N/Q	117	- 117	117	198	- 198	198
400-520		C	2	2	110.0	- 110.0	110.0	N/Q	220	- 220	220	572	- 572	572
	RS	D	1	6	78.2	- 78.2	78.2	10		-		321	- 321	321

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	75	70.0	- 100.0	86.2	-2	146	- 208	179	294	- 480	378
		D	3	179	90.0	- 117.2	107.0	3	180	- 234	214	419	- 598	513
		D	4	2	111.2	- 115.0	113.1	N/Q	222	- 230	226	534	- 598	566
520+		C	4	1	128.2	- 128.2	128.2	N/Q	247	- 247	247	795	- 795	795
		D	3	33	105.0	- 112.0	111.2	3	210	- 224	222	557	- 627	622
		D	4	55	110.0	- 122.0	117.2	3	220	- 241	234	583	- 744	689
		D	5	14	108.0	- 112.0	109.3	N/Q	212	- 224	218	616	- 677	669
				<b>370</b>	<b>55.0</b>	<b>128.2</b>	<b>104.0</b>		<b>117</b>	<b>247</b>	<b>210</b>	<b>198</b>	<b>795</b>	<b>523</b>
<b>Bulls</b>														
0-450		C	2	1	121.0	- 121.0	121.0	N/Q	220	- 220	220	460	- 460	460
	RS	C	2	1	124.0	- 124.0	124.0	N/Q	-	-	-	521	- 521	521
450-600		C	2	3	140.0	- 157.6	151.7	2	259	- 292	281	644	- 914	824
		C	3	1	145.0	- 145.0	145.0	N/Q	264	- 264	264	783	- 783	783
600+		B	2	7	155.0	- 164.0	158.7	5	281	- 291	285	987	- 1591	1235
		C	2	12	130.0	- 155.2	145.1	8	241	- 287	266	878	- 1180	1012
		D	2	1	100.0	- 100.0	100.0	N/Q	189	- 189	189	680	- 680	680
				<b>26</b>	<b>100.0</b>	<b>164.0</b>	<b>146.0</b>		<b>189</b>	<b>292</b>	<b>268</b>	<b>460</b>	<b>1591</b>	<b>989</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.