

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 17 Jun 2013

Yarding Change ¹⁵⁴³/₄₃

comparison date 03/06/2013

There were approximately 100 young and 500 grown cattle penned. The usual buying group attended a dearer market overall as the secondary lines which dominated the selling pens attracted more interest. Feedlot purchases were considerably stronger on all categories of young cattle with a larger proportion of yearling cattle purchased to feed, while a little more restocker attendance was noted. A larger number of supplementary fed yearling cattle sold to strong competition. Well-bred bullocks were limited in number and in high demand, as were heavy weight 3 score manufacturing steers.

The C3 vealer steers to the trade were firm selling from 195c to 225c with the secondary lines from 143c to 200c/kg. Vealer heifers to the trade were firm making between 196c and 218c with the secondary lines between 128c and 195c/kg. Vealers to feed sold between 128c and 187c, lifting 14c to 32c/kg. Yearling grass steers to the trade made from 184c to 222c lifting 3c in the heavy weight category and 15c/kg in the middle weights. The 3 score yearling grass heifers sold from 140c to 191c for the D muscle lines and from 186c to 220c for the predominately grain assisted C and B muscle drafts, lifting 5c to 6c/kg. Yearlings to feed mostly sold from 137c to 194c, lifting 17c to 32c/kg.

The C muscle grown steers made between 185c and 195c, lifting 6c with the secondary D muscle lines between 172c to 192c, lifting 10c/kg. A limited number of C muscle bullocks sold between 183c and 195c lifting 8c with the secondary D muscle lines between 172c and 184c, lifting 11c/kg. Heavy weight D3 crossbred manufacturing steers made from 152c to 182c, lifting 6c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200		C	2	1	150.6	- 150.6	150.6	N/Q	274	- 274	274	301	- 301	301
200-280	FD	C	2	5	163.2	- 179.6	176.3	30	-	-	-	408	- 449	441
280-330	FD	C	2	12	152.0	- 173.6	164.8	26	-	-	-	456	- 556	516
		C	2	7	171.6	- 200.0	190.0	21	312	- 364	346	515	- 614	581
	DA	C	2	1	143.2	- 143.2	143.2	N/Q	265	- 265	265	430	- 430	430
330+	C	C	3	1	224.6	- 224.6	224.6	N/Q	401	- 401	401	719	- 719	719
		B	3	3	210.0	- 221.6	217.4	N/Q	362	- 382	375	840	- 927	870
	C	2	26	159.6	- 194.0	182.9	-3	290	- 353	333	543	- 797	675	
	FD	C	2	23	152.0	- 187.0	167.3	14	-	-	-	551	- 701	612
	RS	C	2	2	176.6	- 176.6	176.6	N/Q	-	-	-	636	- 636	636
		C	3	25	195.0	- 225.0	210.6	N/C	348	- 402	379	714	- 878	788
				106	143.2	225.0	184.7		265	402	353	301	927	652
Vealer Heifer														
0-200		C	2	3	182.0	- 182.0	182.0	N/Q	331	- 331	331	364	- 364	364
200-280		C	2	12	144.6	- 190.6	162.0	15	263	- 347	295	336	- 515	407
	FD	C	2	15	152.0	- 173.6	172.2	N/Q	-	-	-	410	- 469	465
	FD	D	2	6	130.0	- 140.6	135.3	9	-	-	-	364	- 380	372
280-330		C	2	15	157.6	- 195.0	177.4	2	287	- 355	323	480	- 624	553
	FD	C	2	28	163.2	- 174.6	170.3	32	-	-	-	490	- 524	511
		C	3	2	208.0	- 217.6	212.8	N/Q	378	- 389	383	653	- 686	670
	FD	D	2	4	128.0	- 156.6	142.3	N/Q	-	-	-	410	- 470	440
330+		D	2	3	164.6	- 164.6	164.6	N/Q	305	- 305	305	543	- 543	543
		C	2	39	151.6	- 193.6	172.5	11	276	- 352	314	531	- 749	622
	FD	C	2	11	155.0	- 167.6	159.3	17	-	-	-	527	- 589	552

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	2	145.0	- 145.0	145.0	N/Q	-			508	- 508	508
		C	3	17	196.0	- 218.0	205.1	1	356	- 396	371	697	- 816	740
	FD	D	2	7	152.0	- 152.0	152.0	19	-			517	- 517	517
				164	128.0	218.0	171.5		263	396	325	336	816	549
Yearling Steer														
0-330	FD	C	2	3	165.6	- 165.6	165.6	N/Q	-			497	- 497	497
	FD	D	2	4	130.0	- 130.0	130.0	N/Q	-			286	- 286	286
330-400		B	3	6	220.0	- 220.0	220.0	N/Q	379	- 379	379	880	- 880	880
	FD	C	2	18	155.0	- 180.0	165.1	9	-			560	- 694	630
		C	2	15	175.0	- 190.0	179.5	N/Q	318	- 346	328	686	- 760	706
		C	3	26	190.0	- 222.0	204.6	15	346	- 396	368	760	- 888	807
	FD	D	2	29	137.2	- 162.0	147.5	17	-			480	- 617	564
	RS	D	2	9	160.0	- 163.6	160.8	N/Q	-			573	- 640	625
		D	3	1	170.0	- 170.0	170.0	N/Q	309	- 309	309	646	- 646	646
400+		B	3	3	200.0	- 200.0	200.0	-28	357	- 357	357	1000	- 1000	1000
	FD	C	2	22	160.0	- 178.2	171.9	20	-			672	- 838	789
		C	2	7	155.0	- 176.0	168.2	-3	282	- 320	306	682	- 792	730
	RS	C	2	3	155.6	- 162.6	160.3	-2	-			654	- 683	673
		C	3	94	184.0	- 210.0	197.2	3	329	- 381	355	806	- 1075	892
		C	4	8	195.0	- 195.0	195.0	3	348	- 348	348	975	- 1073	1060
		D	2	3	137.6	- 155.0	145.9	N/Q	255	- 287	272	585	- 698	645
		D	3	14	170.0	- 188.6	175.6	9	315	- 343	324	765	- 919	811
				265	130.0	222.0	182.1		255	396	349	286	1075	779
Yearling Heifer														
0-330		C	3	6	198.0	- 198.0	198.0	N/Q	354	- 354	354	653	- 653	653
	FD	D	1	11	104.6	- 104.6	104.6	N/Q	-			272	- 272	272
	FD	D	2	47	180.6	- 193.6	190.0	N/Q	-			426	- 542	473
		D	2	1	150.0	- 150.0	150.0	N/Q	289	- 289	289	405	- 405	405
	RS	D	2	3	123.6	- 123.6	123.6	N/Q	-			396	- 396	396
		D	3	1	150.0	- 150.0	150.0	N/Q	283	- 283	283	495	- 495	495
330-400		B	3	5	220.0	- 220.0	220.0	N/Q	379	- 379	379	880	- 880	880
	FD	C	2	2	152.0	- 163.2	157.6	N/Q	-			570	- 620	595
		C	3	8	186.0	- 212.0	200.5	5	338	- 379	360	742	- 790	749
	RS	D	1	4	121.6	- 121.6	121.6	N/Q	-			486	- 486	486
	RS	D	2	5	130.0	- 136.6	134.0	5	-			442	- 546	505
		D	2	18	120.6	- 165.0	144.3	7	232	- 317	278	446	- 660	565
	FD	D	2	61	137.6	- 178.6	165.8	32	-			495	- 674	611
	FD	D	3	5	174.0	- 174.0	174.0	19	-			635	- 635	635
		D	3	64	153.6	- 189.6	179.1	6	284	- 347	330	614	- 740	693
		D	4	1	155.0	- 155.0	155.0	N/Q	287	- 287	287	620	- 620	620
400+		C	3	8	190.0	- 191.6	191.4	N/Q	342	- 346	343	798	- 814	812
		D	2	32	135.6	- 160.6	151.1	10	261	- 309	289	570	- 707	674
	FD	D	2	1	166.6	- 166.6	166.6	N/Q	-			700	- 700	700
		D	3	94	140.2	- 190.6	172.2	5	270	- 353	316	644	- 870	788
		D	4	1	156.6	- 156.6	156.6	N/Q	285	- 285	285	705	- 705	705

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					378	104.6	220.0	169.8		232	379	317	272	880	652
Grown Steer															
400-500		D	3	37	154.0	- 182.0	168.9	9	285	- 337	315	770	- 874	805	
500-600		C	3	83	185.2	- 195.0	192.2	6	337	- 355	349	1000	- 1111	1068	
		C	4	14	189.6	- 193.0	192.7	N/Q	339	- 350	345	1107	- 1138	1112	
		D	2	5	145.6	- 155.0	153.1	N/Q	275	- 287	285	837	- 837	837	
		D	3	43	172.0	- 191.6	181.4	10	313	- 355	334	946	- 1114	1055	
600-750		C	3	2	183.2	- 183.2	183.2	N/Q	327	- 327	327	1136	- 1136	1136	
		C	4	18	192.6	- 195.2	194.2	8	344	- 349	347	1210	- 1252	1226	
		D	3	11	172.0	- 183.6	182.5	11	313	- 334	332	1066	- 1148	1140	
750+		C	4	3	162.2	- 162.2	162.2	N/Q	285	- 285	285	1298	- 1298	1298	
					216	145.6	195.2	184.4		275	355	336	770	1298	1039
Grown Heifer															
540+		C	2	1	151.6	- 151.6	151.6	N/Q	292	- 292	292	834	- 834	834	
		C	3	1	185.0	- 185.0	185.0	N/Q	336	- 336	336	1018	- 1018	1018	
		D	2	2	118.6	- 118.6	118.6	N/Q	237	- 237	237	664	- 664	664	
		D	3	10	145.0	- 145.0	145.0	-1	279	- 279	279	798	- 798	798	
		D	4	6	125.0	- 142.2	131.2	-1	236	- 274	251	766	- 844	789	
					20	118.6	185.0	140.6		236	336	270	664	1018	795
Manufacturing Steer															
0-540	FD	D	2	1	142.0	- 142.0	142.0	N/Q		-		639	- 639	639	
	DA	D	2	10	142.6	- 142.6	142.6	N/Q	274	- 274	274	670	- 670	670	
		D	2	21	135.0	- 170.0	145.1	-2	260	- 321	276	628	- 808	736	
		D	3	4	182.0	- 182.0	182.0	21	337	- 337	337	874	- 874	874	
540+		D	2	18	156.6	- 158.6	157.3	22	296	- 299	297	861	- 1031	918	
	DA	D	2	4	136.6	- 136.6	136.6	6	263	- 263	263	751	- 751	751	
		D	3	34	152.0	- 182.0	167.6	6	282	- 331	310	912	- 1123	1027	
					92	135.0	182.0	156.7		260	337	294	628	1123	877
Bulls															
0-450		C	2	6	140.0	- 140.0	140.0	27	255	- 255	255	490	- 490	490	
	DA	D	2	1	111.6	- 111.6	111.6	N/Q	207	- 207	207	419	- 419	419	
					7	111.6	140.0	136.0		207	255	248	419	490	480

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.