

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 20 Jun 2013

Yarding Change ¹⁹⁶⁵
1692

comparison date 13/06/2013

Throughput returned to normal levels however it was only a fair quality offering. Ideal trade cattle and grown steers were in limited supply while there were good numbers of cows and plainer quality lines of young cattle.

Trade weight cattle to the processors were firm while the young cattle to the restockers and feeders were 5c/kg dearer. Prime vealers to the trade sold from 175c to 214.6c while C3 yearling steers sold from 173c to 206.2c with the heavy weights averaging 181c/kg. The better quality heifer yearlings to the feeders and restockers sold from 150c to 194c/kg.

Grown steers were firm with the 3 and 4 scores selling from 160c to 182c while grown heifers topped at 168.2c/kg. Plain conditioned cows were firm while the better finished medium and heavy weight cows were 9c to 10c/kg dearer. The 1 and 2 score lightweight cows sold from 51c to 97c while the better 3 and 4 score medium and heavy weights sold from 104c to 129.6c with the D4 heavy weights averaging 124c/kg. Bulls topped at 157.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	1	155.0	- 155.0	155.0	N/Q	298	- 298	298	186	- 186	186
	RS	D	2	13	167.2	- 187.2	179.5	N/Q	-	-	-	176	- 271	235
				14	155.0	187.2	177.7		298	298	298	176	271	231
Vealer Steer														
0-200		C	2	3	160.0	- 165.2	163.5	N/Q	302	- 318	312	296	- 306	302
	RS	C	2	8	174.2	- 174.2	174.2	N/Q	-	-	-	296	- 296	296
200-280	RS	C	2	28	183.2	- 191.2	188.6	N/Q	-	-	-	440	- 507	485
		C	2	3	186.2	- 186.2	186.2	N/Q	345	- 345	345	475	- 475	475
	RS	D	3	12	135.2	- 169.2	163.5	3	-	-	-	297	- 347	339
280-330		C	2	8	185.0	- 185.0	185.0	N/Q	349	- 349	349	527	- 527	527
330+	FD	C	3	10	196.0	- 196.0	196.0	N/Q	-	-	-	696	- 696	696
		C	3	10	187.2	- 203.0	196.2	-7	347	- 369	361	667	- 802	736
				82	135.2	203.0	184.0		302	369	349	296	802	499
Vealer Heifer														
0-200		C	2	9	142.0	- 160.0	152.1	22	273	- 308	293	254	- 296	275
	RS	D	3	3	145.2	- 145.2	145.2	N/Q	-	-	-	283	- 283	283
200-280		C	2	22	135.0	- 155.0	149.2	1	260	- 293	286	324	- 426	391
		C	3	4	188.6	- 214.6	208.1	N/Q	343	- 390	378	519	- 569	556
280-330		C	2	11	147.2	- 165.0	153.8	N/Q	278	- 311	290	442	- 478	454
		C	3	10	174.6	- 197.6	192.7	33	329	- 373	364	515	- 583	561
330+		C	3	40	203.2	- 210.2	205.6	N/Q	383	- 391	388	690	- 725	707
				99	135.0	214.6	179.4		260	391	342	254	725	536
Yearling Steer														
0-330	FD	C	2	27	140.0	- 174.8	165.7	11	-	-	-	399	- 568	532
	RS	C	2	33	155.0	- 170.0	163.7	16	-	-	-	380	- 530	471
	RS	D	3	5	146.2	- 146.2	146.2	5	-	-	-	475	- 475	475
330-400	FD	C	2	25	155.0	- 189.6	175.7	21	-	-	-	581	- 730	656
	RS	C	2	10	168.2	- 178.2	176.5	25	-	-	-	591	- 615	611

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	9	183.0	- 206.2	195.9	9	339	- 382	363	650	- 814	741
	FD	C	3	8	167.2	- 178.0	176.7	8	-	-	-	644	- 703	696
	FD	D	3	5	139.2	- 139.2	139.2	N/Q	-	-	-	466	- 466	466
	RS	D	3	5	149.2	- 149.2	149.2	N/Q	-	-	-	530	- 530	530
400+	FD	C	2	10	151.2	- 181.2	171.3	16	-	-	-	695	- 788	754
		C	2	5	166.6	- 166.6	166.6	N/Q	314	- 314	314	708	- 708	708
	FD	C	3	78	160.0	- 194.2	178.4	N/Q	-	-	-	701	- 942	854
		C	3	35	173.2	- 195.0	182.5	-16	321	- 361	336	727	- 972	803
				255	139.2	206.2	173.5		314	382	339	380	972	697
Yearling Heifer														
0-330	FD	C	2	15	158.2	- 158.2	158.2	N/Q	-	-	-	514	- 514	514
		C	2	2	161.2	- 161.2	161.2	N/Q	310	- 310	310	476	- 476	476
	RS	D	2	16	103.2	- 150.2	138.6	N/Q	-	-	-	293	- 306	296
	FD	D	3	23	142.2	- 147.2	145.2	N/Q	-	-	-	377	- 420	403
		D	3	16	146.2	- 146.2	146.2	23	281	- 281	281	402	- 402	402
330-400	FD	C	2	5	171.2	- 171.2	171.2	26	-	-	-	642	- 642	642
	FD	C	3	17	162.2	- 193.6	171.4	N/Q	-	-	-	633	- 765	671
		C	3	43	155.2	- 198.2	180.5	2	293	- 360	335	565	- 704	661
	FD	D	3	19	120.0	- 120.0	120.0	N/Q	-	-	-	438	- 438	438
	RS	D	3	9	105.6	- 105.6	105.6	-14	-	-	-	375	- 375	375
400+	FD	C	2	5	150.0	- 150.0	150.0	N/Q	-	-	-	608	- 608	608
		C	2	11	158.0	- 170.2	164.7	N/Q	298	- 321	311	672	- 715	698
		C	3	14	152.0	- 190.6	162.1	-18	287	- 353	303	631	- 829	715
		D	3	6	140.0	- 140.0	140.0	N/Q	264	- 264	264	679	- 679	679
				201	103.2	198.2	154.4		264	360	312	293	829	540
Grown Steer														
400-500	FD	C	2	5	160.0	- 160.0	160.0	N/Q	-	-	-	696	- 696	696
	FD	C	3	39	155.0	- 168.2	165.6	1	-	-	-	636	- 795	780
	FD	C	4	4	174.0	- 178.2	176.1	N/Q	-	-	-	829	- 844	836
500-600	FD	C	3	14	166.0	- 166.0	166.0	N/Q	-	-	-	872	- 872	872
		C	3	28	160.0	- 172.0	163.2	N/Q	291	- 319	300	877	- 952	920
		C	4	26	165.0	- 178.2	174.6	N/Q	306	- 324	322	833	- 1060	1004
	FD	C	4	4	172.0	- 172.0	172.0	N/Q	-	-	-	903	- 903	903
600-750		C	4	7	182.0	- 182.0	182.0	N/Q	325	- 325	325	1138	- 1138	1138
				127	155.0	182.0	168.2		291	325	312	636	1138	889
Grown Heifer														
0-540		C	3	32	140.0	- 165.0	155.6	-4	264	- 311	293	659	- 766	689
		C	4	13	152.0	- 168.2	158.7	7	287	- 324	300	685	- 775	724
	RS	D	2	8	99.6	- 99.6	99.6	N/Q	-	-	-	423	- 423	423
	FD	D	3	4	139.2	- 139.2	139.2	N/Q	-	-	-	536	- 536	536
		D	3	40	100.0	- 162.0	130.8	-4	192	- 306	252	385	- 670	571
540+		C	4	5	167.2	- 167.2	167.2	N/Q	310	- 310	310	978	- 978	978
				102	99.6	168.2	141.8		192	324	277	385	978	635
Manufacturing Steer														
0-540		D	3	14	100.0	- 145.0	106.7	-13	208	- 274	218	475	- 761	517

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				14	100.0	145.0	106.7		208	274	218	475	761	517
Cows														
0-400		D	1	3	51.2	- 51.2	51.2	N/Q	122	- 122	122	182	- 182	182
	RS	D	1	2	70.0	- 70.0	70.0	N/Q		-		270	- 270	270
	RS	D	2	18	90.2	- 92.2	90.6	N/Q		-		300	- 329	323
		D	2	27	80.0	- 96.6	82.5	N/Q	186	- 220	191	308	- 382	319
400-520		D	2	79	91.0	- 106.2	95.4	N/Q	207	- 241	217	369	- 480	402
	RS	D	2	16	101.6	- 113.2	110.2	N/Q		-		422	- 505	468
		D	3	62	104.2	- 120.2	110.1	10	224	- 256	237	459	- 608	530
		D	4	72	120.0	- 122.0	121.6	N/Q	239	- 245	240	582	- 628	609
520+		C	3	1	129.6	- 129.6	129.6	N/Q	249	- 249	249	810	- 810	810
		D	3	19	110.0	- 115.0	110.3	N/Q	216	- 245	217	600	- 604	600
		D	4	88	120.0	- 126.2	123.5	9	235	- 248	242	630	- 781	677
				387	51.2	129.6	108.9		122	256	229	182	810	525
Bulls														
0-450	RS	C	2	11	148.2	- 148.2	148.2	N/Q		-		571	- 571	571
		C	2	10	115.0	- 115.0	115.0	N/Q	221	- 221	221	500	- 500	500
450-600		C	2	7	142.0	- 142.0	142.0	N/Q	263	- 268	264	802	- 831	827
600+		C	2	16	135.0	- 154.0	139.5	8	250	- 291	261	959	- 1271	1074
		C	3	11	146.0	- 157.2	152.2	N/Q	268	- 293	280	1018	- 1372	1246
				55	115.0	157.2	139.6		221	293	257	500	1372	872

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.