

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 25 Jun 2013

Yarding Change 592
-622

comparison date 18/06/2013

Numbers were back with around 350 young cattle and just under 200 cows. Quality improved over all weights and grades, which included a few pens of supplementary fed yearlings. All the usual buyers and restocking orders were active in a dearer market.

The light and medium weight steer vealers sold from 178c to 192c, and the heifers from 168c to 205c/kg. Heavy weight heifers reached 217c/kg. Trade yearling steers lifted 8c, with the C3 and C4 medium and heavy weights selling from 185c to 208c and the heifers from 194c to 205c/kg. Light restocking heifers were in good numbers and lifted 10c to 15c, ranging from 139c to 162c/kg.

There were no grown steers and heifers were in limited number. Cows improved 11c to 15c, with the gain mainly on the well finished lines. Medium weight 2 scores ranged from 109c to 118c, with the heavy 3 and 4 scores from 112c to 126c/kg. The best C muscled cow reached 128c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	2	178.0	- 192.0	185.0	N/Q	330	- 356	343	461	- 481	471
280-330		C	3	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	608	- 608	608
				3	178.0	192.0	186.7		330	356	346	461	608	516
Vealer Heifer														
200-280		C	2	7	168.0	- 192.0	188.6	N/Q	317	- 356	350	403	- 461	453
		D	2	2	168.0	- 168.0	168.0	N/Q	323	- 323	323	403	- 403	403
	RS	D	2	7	155.0	- 155.0	155.0	N/Q	-	-	-	419	- 419	419
280-330		C	2	11	165.0	- 170.0	168.2	4	306	- 327	319	470	- 510	496
		C	3	1	205.0	- 205.0	205.0	N/Q	380	- 380	380	615	- 615	615
330+		C	3	3	217.0	- 217.0	217.0	N/Q	402	- 402	402	727	- 727	727
				31	155.0	217.0	175.7		306	402	341	403	727	489
Yearling Steer														
0-330	RS	C	2	7	155.0	- 165.0	160.7	N/Q	-	-	-	488	- 528	511
		C	3	7	190.0	- 190.0	190.0	N/Q	352	- 352	352	608	- 608	608
	RS	D	1	1	100.0	- 100.0	100.0	N/Q	-	-	-	220	- 220	220
	RS	D	2	9	138.0	- 146.0	140.0	N/Q	-	-	-	359	- 420	370
	FD	D	2	1	131.0	- 131.0	131.0	N/Q	-	-	-	368	- 368	368
		D	2	1	132.0	- 132.0	132.0	N/Q	254	- 254	254	422	- 422	422
330-400		B	2	3	180.0	- 192.0	188.0	N/Q	333	- 356	348	612	- 730	690
		C	2	1	130.0	- 130.0	130.0	N/Q	250	- 250	250	442	- 442	442
	RS	C	2	6	150.0	- 171.0	163.3	5	-	-	-	537	- 581	560
		C	3	19	178.0	- 198.0	185.9	N/Q	342	- 367	347	596	- 713	671
		D	2	1	126.0	- 126.0	126.0	N/Q	242	- 242	242	479	- 479	479
400+		B	2	2	146.0	- 188.0	167.0	N/Q	266	- 348	307	642	- 790	716
		C	2	1	168.0	- 168.0	168.0	N/Q	323	- 323	323	706	- 706	706
		C	3	11	196.0	- 196.0	196.0	8	363	- 363	363	941	- 941	941
		C	4	13	185.0	- 208.0	200.8	36	343	- 385	372	853	- 897	867

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				83	100.0	208.0	176.8		242	385	349	220	941	663
Yearling Heifer														
0-330	RS	C	2	29	139.0	- 163.0	151.6	19	-			417	- 522	459
		C	2	11	148.0	- 180.0	173.5	17	285	- 337	331	466	- 560	541
		C	3	3	175.0	- 175.0	175.0	N/Q	324	- 324	324	560	- 560	560
		D	1	19	110.0	- 148.0	146.0	N/Q	234	- 296	293	253	- 370	364
		D	2	1	130.0	- 130.0	130.0	N/Q	250	- 250	250	338	- 338	338
	RS	D	2	28	120.0	- 150.0	145.5	N/Q	-			312	- 470	396
330-400		B	2	5	188.0	- 188.0	188.0	N/Q	348	- 348	348	639	- 639	639
		C	2	11	152.0	- 162.0	155.6	10	292	- 312	299	547	- 616	572
	RS	C	2	7	139.0	- 175.0	149.3	-1	-			500	- 630	537
		C	3	5	194.0	- 194.0	194.0	19	359	- 359	359	737	- 737	737
		D	2	18	122.0	- 155.0	135.0	30	230	- 304	270	443	- 589	501
400+		C	2	3	158.0	- 158.0	158.0	4	293	- 293	293	853	- 853	853
		C	4	10	195.0	- 205.0	197.0	N/Q	361	- 380	365	819	- 861	827
	DA	D	2	1	112.0	- 112.0	112.0	N/Q	224	- 224	224	459	- 459	459
		D	3	9	138.0	- 160.0	150.9	N/Q	265	- 302	282	580	- 780	741
				160	110.0	205.0	155.1		224	380	306	253	861	520
Grown Heifer														
0-540		C	2	8	142.0	- 142.0	142.0	11	284	- 284	284	540	- 540	540
		D	2	1	136.0	- 136.0	136.0	N/Q	278	- 278	278	490	- 490	490
		D	3	4	155.0	- 155.0	155.0	N/Q	287	- 287	287	806	- 806	806
				13	136.0	155.0	145.5		278	287	284	490	806	618
Cows														
0-400		D	1	3	100.0	- 100.0	100.0	N/Q	213	- 213	213	380	- 380	380
400-520		C	4	2	128.0	- 128.0	128.0	N/Q	251	- 251	251	666	- 666	666
	RS	D	1	9	114.0	- 114.0	114.0	N/Q	-			467	- 467	467
	RS	D	2	1	110.0	- 110.0	110.0	N/Q	-			506	- 506	506
		D	2	44	109.0	- 118.0	114.6	11	231	- 246	238	469	- 557	523
		D	3	58	118.0	- 126.0	123.8	12	236	- 252	248	521	- 655	619
520+		C	3	10	125.0	- 127.0	125.8	4	244	- 245	245	711	- 725	719
		D	3	34	112.0	- 126.0	122.9	15	224	- 252	245	588	- 672	665
		D	4	31	123.0	- 125.0	123.6	7	246	- 250	247	713	- 725	717
		D	5	2	120.0	- 120.0	120.0	N/Q	240	- 240	240	768	- 768	768
				194	100.0	128.0	120.7		213	252	244	380	768	617
Bulls														
0-450		C	2	10	123.0	- 144.0	132.9	13	228	- 267	246	467	- 538	497
450-600		B	2	2	133.0	- 133.0	133.0	N/Q	233	- 233	233	771	- 771	771
		C	2	5	113.0	- 144.0	136.0	16	209	- 267	251	542	- 729	652
600+		B	2	8	122.0	- 135.0	129.5	6	214	- 246	231	781	- 1269	1035
		B	3	3	130.0	- 138.0	132.7	N/Q	228	- 246	236	1118	- 1325	1230
		C	1	1	122.0	- 122.0	122.0	N/Q	226	- 226	226	952	- 952	952
		C	2	5	126.0	- 138.0	132.0	14	225	- 251	239	845	- 1076	1006
		C	3	1	128.0	- 128.0	128.0	N/Q	233	- 233	233	1050	- 1050	1050
		D	2	1	110.0	- 110.0	110.0	N/Q	200	- 200	200	726	- 726	726

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head					
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg			
				36	110.0	144.0	131.4					200	267	239	467	1325	820

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.