

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 27 Jun 2013

Yarding Change 1685
-280

comparison date 20/06/2013

It was a plain quality yarding with limited numbers of trade cattle and prime grown steers. Cows were well-supplied as were young cattle in store condition.

The few prime trade cattle to processors were 5c to 9c dearer, with prime vealers selling to 216c/kg. The C3 yearling steers sold from 180c to 219.2c, with heavier weights averaging 187c/kg. The better quality young cattle to feeders were dearer, with the addition of an extra feedlot order. The plainer quality young cattle to feeders and restockers however were cheaper. Yearling steers to feeders sold from 138c to 192c, with the better lightweights averaging 153c, while yearling heifers to feeders and restockers sold from 90c to 176.2c/kg.

Limited grown steers sold at similar rates with the 3 and 4 scores selling from 155c to 180c, while grown heifers to processors topped at 150c/kg. A single pen of grown heifers to feeders sold for 172.2c/kg. Cows were 8c to 14c dearer, with 2 score light and medium weights selling from 85c to 114c/kg. The better 3 and 4 score medium and heavy weights sold from 112c to 141.2c, with the 4 score heavy weights averaging 135.5c/kg. Bulls were firm, topping at 155c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		D	2	3	197.2	- 197.2	197.2	N/Q	379	- 379	379	187	- 187	187
				3	197.2	197.2	197.3		379	379	379	187	187	187
Vealer Steer														
0-200	RS	C	2	7	159.2	- 165.2	162.6	-12	-	-	-	273	- 295	282
200-280	RS	C	2	7	155.0	- 162.2	157.1	-32	-	-	-	326	- 446	360
		C	2	3	150.0	- 157.2	152.4	-34	289	- 302	293	353	- 401	369
	RS	D	3	1	120.0	- 120.0	120.0	N/Q	-	-	-	294	- 294	294
330+		C	2	6	192.2	- 192.2	192.2	N/Q	363	- 363	363	682	- 682	682
				24	120.0	192.2	165.3		289	363	339	273	682	416
Vealer Heifer														
0-200	RS	D	3	6	136.2	- 136.2	136.2	-9	-	-	-	211	- 211	211
200-280		C	2	1	145.0	- 145.0	145.0	N/Q	284	- 284	284	297	- 297	297
	RS	D	2	4	129.2	- 129.2	129.2	N/Q	-	-	-	317	- 317	317
	RS	D	3	3	121.2	- 121.2	121.2	N/Q	-	-	-	285	- 285	285
		D	3	1	130.0	- 130.0	130.0	N/Q	255	- 255	255	286	- 286	286
280-330		C	3	2	213.2	- 216.2	214.7	N/Q	402	- 408	405	629	- 703	666
330+		C	2	15	185.0	- 185.0	185.0	N/Q	349	- 349	349	620	- 620	620
				32	121.2	216.2	161.8		255	408	347	211	703	456
Yearling Steer														
0-330		C	2	3	145.0	- 170.0	153.3	N/Q	274	- 315	287	370	- 553	431
	FD	C	2	14	153.2	- 175.0	166.4	1	-	-	-	437	- 534	479
	RS	C	2	94	138.2	- 180.0	152.5	-11	-	-	-	230	- 479	377
		C	3	3	197.2	- 211.2	201.9	N/Q	372	- 399	381	651	- 686	663
	RS	D	2	30	80.0	- 125.2	113.3	N/Q	-	-	-	188	- 294	255
	RS	D	3	91	125.0	- 150.2	135.9	-10	-	-	-	250	- 488	292
	FD	D	3	9	148.2	- 148.2	148.2	N/Q	-	-	-	482	- 482	482

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	20	160.0	- 192.0	185.1	9	-			632	- 682	668
		C	2	3	175.0	- 178.2	176.1	N/Q	336	- 337	336	686	- 691	690
		C	3	22	180.0	- 219.2	200.9	5	340	- 406	374	711	- 793	744
	RS	D	3	6	124.2	- 124.2	124.2	-25	-			441	- 441	441
400+	RS	C	2	1	156.0	- 156.0	156.0	N/Q	-			757	- 757	757
	FD	C	2	12	164.2	- 164.2	164.2	-7	-			698	- 698	698
	FD	C	3	8	170.0	- 192.2	182.5	4	-			697	- 843	786
		C	3	29	172.2	- 205.2	187.4	5	325	- 380	341	715	- 971	889
	RS	D	3	19	157.2	- 157.2	157.2	N/Q	-			715	- 715	715
				364	80.0	219.2	154.5		274	406	352	188	971	476
Yearling Heifer														
0-330	RS	C	2	3	138.2	- 138.2	138.2	N/Q	-			346	- 346	346
		C	2	3	143.2	- 165.0	157.7	-3	270	- 311	298	465	- 536	513
	FD	C	2	46	161.2	- 167.2	163.3	5	-			363	- 443	407
		D	2	7	131.2	- 131.2	131.2	N/Q	248	- 248	248	269	- 269	269
	RS	D	2	58	90.0	- 131.8	113.2	-25	-			212	- 314	277
	RS	D	3	89	133.2	- 137.2	135.3	N/Q	-			277	- 311	292
330-400	FD	C	2	25	155.2	- 176.2	170.6	-1	-			582	- 638	620
		C	2	7	154.2	- 168.2	166.2	N/Q	291	- 324	319	597	- 609	599
		C	3	36	175.2	- 209.2	197.6	17	331	- 395	365	657	- 773	741
	FD	D	2	1	118.2	- 118.2	118.2	N/Q	-			455	- 455	455
		D	2	19	105.6	- 105.6	105.6	N/Q	199	- 199	199	407	- 407	407
	FD	D	3	2	138.2	- 138.2	138.2	N/Q	-			477	- 477	477
400+	FD	C	2	8	157.2	- 157.2	157.2	7	-			652	- 652	652
	FD	C	3	4	168.2	- 172.2	169.2	N/Q	-			715	- 732	719
		C	3	37	165.0	- 185.0	178.6	17	311	- 349	332	728	- 866	793
				345	90.0	209.2	149.0		199	395	313	212	866	459
Grown Steer														
400-500		C	2	4	155.0	- 155.0	155.0	N/Q	293	- 293	293	705	- 705	705
	FD	C	2	9	165.0	- 165.0	165.0	5	-			677	- 677	677
	FD	C	3	24	154.2	- 187.2	167.4	2	-			751	- 852	796
		C	4	2	180.0	- 180.0	180.0	N/Q	333	- 333	333	891	- 891	891
		D	3	1	155.0	- 155.0	155.0	N/Q	293	- 293	293	659	- 659	659
500-600		C	2	5	150.0	- 150.0	150.0	N/Q	283	- 283	283	773	- 773	773
	FD	C	3	10	178.0	- 178.0	178.0	12	-			908	- 908	908
		C	3	5	155.0	- 165.0	161.0	-2	282	- 300	293	814	- 866	845
		C	4	12	175.0	- 180.0	179.2	5	318	- 321	321	999	- 1024	1012
750+		C	4	5	160.0	- 160.0	160.0	N/Q	291	- 291	291	1208	- 1208	1208
				77	150.0	187.2	167.8		282	333	303	659	1208	855
Grown Heifer														
0-540		C	3	2	154.2	- 154.2	154.2	N/Q	291	- 291	291	671	- 671	671
	FD	C	3	21	172.2	- 172.2	172.2	N/Q	-			766	- 766	766
		C	4	1	150.0	- 150.0	150.0	N/Q	283	- 283	283	803	- 803	803
	RS	D	2	4	115.2	- 115.2	115.2	16	-			484	- 484	484
	FD	D	3	5	145.0	- 145.0	145.0	6	-			638	- 638	638

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	4	3	145.0	- 145.0	145.0	N/Q	274	- 274	274	703	- 703	703
				36	115.2	172.2	158.2		274	291	281	484	803	708
Manufacturing Steer														
0-540	RS	D	2	6	105.0	- 105.0	105.0	N/Q	-	-	-	383	- 383	383
		D	3	9	124.0	- 124.0	124.0	17	264	- 264	264	601	- 601	601
540+		D	3	1	141.2	- 141.2	141.2	N/Q	272	- 272	272	1066	- 1066	1066
				16	105.0	141.2	117.9		264	272	265	383	1066	549
Cows														
0-400		D	2	25	85.0	- 100.0	91.6	9	193	- 238	213	327	- 385	353
400-520	RS	D	1	9	83.2	- 83.2	83.2	N/Q	-	-	-	337	- 337	337
	RS	D	2	14	110.0	- 110.0	110.0	N/C	-	-	-	545	- 545	545
		D	2	54	91.2	- 114.2	102.4	7	207	- 260	235	388	- 561	437
	RS	D	3	1	122.2	- 122.2	122.2	N/Q	-	-	-	629	- 629	629
		D	3	23	112.0	- 126.2	118.3	8	238	- 269	252	487	- 625	551
		D	4	3	128.0	- 128.0	128.0	6	251	- 251	251	621	- 621	621
520+		D	3	9	124.2	- 124.2	124.2	14	264	- 264	264	652	- 652	652
		D	4	73	131.2	- 141.2	135.5	12	259	- 281	270	693	- 826	746
				211	83.2	141.2	115.4		193	281	250	327	826	562
Bulls														
600+		C	2	21	138.2	- 150.0	139.2	N/C	261	- 283	263	1002	- 1155	1017
		C	3	4	147.2	- 155.0	150.6	-2	269	- 283	278	1122	- 1406	1267
		D	3	2	130.0	- 145.0	137.5	N/Q	255	- 290	273	943	- 1095	1019
				27	130.0	155.0	140.7		255	290	266	943	1406	1054

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.