

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 02 Jul 2013

Yarding Change 2250
-69

comparison date 25/06/2013

Consignments slipped back and quality remained fair to good, although there were runs of plainer cattle spread throughout the market. Fair percentages of the yearling categories, together with grown steers and cows were penned, as the other categories were reduced in supply. An extra Queensland buyer competed as the market trended firm in places to dearer.

Heavy vealers to the butchers ranged from 183c to 214c/kg. Yearling steers to lot feeders gained from 3c to 10c/kg, as the over 400kg pens sold to the strongest competition. These ranged from 190c to 204c, as the heavy weights to the butchers sold from 185c to 212c, with the B muscles reaching 223c/kg. Yearling heifers to feed sold close enough to firm, as the heavy weights to the trade ranged from 163c to 205c, and up to 226c/kg for the B muscles.

Heavy weight grown steers and bullocks to slaughter enjoyed extra competition, and lifted 2c to 6c to sell from 175c to 202c/kg. The heifer portion gained 6c/kg. Cows continued the dearer trend to improve 3c to 7c as the plainer 2 scores averaged 110c/kg. The better finished 3 and 4 scores ranged from 120c to 142c/kg. Restockers competed for the plainer lightweights and secured the bulk of those offered. Heavy weight bulls maintained firm values as the best reached 177c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	5	203.6	- 219.6	210.0	N/Q	392	- 422	404	143	- 165	151
80+		C	2	5	201.6	- 211.6	203.6	N/Q	388	- 407	392	212	- 282	268
				10	201.6	219.6	206.8		388	422	398	143	282	210
Vealer Steer														
0-200	RS	C	2	9	163.6	- 163.6	163.6	N/Q	-	-	-	294	- 294	294
	RS	D	1	10	94.2	- 94.2	94.2	N/Q	-	-	-	170	- 170	170
200-280	RS	C	2	41	143.0	- 186.2	181.2	5	-	-	-	315	- 521	500
280-330		C	2	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	480	- 480	480
	FD	C	2	17	155.0	- 165.6	163.7	-24	-	-	-	442	- 513	501
		C	3	6	195.0	- 195.0	195.0	N/Q	361	- 361	361	624	- 624	624
330+		C	3	24	183.2	- 205.0	197.8	-7	339	- 373	363	623	- 861	755
				108	94.2	205.0	173.2		308	373	361	170	861	516
Vealer Heifer														
200-280		C	2	17	140.0	- 155.0	148.9	4	280	- 298	290	336	- 426	394
	FD	C	2	10	147.6	- 150.0	149.8	N/Q	-	-	-	369	- 398	395
	RS	C	2	28	140.0	- 160.0	151.1	7	-	-	-	287	- 446	383
	RS	D	2	1	119.0	- 119.0	119.0	N/Q	-	-	-	327	- 327	327
280-330	RS	C	2	14	151.6	- 151.6	151.6	5	-	-	-	432	- 432	432
	FD	C	2	6	150.0	- 150.0	150.0	-4	-	-	-	428	- 428	428
		C	2	12	155.0	- 175.0	160.8	4	304	- 337	313	465	- 525	476
		C	3	14	175.0	- 200.0	186.1	16	337	- 377	352	525	- 600	566
330+		C	3	16	195.6	- 214.2	208.5	22	362	- 397	386	665	- 878	785
				118	119.0	214.2	163.3		280	397	336	287	878	479
Yearling Steer														
0-330	FD	C	2	7	176.6	- 189.2	185.6	N/Q	-	-	-	547	- 605	589
	RS	C	2	15	151.0	- 183.2	166.5	N/Q	-	-	-	374	- 550	452

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	2	1	100.0	- 100.0	100.0	N/Q	-			285	- 285	285
	FD	D	2	4	143.6	- 143.6	143.6	N/Q	-			416	- 416	416
		D	2	1	125.0	- 125.0	125.0	N/Q	250	- 250	250	356	- 356	356
330-400	FD	C	2	104	169.8	- 194.0	189.7	3	-			594	- 734	684
		C	3	6	185.0	- 200.0	189.2	-13	343	- 370	350	638	- 740	695
400+	FD	D	2	8	142.0	- 146.6	144.3	N/Q	-			476	- 498	487
		B	3	15	216.6	- 223.6	219.2	N/Q	387	- 399	391	910	- 986	932
	FD	C	2	112	190.0	- 204.8	196.7	10	-			778	- 910	851
		C	2	5	136.0	- 165.0	159.2	N/Q	272	- 317	308	564	- 693	652
	RS	C	2	11	192.0	- 193.2	193.1	N/Q	-			864	- 927	922
		C	3	81	185.0	- 212.6	194.2	5	343	- 387	357	801	- 943	860
				370	100.0	223.6	190.8		250	399	358	285	986	770
Yearling Heifer														
0-330	RS	C	2	15	151.6	- 151.6	151.6	9	-			409	- 409	409
	FD	D	2	2	120.0	- 120.0	120.0	N/Q	-			360	- 360	360
	RS	D	2	10	111.0	- 115.0	113.4	16	-			244	- 288	270
330-400	FD	C	2	70	158.0	- 177.6	170.1	1	-			537	- 657	610
		C	2	2	140.0	- 140.0	140.0	N/Q	280	- 280	280	532	- 532	532
	RS	C	2	11	155.0	- 158.0	157.5	-23	-			543	- 553	551
		C	3	3	180.0	- 185.0	183.3	5	340	- 349	346	648	- 648	648
400+	FD	D	2	4	120.0	- 120.0	120.0	N/Q	-			432	- 432	432
		B	2	2	202.2	- 202.2	202.2	N/Q	382	- 382	382	829	- 829	829
		B	3	17	224.2	- 226.6	226.3	24	405	- 408	405	942	- 952	951
		C	2	5	155.0	- 175.0	163.0	N/Q	310	- 350	326	636	- 718	668
	FD	C	2	35	140.0	- 172.6	168.6	14	-			561	- 708	691
	RS	C	3	9	178.6	- 178.6	178.6	N/Q	-			857	- 857	857
	FD	C	3	11	175.6	- 175.6	175.6	N/Q	-			755	- 755	755
		C	3	117	163.0	- 205.6	181.0	9	314	- 381	342	677	- 884	800
		C	4	4	195.0	- 195.0	195.0	N/Q	361	- 361	361	936	- 936	936
				317	111.0	226.6	173.7		280	408	349	244	952	700
Grown Steer														
0-400	RS	D	2	3	120.0	- 120.0	120.0	N/Q	-			420	- 420	420
400-500	FD	C	2	18	175.0	- 178.0	176.2	8	-			770	- 801	786
		C	2	13	125.0	- 158.0	136.2	N/C	250	- 304	268	525	- 743	576
		C	3	3	170.6	- 170.6	170.6	N/Q	316	- 316	316	802	- 802	802
	RS	D	2	1	115.0	- 115.0	115.0	N/Q	-			472	- 472	472
500-600	FD	C	2	7	175.0	- 175.0	175.0	N/C	-			910	- 910	910
		C	2	24	138.2	- 177.6	171.1	10	266	- 335	323	802	- 998	922
		C	3	213	175.0	- 202.2	190.2	4	324	- 368	347	939	- 1102	1049
		C	4	48	185.0	- 196.0	189.1	2	336	- 350	344	1036	- 1137	1085
600-750		C	2	2	165.2	- 165.2	165.2	N/Q	312	- 312	312	1008	- 1008	1008
		C	3	76	165.0	- 189.2	184.6	6	306	- 344	338	1023	- 1183	1150
		C	4	1	182.0	- 182.0	182.0	N/Q	331	- 331	331	1219	- 1219	1219
				409	115.0	202.2	184.3		250	368	340	420	1219	1028
Grown Heifer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-540		C	2	5	140.0	- 140.0	140.0	-1	292	- 292	292	616	- 616	616
	FD	C	2	2	130.0	- 130.0	130.0	N/Q	-			533	- 533	533
	RS	C	3	3	173.0	- 173.0	173.0	N/Q	-			796	- 796	796
		C	3	76	140.0	- 178.0	168.1	7	280	- 350	333	630	- 926	812
		D	2	1	116.0	- 116.0	116.0	N/Q	258	- 258	258	441	- 441	441
	FD	D	2	9	128.2	- 128.2	128.2	N/Q	-			429	- 429	429
	DA	D	2	1	122.0	- 122.0	122.0	N/Q	265	- 265	265	634	- 634	634
	RS	E	1	6	60.0	- 60.0	60.0	N/Q	-			171	- 171	171
540+		C	3	14	153.2	- 174.0	165.1	-2	306	- 341	326	935	- 957	947
				117	60.0	178.0	156.6		258	350	328	171	957	748
Manufacturing Steer														
540+		C	4	1	166.2	- 166.2	166.2	N/Q	308	- 308	308	1180	- 1180	1180
				1	166.2	166.2	166.0		308	308	308	1180	1180	1180
Cows														
0-400	RS	D	1	95	67.2	- 85.2	80.1	N/Q	-			222	- 309	272
400-520		D	2	46	106.0	- 124.6	110.4	N/C	257	- 297	266	435	- 586	477
520+		C	2	3	129.0	- 131.2	130.5	9	293	- 298	297	774	- 787	783
		C	3	21	134.0	- 139.2	136.0	2	268	- 278	270	766	- 856	831
		C	4	12	139.6	- 142.2	141.5	11	272	- 274	273	907	- 963	914
		D	2	3	123.0	- 123.0	123.0	4	286	- 286	286	664	- 664	664
	DA	D	2	2	110.0	- 110.0	110.0	N/Q	268	- 268	268	594	- 594	594
		D	3	26	120.0	- 135.2	132.4	9	255	- 282	276	648	- 744	722
		D	4	14	128.2	- 136.6	135.3	10	267	- 285	282	744	- 902	875
		D	5	1	116.0	- 116.0	116.0	N/Q	252	- 252	252	766	- 766	766
				223	67.2	142.2	106.2		252	298	272	222	963	509
Bulls														
0-450		B	2	2	190.0	- 190.0	190.0	N/Q	333	- 333	333	855	- 855	855
	RS	C	1	10	113.2	- 113.2	113.2	N/Q	-			351	- 351	351
	RS	C	2	2	123.6	- 123.6	123.6	N/Q	-			426	- 426	426
		C	2	7	135.2	- 170.0	157.0	20	250	- 304	284	603	- 731	672
		D	1	4	50.0	- 56.0	54.5	N/Q	109	- 117	115	160	- 179	174
		D	2	2	80.0	- 100.0	90.0	N/Q	160	- 200	180	336	- 420	378
450-600		B	2	1	200.0	- 200.0	200.0	N/Q	345	- 345	345	1000	- 1000	1000
		C	2	4	132.0	- 142.2	139.7	-8	240	- 259	254	726	- 739	736
		D	1	1	70.0	- 70.0	70.0	N/Q	140	- 140	140	385	- 385	385
600+		B	2	6	148.2	- 177.2	163.6	3	256	- 295	280	1275	- 1743	1587
		C	2	3	126.6	- 152.0	136.9	-1	234	- 271	249	823	- 1188	1035
		D	2	1	115.0	- 115.0	115.0	N/Q	213	- 213	213	943	- 943	943
				43	50.0	200.0	130.1		109	345	246	160	1743	701

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.