

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 02 Jul 2013

Yarding Change 537
-492

comparison date 25/06/2013

Rain across most of the supply area reduced numbers by 28%. Buyer attendance was not as good as the previous sale with one major export processor absent from the buying panel. Young cattle generally improved in price however buyers remained selective with a wide variation in price according to quality. Despite the reduced buying panel in the export section bullocks and cows averaged 4c to 10c/kg better.

Vealer heifers generally sold in the mid150c/kg range while a few sold to local butchers at 197.2c/kg. Lightweight yearling steers to restockers averaged close to 180c with a pen of well bred lines reaching 194.2c/kg. Medium weights to feed averaged 175c and sold to 180.2c/kg. Medium weight yearling heifers to feed averaged in the mid 150c/kg range with some to 160c/kg.

A handful of heavy grown steers made to 163.2c while a few pens of bullocks averaged 161c/kg. A few full mouth bullocks made to 158.2c/kg. Medium weight 2 score cows averaged 107c and made to 110.2c while 3 scores averaged 112c/kg. Good heavy cows made to a top of 133.2c with most close to 125c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	7	141.2	- 162.2	148.5	-25	-	-	-	180	- 300	228
		C	2	7	145.0	- 179.2	169.9	20	274	- 338	321	210	- 332	304
	RS	D	2	1	128.2	- 128.2	128.2	N/Q	-	-	-	224	- 224	224
				15	128.2	179.2	157.1		274	338	321	180	332	263
Vealer Steer														
200-280	FD	C	2	1	166.2	- 166.2	166.2	N/Q	-	-	-	391	- 391	391
		C	3	1	180.0	- 180.0	180.0	N/Q	327	- 327	327	477	- 477	477
280-330	FD	C	2	3	180.2	- 185.2	181.9	N/Q	-	-	-	528	- 586	566
	RS	C	2	2	179.2	- 179.2	179.2	N/Q	-	-	-	529	- 529	529
		C	3	7	173.2	- 187.2	176.9	-12	315	- 340	322	511	- 601	535
330+		C	3	1	193.2	- 193.2	193.2	N/Q	351	- 351	351	667	- 667	667
				15	166.2	193.2	178.7		315	351	325	391	667	536
Vealer Heifer														
200-280		C	2	8	152.2	- 160.2	156.2	4	282	- 297	289	342	- 406	383
	FD	C	2	8	155.0	- 160.0	155.7	N/C	-	-	-	349	- 440	368
		C	3	7	167.2	- 180.2	175.5	7	310	- 334	325	393	- 478	420
		D	2	1	145.2	- 145.2	145.2	N/Q	269	- 269	269	341	- 341	341
280-330		C	2	2	185.2	- 185.2	185.2	N/Q	343	- 343	343	528	- 528	528
		C	3	11	165.2	- 197.2	177.3	-1	306	- 365	328	471	- 623	522
330+		C	3	1	193.2	- 193.2	193.2	N/Q	358	- 358	358	667	- 667	667
				38	145.2	197.2	167.9		269	365	317	341	667	441
Yearling Steer														
0-330	FD	C	2	15	157.2	- 163.2	160.9	N/C	-	-	-	400	- 511	430
	RS	C	2	28	155.0	- 194.2	179.7	3	-	-	-	380	- 525	471
	RS	D	2	3	153.2	- 153.2	153.2	7	-	-	-	360	- 360	360
	FD	D	2	2	150.2	- 150.2	150.2	N/Q	-	-	-	428	- 428	428
330-400	FD	C	2	20	170.0	- 180.2	175.4	2	-	-	-	570	- 672	640

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		C	3	2	177.2	- 179.2	178.2	N/Q	322	- 326	324	654	- 700	677	
		FD	D	2	143.2	- 156.2	147.4	-4	-	-	-	490	- 578	539	
		RS	D	2	153.2	- 153.2	153.2	9	-	-	-	513	- 513	513	
		FD	C	2	170.0	- 170.0	170.0	N/Q	-	-	-	723	- 723	723	
		FD	C	3	165.0	- 166.2	165.5	1	-	-	-	701	- 706	704	
			C	3	12	160.2	- 185.2	170.9	-3	291	- 331	310	649	- 991	788
				114	143.2	194.2	167.2		291	331	312	360	991	561	
Yearling Heifer															
0-330		C	2	5	144.2	- 145.2	145.0	N/Q	267	- 269	269	339	- 341	341	
		FD	C	2	5	139.2	- 139.2	139.2	N/Q	-	-	327	- 327	327	
		RS	C	2	14	134.2	- 148.0	141.6	2	-	-	315	- 348	333	
		RS	D	2	4	131.2	- 131.2	131.2	11	-	-	230	- 230	230	
			D	2	4	124.2	- 139.2	135.5	1	230	- 258	251	292	- 327	318
330-400		FD	C	2	14	148.2	- 155.0	154.0	5	-	-	496	- 519	516	
		FD	C	3	9	150.0	- 160.0	157.8	N/Q	-	-	578	- 616	607	
			C	3	1	182.2	- 182.2	182.2	N/Q	337	- 337	337	701	- 701	701
			D	2	2	131.2	- 131.2	131.2	N/Q	243	- 243	243	505	- 505	505
		FD	D	2	2	137.2	- 137.2	137.2	N/Q	-	-	501	- 501	501	
400+		FD	C	2	4	148.2	- 148.2	148.2	N/Q	-	-	630	- 630	630	
		FD	C	3	5	160.0	- 160.0	160.0	10	-	-	680	- 680	680	
			C	3	6	140.2	- 165.2	156.5	5	260	- 306	290	589	- 694	660
		FD	D	2	5	135.0	- 135.0	135.0	5	-	-	574	- 574	574	
			D	3	2	142.2	- 142.2	142.2	N/Q	263	- 263	263	597	- 597	597
				82	124.2	182.2	147.0		230	337	272	230	701	482	
Grown Steer															
500-600		C	3	3	150.2	- 150.2	150.2	5	273	- 273	273	849	- 849	849	
			C	4	5	159.2	- 163.2	160.8	-3	284	- 291	287	922	- 939	932
600-750		C	3	12	151.2	- 157.2	153.7	9	275	- 286	280	960	- 1108	1022	
			C	4	19	161.2	- 162.0	161.3	4	288	- 289	288	1048	- 1158	1089
750+		C	4	2	158.2	- 158.2	158.2	N/Q	283	- 283	283	1218	- 1218	1218	
				41	150.2	163.2	158.0		273	291	284	849	1218	1039	
Grown Heifer															
0-540		C	4	1	151.2	- 151.2	151.2	N/Q	285	- 285	285	703	- 703	703	
			D	1	2	75.2	- 75.2	75.2	N/Q	167	- 167	167	290	- 290	290
			D	2	1	100.2	- 100.2	100.2	N/Q	209	- 209	209	426	- 426	426
			D	3	2	133.2	- 143.2	138.2	N/Q	256	- 275	266	619	- 709	664
540+		C	4	3	140.2	- 165.2	156.9	4	265	- 312	296	792	- 991	925	
				9	75.2	165.2	127.6		167	312	250	290	991	646	
Manufacturing Steer															
540+		C	4	12	150.0	- 158.2	156.0	N/Q	273	- 288	284	975	- 1141	1115	
				12	150.0	158.2	156.0		273	288	284	975	1141	1115	
Cows															
0-400		D	1	10	63.2	- 85.0	76.6	N/Q	158	- 213	192	253	- 340	306	
			D	2	1	94.2	- 94.2	94.2	N/Q	214	- 214	214	377	- 377	377
			E	1	3	50.0	- 58.2	55.5	N/Q	125	- 146	139	193	- 230	217

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520		D	1	4	75.0	- 90.0	78.8	4	188	- 225	197	326	- 392	343
	DA	D	1	7	70.0	- 90.0	79.5	6	175	- 225	199	305	- 446	375
		D	2	15	101.2	- 110.2	107.0	13	230	- 251	243	455	- 534	496
		D	3	24	110.0	- 113.2	112.4	8	225	- 231	229	479	- 544	531
		D	4	6	116.2	- 118.0	116.5	4	228	- 231	228	561	- 575	573
520+		D	2	5	106.2	- 111.2	110.0	N/Q	241	- 253	250	568	- 595	588
	DA	D	2	4	102.0	- 110.2	104.1	4	232	- 251	237	546	- 645	570
	DA	D	3	2	113.2	- 113.2	113.2	N/Q	231	- 231	231	736	- 736	736
		D	3	11	112.0	- 117.2	115.5	3	229	- 239	236	599	- 627	618
		D	4	23	120.0	- 133.2	124.9	6	235	- 261	245	642	- 793	698
				115	50.0	133.2	106.4		125	261	227	193	793	533
Bulls														
0-450	RS	C	2	2	155.0	- 155.0	155.0	N/C	-	-	-	581	- 581	581
		C	2	1	125.0	- 125.0	125.0	N/Q	227	- 227	227	313	- 313	313
	FD	C	2	5	123.2	- 123.2	123.2	N/Q	-	-	-	363	- 363	363
		D	2	5	120.0	- 120.0	120.0	3	218	- 218	218	354	- 354	354
450-600		D	2	1	123.2	- 123.2	123.2	N/Q	224	- 224	224	573	- 573	573
		D	3	1	125.0	- 125.0	125.0	N/Q	227	- 227	227	706	- 706	706
600+	RS	C	3	2	155.0	- 155.0	155.0	N/Q	-	-	-	1000	- 1000	1000
		D	2	1	120.0	- 120.0	120.0	N/Q	218	- 218	218	744	- 744	744
				18	120.0	155.0	129.4		218	227	221	313	1000	505

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.